

Street Improvements for
ARLINGTON PLACE 2ND ADDITION - PHASE II

Manchester : From 76.23' S. of 11th St. to W.L. Lot 1, Blk 3.
Manchester Court: From E.L. Manchester to and including cul-de-sac
to serve Lots 4-15, Blk 2.
11TH Street and Lark: From E.L. Manchester to N.L. Lot 23, Blk 2.
Manchester Court: From E.L. Manchester and Harvest Lane to and
to and including cul-de-sac to serve Lots 15-20, Blk 1.

Project No.

472-76-245-82252-000-000-001


CITY OF WICHITA, KANSAS

Michael E. Lindebak City Engineer

Index Code: **781619**


General Notes

1. Interurban traffic generated outside the project area and local business or apartment traffic generated within the project area are to be carried through construction as further promulgated by project special provisions.
2. Utility service lines, poles, valve boxes, meters, and etcetera are to be adjusted as necessary by others prior to construction unless the plans specifically call for their adjustment by the Contractor or unless the plans specifically identify a utility to be adjusted by its owner during construction. Existing utilities and their location, as shown on the plans, represent the best information obtainable for design. The contractor will be required to work around existing utilities within the right-of-way which do not conflict with proposed construction.
3. A saw cut of at least one-half the depth of existing surface courses or one-fourth the depth of the existing total pavement thickness shall be provided at locations where proposed construction abuts an existing surface course or pavement for which partial removal of that surface or pavement is required. Sawed joint to facilitate removal within three (3) feet of existing joints will not be permitted and for such instances the limits of removal shall extend to the existing joint. Such saw cuts will not be paid for directly and this cost shall be considered as subsidiary to the removal of the surface or pavement.
4. Rubble from the removal of miscellaneous structures and excess excavation which is to be wasted shall be disposed of on sites to be provided by the Contractor. These sites shall be approved by the Engineer as to suitability, appearance and site location. Locations that, in the opinion of the Engineer, will leave an unsightly appearance will not be approved. All disposal sites must be approved by the Kansas Department of Health and Environment. Material either stockpiled or disposed of in a flood plain would require a Kansas State Board of Agriculture permit. Any material dumped in waters of the United States or wetlands is subject to U.S. Corps. of Engineers permitting regulations. Any material buried or stockpiled beyond approved construction limits would require additional archaeological investigations unless buried in a previously approved borrow location.
5. No more than _____ drives _____ feet in width, or equivalent combinations thereof, are to be constructed with this project.
6. Mailboxes within the limits of the project shall be removed and replaced by the Contractor as approved by the Engineer. Contractor will be required to make satisfactory provisions for mail delivery to properties affected by this project during its construction.
7. Trees and shrubs in public right-of-way which are in direct conflict with proposed new construction shall be removed by the Contractor with the Engineer's approval. Trees and shrubs which are not in direct conflict with proposed new construction shall be saved and protected from damage.
8. Limits of earthwork shall match existing ground elevations at the right-of-way line unless otherwise noted on the plans with a new finished grade elevation. When a new finished grade elevation is shown, the earthwork shall extend one foot beyond the right-of-way line and then sloped up or down using permissible slopes to match the existing ground surface.
9. The Contractor shall be responsible for preserving property irons. The Contractor will be required to re-establish any property irons which are damaged or destroyed by his construction operations. Such irons shall be re-established by a licensed land surveyor in accordance with state laws.
10. The Contractor shall adjust Water Valve Boxes and Fire Hydrants as directed by the Engineer at the price bid for said adjustments. The Water Department shall field locate water valves one time during construction when requested by the Contractor. It shall be the Contractor's responsibility to preserve such field locations during the construction process. Water valves, water valve boxes or fire hydrants damaged during construction shall be repaired by the contractor at his own expense.
11. The Contractor shall give all property owners and/or tenants of developed property abutting the project limits a minimum of ten (10) days notice prior to start of construction.



Index


1. Title Sheet
2. 37' Pavement Detail
3. 29' Pavement Detail
4. Alternate 37' Pavement Detail
5. Alternate 29' Pavement Detail
6. Valley Gutter Detail
7. 11th Street
8. Manchester
9. Manchester Court Serving Lots 15-20, Block 1.
10. Manchester Court Serving Lots 4-15, Block 2.
- 11-15. Earthwork Cross-Sections
16. Plat of Arlington Place 2nd Addition



Benefit District

BAUGHMAN COMPANY P. A.
ENGINEERING & SURVEYING
316/262-7271 • 315 ELLIS • WICHITA, KANSAS 67211


TYPICAL 37' B-B PAVEMENT DETAILS




Pavement Specification
The crushed rock shall have the following gradation:

	% Retained
2-1/2"	0
3/4"	20 to 60
#4	50 to 80
#40	80 to 94
#200	90 to 95


Rock quality shall conform to the requirements specified by the KDOT 1990 Edition Standard Specification Subsection 1102 for durability Class I.




COMBINED CURB & GUTTER



COMBINED ROLL TYPE CURB & GUTTER




	0'	2'	4'	6'	8'	10'	12'	14'	16'	18'	18.5'	19.5'
A: Top of Curbs to Top of Surface Lift	0.01	.05	0.11	0.18	0.24	0.30	0.36	0.43	0.49	—	—	—
B: Top of Curbs to Top of Upper Base Lift	0.17	0.22	0.28	0.34	0.40	0.47	0.53	0.59	0.65	—	—	—
C: Top of Curbs to Top of C.R. Subgrade	0.43	0.47	0.53	0.59	0.65	0.72	0.78	0.84	0.90	0.97	0.98	1.01



TRANSVERSE CONSTRUCTION JOINTS

Transverse construction joints shall be constructed in flexible base pavements at locations where pavement joints existing flexible base pavement as shown by the detail. All costs associated with the construction of the transverse joint shall be included in the bid price for Square Yards 5" ASPHALTIC CONCRETE (3" BITUMINOUS BASE).



Perforated Pipes

CRUSHED ROCK GRADATION REQUIREMENTS

Percent of Aggregate Retained

1 1/2" 0


3/4" 15-60

#4 40-80

#40 70-92


#200 4-12

Rock Quality Shall Be The Same As Specified For Coarse Aggregate For Asphalt Concrete Mixes.



SECTION A-A

NOTE: Place 4" PVC Perforated Pipe at all drainage sump locations. Cost of Underdrain System to be incidental to the Reinforced Crushed Rock Subgrade.



(Min. 16 Perforations Per Lin. Ft. @ 1/4" Dia.) Perforations To Be on Bottom Half

PAVEMENT UNDERDRAIN DETAIL

General Notes

FABRIC BASE REINFORCEMENT SHALL BE B X 1100 GEOGRID AS MANUFACTURED BY TENSAR CORPORATION OR APPROVED EQUAL. FABRIC BASE REINFORCEMENT SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS. CRUSHED ROCK SHALL BE UNIFORMLY GRADED FROM 1-1/2" MAXIMUM SIZE TO NOT MORE THAN 10% PASSING A NO. 200 SIEVE. ROCK QUALITY SHALL BE THE SAME AS SPECIFIED FOR COARSE AGGREGATE FOR CONCRETE MIXES.

ROCK BASE IS TO BE COMPACTED AND SMOOTHED WITH A STEEL FACED ROLLER PRIOR TO PLACEMENT OF ASPHALT. TACK COAT WILL NOT BE APPLIED TO ROCK BASE.

A TACK COAT OF EMULSIFIED ASPHALT (SC-1H OR CSS-1H) SHALL BE APPLIED AT AN APPROXIMATE RATE OF 0.05 GALLONS PER SQUARE YARD BETWEEN EACH LIFT OF ASPHALTIC MATERIAL.


BITUMINOUS BASE AND ASPHALTIC CONCRETE WEARING SURFACE SHALL BE PLACED WITH A LAYDOWN MACHINE HAVING AUTOMATIC CONTROLS FOR LINE AND GRADE.

CONSTRUCTION JOINTS IN EACH LIFT SHALL BE STAGGERED A MINIMUM DISTANCE OF ONE (1) FOOT FROM JOINTS IN PRECEDING LIFTS AND PLACED SO THAT A JOINT WILL BE CONSTRUCTED ON THE CENTERLINE OF THE TOP LIFT.

THE ASPHALTIC CONCRETE PAVEMENT BETWEEN THE COMBINED CURB AND GUTTER SHALL BE PAID AS SQUARE YARDS OF 5" ASPHALTIC CONCRETE (3" BITUMINOUS BASE.)

5 INCH Residential Asphaltic Concrete Pavement with Crushed Rock Base on Fabric Reinforcement City of Wichita, Kansas			
BAUGHMAN COMPANY P. A. ENGINEERING & SURVEYING 316/62-7271 • 315 ELLIS • WICHITA, KANSAS 67211		REV.	
PROJECT NUMBER 472-76-245-82252-000-000-001		SHEET 2 OF 16	
DESIGN T.C.R.	DRAWN	APPROVED	DATE 1-14-93


TYPICAL 29' B-B PAVEMENT DETAILS




Pavement Specifications
The crushed rock shall have the following gradation:

	% Retained
2-1/2"	0
3/4"	20 to 60
#4	50 to 80
#40	80 to 94
#200	90 to 98


Rock quality shall conform to the requirements specified by the KDOT 1990 Edition Standard Specification Subsection 1102 for durability Class I.




COMBINED CURB & GUTTER



COMBINED ROLL TYPE CURB & GUTTER




	0'	2'	4'	6'	7'	8'	10'	12'	14'	14.5'	15.5'
A: Top of Curbs to Top of Surface Lift	0.13	0.18	0.24	0.30	0.33	0.36	0.43	0.49	—	—	—
B: Top of Curbs to Top of Upper Base Lift	0.30	0.35	0.41	0.47	0.50	0.53	0.60	0.66	—	—	—
C: Top of Curbs to Top of C.R. Subgrade	0.55	0.60	0.66	0.72	0.75	0.78	0.85	0.91	0.97	0.98	1.01




TRANSVERSE CONSTRUCTION JOINTS

Transverse construction joints shall be constructed in flexible base pavements at locations where pavement joints existing flexible base pavement as shown by the detail. All costs associated with the construction of the transverse joint shall be included in the bid price for Square Yards 5" ASPHALTIC CONCRETE (3" BITUMINOUS BASE).



Perforated Pipe	CRUSHED ROCK GRADATION REQUIREMENTS
Percent of Aggregate Retained	
1 1/2"	0
3/4"	15-60
#4	40-80
#40	74-92
P-200	4-12

Rock Quality shall Be The Same As Specified For Coarse Aggregate For Asphalt Concrete Mixes.



PAVEMENT UNDERDRAIN DETAIL

General Notes

FABRIC BASE REINFORCEMENT SHALL BE B & K 1100 GEOTEXTILE AS MANUFACTURED BY TENSAR CORPORATION OR APPROVED EQUAL. FABRIC BASE REINFORCEMENT SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS. CRUSHED ROCK SHALL BE UNIFORMLY GRADED FROM 1-1/2" MAXIMUM SIZE TO NOT MORE THAN 10% PASSING A NO. 200 SIEVE. ROCK QUALITY SHALL BE THE SAME AS SPECIFIED FOR COARSE AGGREGATE FOR CONCRETE MIXES.

ROCK BASE IS TO BE COMPACTED AND SMOOTHED WITH A STEEL FACED ROLLER PRIOR TO PLACEMENT OF ASPHALT. TACK COAT WILL NOT BE APPLIED TO ROCK BASE.

A TACK COAT OF EMULSIFIED ASPHALT (SC-1H OR CSS-1H) SHALL BE APPLIED AT AN APPROXIMATE RATE OF 0.05 GALLONS PER SQUARE YARD BETWEEN EACH LIFT OF ASPHALTIC MATERIAL.




BITUMINOUS BASE AND ASPHALTIC CONCRETE WEARING SURFACE SHALL BE PLACED WITH A LAYDOWN MACHINE HAVING AUTOMATIC CONTROLS FOR LINE AND GRADE.

CONSTRUCTION JOINTS IN EACH LIFT SHALL BE STAGGERED A MINIMUM DISTANCE OF ONE (1) FOOT FROM JOINTS IN PRECEDING LIFTS AND PLACED SO THAT A JOINT WILL BE CONSTRUCTED ON THE CENTERLINE OF THE TOP LIFT.


THE ASPHALTIC CONCRETE PAVEMENT BETWEEN THE COMBINED CURB AND GUTTER SHALL BE PAID AS SQUARE YARDS OF 5" ASPHALTIC CONCRETE (3" BITUMINOUS BASE).

5 INCH Residential Asphaltic Concrete Pavement with Crushed Rock Base on Fabric Reinforcement City of Wichita, Kansas			
BAUGHMAN COMPANY P. A. ENGINEERING & SURVEYING 315/262-7271 • 315 ELIUS • WICHITA, KANSAS 67211		REV.	
PROJECT NUMBER 472 76 245 82252 000 000 001		SHEET 3	
DESIGN	DRAWN	APPROVED	DATE 1-14-93
SCALE		OF 16	


TYPICAL 37' B-B PAVEMENT DETAILS



COMBINED CURB & GUTTER



COMBINED ROLL TYPE CURB & GUTTER



TRANSVERSE CONSTRUCTION JOINTS

Transverse construction joints shall be constructed in flexible base pavements at locations where pavement joints existing flexible base pavement as shown by the detail. All costs associated with the construction of the transverse joint shall be included in the bid price for Square Yards 8" ASPHALTIC CONCRETE (6" BITUMINOUS BASE).

General Notes

THE ASPHALTIC CONCRETE PAVEMENT BETWEEN THE COMBINED CURB AND GUTTER SHALL BE PAID AS SQUARE YARDS OF 8" ASPHALTIC CONCRETE W/ (6" BITUMINOUS BASE.)

THE BITUMINOUS BASE UNDER AND BEHIND THE COMB CURB AND GUTTER SHALL BE PAID AS SQUARE YARDS OF 3" BITUMINOUS BASE.

A TACK COAT OF EMULSIFIED ASPHALT (SC-1H OR CSS-1H) SHALL BE APPLIED AT AN APPROXIMATE RATE OF 0.05 GALLONS PER SQUARE YARD BETWEEN EACH LIFT OF ASPHALTIC MATERIAL.

BITUMINOUS BASE AND ASPHALTIC CONCRETE WEARING SURFACE SHALL BE PLACED WITH A LAYDOWN MACHINE HAVING AUTOMATIC CONTROLS FOR LINE AND GRADE.

CONSTRUCTION JOINTS IN EACH LIFT SHALL BE STAGGERED A MINIMUM DISTANCE OF ONE (1) FOOT FROM JOINTS IN PRECEDING LIFTS AND PLACED SO THAT A JOINT WILL BE CONSTRUCTED ON THE CENTERLINE OF THE TOP LIFT.

CONTRACTOR TO BID ONLY ONE SUBGRADE TREATMENT ALTERNATE WHEN ALTERNATES ARE PROVIDED IN THE PROPOSAL AND CONTRACT. THE ALTERNATE CHOSEN BY THE SUCCESSFUL BIDDER SHALL BE USED IN CONSTRUCTING THIS PROJECT.

	DISTANCE FROM CENTERLINE (LT. & RT.)															
	0'	2'	4'	6'	8'	10'	12'	14'	16'	18'	18.5'	18.67'	19.17'			
A: Top of Curbs to Top of Surface Lift	0.01	.05	0.11	0.18	0.24	0.30	0.36	0.43	0.49	—	—	—	—			
B: Top of Curbs to Top of Upper Base Lift	0.17	0.22	0.28	0.34	0.40	0.47	0.53	0.59	0.65	—	—	—	—			
C: Top of Curbs to Top of Lower Base Lift	0.42	0.47	0.53	0.59	0.65	0.72	0.78	0.84	0.90	0.97	0.98	0.99	—			
D: Top of Curbs to Top of Subgrade	0.67	0.72	0.78	0.84	0.90	0.97	1.03	1.09	1.15	1.22	1.23	1.24	1.25			

8 INCH Residential Asphaltic Concrete Pavement with 6 INCH Bituminous Base
City of Wichita, Kansas




BAUGHMAN COMPANY P. A.
ENGINEERING & SURVEYING
316/262-7271 • 315 ELLIS • WICHITA, KANSAS 67211

PROJECT NUMBER
472 76 245 **82252** 000 000 001


DESIGN DRAWN APPROVED DATE 1-11-93 SCALE

SHEET 4 OF 16

TYPICAL 29' B-B PAVEMENT DETAILS




COMBINED CURB & GUTTER (6-5/8")



COMBINED ROLL TYPE CURB & GUTTER (3 3/8")

	DISTANCE FROM CENTERLINE (LT. & RT.)											
	0'	2'	4'	6'	7'	8'	10'	12'	14'	14.5'	14.67'	15.17'
A: Top of Curbs to Top of Surface Lift	0.13	0.18	0.24	0.30	0.33	0.36	0.43	0.49	-	-	-	-
B: Top of Curbs to Top of Upper Base Lift	0.30	0.35	0.41	0.47	0.50	0.53	0.60	0.66	-	-	-	-
C: Top of Curbs to Top of Lower Base Lift	0.47	0.52	0.60	0.68	0.71	0.75	0.83	0.90	0.98	1.00	1.01	-
D: Top of Curbs to Top of Subgrade	0.72	0.77	0.84	0.91	0.94	0.98	1.05	1.12	1.19	1.21	1.21	1.23



TRANSVERSE CONSTRUCTION JOINTS

Transverse construction joints shall be constructed in flexible base pavements at locations where pavement joints existing flexible base pavement as shown by the detail. All costs associated with the construction of the transverse joint shall be included in the bid price for Square Yards 7" ASPHALTIC CONCRETE (5" BITUMINOUS BASE).

General Notes

THE ASPHALTIC CONCRETE PAVEMENT BETWEEN THE COMBINED CURB AND GUTTER SHALL BE PAID AS SQUARE YARDS OF 7" ASPHALTIC CONCRETE W/ (5" BITUMINOUS BASE.)

THE BITUMINOUS BASE UNDER AND BEHIND THE COMB. CURB AND GUTTER SHALL BE PAID AS SQUARE YARDS OF 2 1/2" BITUMINOUS BASE.

A TACK COAT OF EMULSIFIED ASPHALT (SC-1H OR CSS-1H) SHALL BE APPLIED AT AN APPROXIMATE RATE OF 0.05 GALLONS PER SQUARE YARD BETWEEN EACH LIFT OF ASPHALTIC MATERIAL.

BITUMINOUS BASE AND ASPHALTIC CONCRETE WEARING SURFACE SHALL BE PLACED WITH A LAYDOWN MACHINE HAVING AUTOMATIC CONTROLS FOR LINE AND GRADE.

CONSTRUCTION JOINTS IN EACH LIFT SHALL BE STAGGERED A MINIMUM DISTANCE OF ONE (1) FOOT FROM JOINTS IN PRECEDING LIFTS AND PLACED SO THAT A JOINT WILL BE CONSTRUCTED ON THE CENTERLINE OF THE TOP LIFT.

CONTRACTOR TO BID ONLY ONE SUBGRADE TREATMENT ALTERNATE WHEN ALTERNATES ARE PROVIDED IN THE PROPOSAL AND CONTRACT. THE ALTERNATE CHOSEN BY THE SUCCESSFUL BIDDER SHALL BE USED IN CONSTRUCTING THIS PROJECT.

7 INCH Residential Asphaltic Concrete Pavement with 5 INCH Bituminous Base
City of Wichita, Kansas

BAUGHMAN COMPANY P. A.
ENGINEERING & SURVEYING
315/262-7271 • 315 ELLIS • WICHITA, KANSAS 67211

PROJECT NUMBER
472 76 245 82252' 000 000 001
DESIGN DRAWN APPROVED DATE 1-14-73 SCALE

REV.
SHEET
5
OF
16

VALLEY GUTTER DETAILS

BAUGHMAN COMPANY P. A.
ENGINEERING & SURVEYING

316/262-7271 • 315 ELLIS • WICHITA, KANSAS 67211

REV.

PROJECT NUMBER

472-76-245-82252-000-000-001

SHEET

6

OF **16**

DESIGN

DRAWN

APPROVED

DATE

1-14-93

SCALE

1"=40'

ALONG

BENCHMARK:

"□" Top of So. Curb 15' E. of
End of Existing Pmt. on Harvest
Lane & 15' E. of NW Cor. Lot 28,
Blk. 3, Arlington Place 2nd.
Elev. = 154.44

"□" Top of W. Curb Opposite P.C.
Lot 1, Blk. 1, Arlington Place 2nd.
Elev. = 156.77

"□" Top of E. Curb 17' ± SW of
NW Cor. Lot 4, Blk. 2, Arlington
Place 2nd.
Elev. = 153.77

CURVE #1
Curve Data Based on Centerline

Rad. = 258.69' Delta = 28°00'00" Tangent = 64.75'
Arc = 126.91' L.C. = 123.65' Def/Ft. = 6.61886 Min.

Station	Arc	FACE CHORD LENGTHS		Defl.	T. Defl.
		8 Lt.	8 Rt.		
0+33.00	-	-	-	0°00'00"	0°00'00"
0+45.83	12.83'	11.74'	13.91'	1°24'55"	1°24'55"
0+49.90	4.07'	3.73'	4.42'	0°26'57"	1°51'52"
0+75.00	25.10'	22.96'	27.22'	2°46'08"	4°38'00"
1+00.00	25.00'	22.87'	27.11'	2°45'28"	7°23'28"
1+25.00	25.00'	22.87'	27.11'	2°45'28"	10°08'56"
1+50.00	25.00'	22.87'	27.11'	2°45'28"	12°54'24"
1+59.91	9.91'	9.07'	10.75'	1°13'36"	14°00'00"


CURVE #2
Curve Data Based on Centerline

Rad. = 214.22' Delta = 70°00'00" Tangent = 150.00'
Arc = 261.72' L.C. = 245.74' Def/Ft. = 8.02384 Min.

Station	Arc	FACE CHORD LENGTHS		Defl.	T. Defl.
		8 Lt.	8 Rt.		
2+07.79	-	-	-	0°00'00"	0°00'00"
2+25.00	17.21'	18.97'	15.44'	2°18'05"	2°18'05"
2+50.00	25.00'	27.55'	22.42'	3°20'36"	5°38'41"
2+75.00	25.00'	27.55'	22.42'	3°20'36"	8°59'17"
3+00.00	25.00'	27.55'	22.42'	3°20'36"	12°19'53"
3+25.00	25.00'	27.55'	22.42'	3°20'36"	15°40'28"
3+50.00	25.00'	27.55'	22.42'	3°20'36"	19°01'04"
3+75.00	25.00'	27.55'	22.42'	3°20'36"	22°21'40"
4+00.00	25.00'	27.55'	22.42'	3°20'36"	25°42'16"
4+25.00	25.00'	27.55'	22.42'	3°20'36"	29°02'52"
4+50.00	25.00'	27.55'	22.42'	3°20'36"	32°23'27"
4+69.51	19.51'	19.51'	17.50'	2°36'33"	35°00'00"



NOTE: ROLL TYPE COMBINED CURB & GUTTER
TO BE CONSTRUCTED ON THIS STREET.



Earth Work Totals
Compacted Fill 66 C.Y.
Excavation = 2496 C.Y.

P.I.
Elev. = 155.15
No V.C.

P.I.
Elev. = 154.84
No V.C.

ARLINGTON PLACE 2ND ADDITION - PHASE II
11TH STREET

BAUGHMAN COMPANY P. A.
ENGINEERING & SURVEYING
316/262-7271 • 315 ELLIS • WICHITA, KANSAS 67211

PROJECT NUMBER
472-76-245-82252-000-000-001


DESIGN NBW/BP DRAWN BP UTIL. CHECK'D DATE 1-14-93 SCALE NOTED SHEET 7 OF 16

BENCHMARK:

* Top of So. Curb 15' E. of
End of Existing Pkwy on Harvest
Lane & 15' E. of NW Cor. Lot 20,
Blk 3, Arlington Place 2nd.
Elev. = 154.46

* Top of W. Curb Opposite P.C.
Lot 1, Blk 1, Arlington Place 2nd.
Elev. = 156.77

* Top of E. Curb 17' ± SW of
NW Cor. Lot 4, Blk 2, Arlington
Place 2nd.
Elev. = 153.77



CURVE #3
Curve Data Based on Centerline
Rad = 170' Delta = 18° 58' 58" Tangent = 28.42'
Arc = 56.32' L.C. = 56.07' Def/Fl = 10.1116 Min.

Station	Arc	FACE CHORD LENGTHS		Defl	T. Defl
		B Lt.	B Rt.		
0+00.00	25.00'	28.80'	21.16'	0°00'00"	0°00'00"
0+25.00	25.00'	28.80'	21.16'	41°24'47"	41°24'47"
0+50.00	25.00'	28.80'	21.16'	41°24'48"	8°25'35"
0+56.32	6.32'	7.29'	5.35'	103°54'	9°29'59"

CURVE #4
Curve Data Based on Centerline
Rad = 340' Delta = 54° 41' 26" Tangent = 175.83'
Arc = 324.54' L.C. = 312.36' Def/Fl = 5.05551 Min.

Station	Arc	FACE CHORD LENGTHS		Defl	T. Defl
		B Lt.	B Rt.		
1+71.04	3.96'	4.26'	3.66'	0°00'00"	0°00'00"
1+75.00	25.00'	26.91'	23.09'	2°06'24"	2°26'24"
2+00.00	25.00'	26.91'	23.09'	2°06'24"	4°32'48"
2+25.00	25.00'	26.90'	23.08'	2°06'23"	6°39'11"
2+50.00	25.00'	26.90'	23.08'	2°06'23"	8°45'34"
2+75.00	25.00'	26.91'	23.09'	2°06'24"	10°51'58"
3+00.00	25.00'	26.91'	23.09'	2°06'24"	12°58'21"
3+22.55	22.55'	24.27'	20.42'	1°54'00"	14°45'58"
3+25.00	2.45'	2.64'	2.26'	0°12'23"	12°58'21"
3+50.00	25.00'	26.90'	23.08'	2°06'23"	15°04'44"
3+75.00	25.00'	26.90'	23.08'	2°06'23"	17°11'07"
4+00.00	25.00'	26.91'	23.09'	2°06'24"	19°17'31"
4+01.81	1.81'	1.95'	1.67'	0°09'09"	19°26'40"
4+25.00	23.19'	24.36'	21.41'	1°57'14"	21°23'54"
4+50.00	25.00'	26.90'	23.08'	2°06'23"	23°30'17"
4+75.00	25.00'	26.90'	23.08'	2°06'23"	25°36'40"
4+95.58	20.58'	22.15'	19.00'	1°44'03"	27°20'43"

ARLINGTON PLACE 2ND ADDITION - PHASE II MANCHESTER

BAUGHMAN COMPANY P. A.
ENGINEERING & SURVEYING
316/262-7271 • 315 ELLIS • WICHITA, KANSAS 67211

PROJECT NUMBER
472-76-245-82252-000-000-001

DESIGN: NBW/BP DRAWN: BP UTIL CHECK: DATE: 1-14-93 SCALE: NOTED

SHEET
8
OF
16



"□" Top of So. Curb 15' E. of
End of Existing Pymt on Harvest
Lane, & 15' E. of NW Cor. Lot 28,
Blk 3, Arlington Place 2nd.
Elev. = 154.44

"□" Top of W. Curb Opposite P.C.
Lot 1, Blk 1, Arlington Place 2nd.
Elev. = 156.77

"□" Top of E. Curb 17' ± SW of
NW Cor. Lot 4, Blk 2, Arlington
Place 2nd.
Elev. = 153.77

SCALE:
1" = 20'
• = IRON

NOTE: ROLL TYPE COMBINED CURB & GUTTER
TO BE CONSTRUCTED ON THIS STREET.



Barricade Detail

ARLINGTON PLACE ADDITION - PHASE II
MANCHESTER COURT



BAUGHMAN COMPANY P. A.
ENGINEERING & SURVEYING
316/262-7271 • 315 ELLIS • WICHITA, KANSAS 67211

PROJECT NUMBER
472-76-245-82252-000-000-001


DESIGN	DRAWN	UTIL. CHECK'D	DATE	SCALE
NRW/PP	PP		1-14-93	NOTED

SHEET 9
OF 10

BENCHMARK:	
"□" Top of So. Curb 15' E. of End of Existing Pmt on Harvest Lane & 15' E. of NW Cor. Lot 28, Blk 3, Arlington Place 2nd. Elev. = 154.44	
"□" Top of W. Curb Opposite P.C. Lot 1, Blk 1, Arlington Place 2nd. Elev. = 156.77	
"□" Top of E. Curb 17' ± SW of NW Cor. Lot 4, Blk 2, Arlington Place 2nd. Elev. = 153.77	

SCALE:
1" = 20'
• = IRON

NOTE: ROLL TYPE COMBINED CURB & GUTTER TO BE CONSTRUCTED ON THIS STREET.



CURVE #5
Curve Data Based on Centerline
Rad. = 116.61' Delta = 31°00'00" Tangent = 55.62'
Arc = 103.8' L.C. = 100.40' Def/Fl. = 14.7399 Min.

Station	Arc	FACE CHORD LENGTHS	B Rt.	Defl.	T. Defl.
2+79.29	-	-	-	0°00'00"	0°00'00"
3+00.00	20.71	24.58	5°05'16"	5°05'16"	5°05'16"
3+25.00	25.00	29.66	6°08'30"	11°13'46"	11°13'46"
3+50.00	25.00	29.66	6°08'30"	17°22'15"	17°22'15"
3+75.00	25.00	29.66	6°08'30"	23°30'45"	23°30'45"
3+83.09	8.09	9.61	1°59'15"	25°30'00"	25°30'00"


ARLINGTON PLACE 2ND ADDITION - PHASE II
MANCHESTER COURT


BAUGHMAN COMPANY P. A.
ENGINEERING & SURVEYING
316/262-7271 • 315 ELLIS • WICHITA, KANSAS 67211


PROJECT NUMBER
472-76-245-82252-000-000-001


DESIGN: NEW/BP DRAWN: BP UTIL CHECK'D: DATE: 1-14-73 SCALE: NOTED


SHEET 10 OF 16












ARLINGTON PLACE 2ND ADDITION

WICHITA, SEDGWICK COUNTY, KANSAS

Know all men by these presents, that we, the undersigned, have caused the land described in the surveyors certificate to be platted into Lots, Blocks, Streets and a Reserve to be known as "ARLINGTON PLACE 2ND ADDITION", Wichita, Sedgwick County, Kansas. The utility easements are hereby granted as indicated for the construction and maintenance of all public utilities. The storm sewer easements are hereby granted for storm sewer purposes. The K. G. & E. easements are hereby granted for the construction and maintenance of K. G. & E. electric lines. The pedestrian access easement is hereby reserved for pedestrian access purposes and no fences or other obstructions can be placed within this easement. The streets are hereby dedicated to and for the use of the public. Reserve "A" is hereby reserved for drainage purposes, drainage structures, lakes, landscaping, sidewalks, gazebos, recreation facilities and for utilities confined to easements and Reserve "A" shall be owned and maintained by the homeowners association for the addition. Minimum Pad Elevations for lowest opening shall be as shown on the face of the plat.

Arlington Place, Inc., a Kansas Corporation
 President
 Randy Dean

State of Kansas) SS The foregoing instrument acknowledged before me, this 11th day of October, 1992, by Randy Dean, President of Arlington Place, Inc., a Kansas Corporation, on behalf of the corporation.

My App't. Exp. Notary Public
 My App't. Exp. Notary Public

We, the undersigned, holders of a mortgage on the above described property, do hereby consent to this plat of "ARLINGTON PLACE 2ND ADDITION", Wichita, Sedgwick County, Kansas.


Chris A. Anderson Vice-President
 Chris A. Anderson

State of Kansas) SS The foregoing instrument acknowledged before me, this 11th day of October, 1992, by Chris A. Anderson, Vice-President of State Bank of Colwich, on behalf of the corporation.

My App't. Exp. Notary Public
 My App't. Exp. Notary Public


This plat of "ARLINGTON PLACE 2ND ADDITION", Wichita, Sedgwick County, Kansas has been submitted to and approved by the Wichita-Sedgwick County Metropolitan Area Planning Commission, Wichita, Kansas.

Dated this 10th day of October, 1992.
 Wichita-Sedgwick County Metropolitan Area Planning Commission



George D. Sherman Chairman
 Marvin S. Krout Secretary

This plat approved and all dedications shown hereon accepted by the City Council of the City of Wichita, Kansas, this 11th day of October, 1992.



Bob Knight Mayor
 Pat Burnett Deputy City Clerk

State of Kansas) SS This is to certify that this plat has been filed for record in the office of the Register of Deeds, this 11th day of October, 1992, at 2:00 o'clock P.M. and is duly recorded.


Pat Kettler Register of Deeds
 Deputy City Clerk
 Ed Resa-Phyllis HARRINGTON

State of Kansas) SS We, Baughman Company, P.A., Surveyors in aforesaid county and state do hereby certify that we have surveyed and platted "ARLINGTON PLACE 2ND ADDITION", Wichita, Sedgwick County, Kansas and that the accompanying plat is a true and correct exhibit of the property surveyed, and is as follows: That part of the NE 1/4 of Sec. 18, Twp. 27-S, R-1-W of the 6th P.M., Sedgwick County, Kansas, described as beginning at the S.E. Corner of Lot 34, Block 5, Huntington Place Addition, an Addition to Wichita, Sedgwick County, Kansas; thence S 28°11'05" W, 106.37 feet, along the extension of the southeasterly line of said Lot 34; thence S 03°44'55" E, 140 feet; thence S 48°44'55" E, 175 feet to a point on the extended north line of Maranatha Addition, an Addition to Wichita, Sedgwick County, Kansas; thence N 88°26'50" E, 191.77 feet, along said extended line to the N.W. Corner of said Maranatha Addition; thence S 03°44'55" E, 373.00 feet, along the west line to the S.W. Corner of said Maranatha Addition and being the northerly most N.W. Corner of Arlington Place Addition to Wichita, Sedgwick County, Kansas; thence S 38°35'26" W, 139.60 feet, along the northwesterly line of said Arlington Place; thence S 86°15'05" W, 76.00 feet, along the north line of said Arlington Place to the westerly most N.W. Corner of said Arlington Place; thence S 03°44'55" E, 167.00 feet, along the west line of said Arlington Place; thence S 16°14'55" E, 66.00 feet, along the west line of said Arlington Place; thence N 73°45'05" E, 165.17 feet, along the south line of Harvest Lane in said Arlington Place; thence S 03°44'55" E, 492.06 feet, along the west line to the S.W. Corner of said Arlington Place and being a point on the south line of said NE 1/4; thence S 85°26'35" W, 729.41 feet, along the south line of said NE 1/4; thence N 07°00'00" W, 300 feet to the S.E. Corner of Huntington Place Third Addition, an Addition to Wichita, Sedgwick County, Kansas; thence N 07°00'00" W, 143.33 feet, along the east line of said Huntington Place Third Addition, said point being on the westerly line of Manchester, as platted; thence N 22°16'07" E, 66.00 feet to a point on the easterly line of said Manchester, said point lying on a curve to the right; thence along said curve and said easterly line, 45.39 feet, said curve having a Central Angle of 18°58'58", a radius of 137.00 feet and a long chord of 45.18 feet, bearing N 58°42'24" W; thence N 48°44'55" W, 114.72 feet to a point on a curve to the right; thence along said curve, 326.85 feet, said curve having a Central Angle of 61°00'00", a radius of 307.00 feet and a long chord of 311.63 feet, bearing N 18°14'55" W; thence N 12°15'05" E, 123.23 feet to a point on a curve to the left; thence along said curve 173.87 feet, said curve having a Central Angle of 34°00'00", a radius of 293.00 feet and a long chord of 171.33 feet, bearing N 04°44'55" W; thence N 21°44'55" W, 55.17 feet to a point on a curve to the right; thence along said curve, 145.31 feet, said curve having a Central Angle of 18°00'00", a radius of 462.53 feet and a long chord of 144.71 feet, bearing N 12°44'55" W to a point on a curve to the right; thence along said curve, 113.67 feet, said curve having a Central Angle of 39°00'00", a radius of 167.00 feet and a long chord of 111.49 feet, bearing N 15°45'05" E; thence N 35°15'05" E, 173.91 feet to a point on a curve to the left; thence along said curve, 71.66 feet to the S.W. Corner of Reserve "J", of said Huntington Place Addition, said curve having a Central Angle of 17°02'13", a radius of 241.00 feet and a long chord of 71.40 feet, bearing N 26°43'58" E; thence N 86°15'05" E, 90.81 feet, along the south line of said Reserve "J" and Lot 41, Block 5, in said Huntington Place Addition; thence S 61°48'55" E, 320 feet, along the southwesterly line of Lots 35 through 41, inclusive, Block 5, in said Huntington Place Addition; thence N 86°15'05" E, 120 feet, along the south line of Lots 34 and 35, Block 5, in said Huntington Place Addition to the point of beginning.

Existing public easements and dedications (or portions thereof), lying within the above described boundary, being vacated by virtue of K.S.A. 12-512(b).

Date 21 Oct 1992
 Mark A. Savoy Surveyor

Entered on transfer record this 30 day of June 1992
 Don Wright County Clerk



MINIMUM BUILDING PAD ELEVATIONS
 LOWEST OPENING ELEVATION TO STRUCTURE
 153 CITY DATUM/1340.4 M.S.L.
 LOTS 8, 9, 10, AND 21, 22, 23, 24, 25, 26, AND 27, BLOCK 2.
 BENCH MARK:
 SQUARE CUT ON TOP OF EAST CURB OF MANCHESTER 17 FEET SOUTHWESTERLY OF N.W. COR. OF LOT 4, BLOCK 2, ARLINGTON PLACE 2ND ADDITION
 ELEV = 153.76 CITY DATUM
 ELEV = 1344.16 M.S.L.
 BENCH MARK:
 SQUARE CUT ON TOP OF WEST CURB OF MANCHESTER 76.2 FEET SOUTHERLY OF N.W. COR. OF LOT 1, BLOCK 1, ARLINGTON PLACE 2ND ADDITION
 ELEV = 152.76 CITY DATUM
 ELEV = 1344.16 M.S.L.

