



	Existing Floodway
	Existing FEMA 100-yr Floodplain
	Existing FEMA 500-yr Floodplain
	Proposed Floodway
	Proposed FEMA 100-yr Floodplain
	Proposed FEMA 500-yr Floodplain
	Compaction Test Location

Lines shown are based on approved Conditional Letter of Map Revision

Compaction of 95% standard proctor density shall be obtained in all street R/W's and within the 100-yr floodplain, 90% in all other areas. Compaction shall be tested at 1' fill intervals at the locations shown. Cost of testing shall be incidental to "Site Clearing & Restoration".

	<b>FALCON FALLS 2ND/3RD/COMM. ADD.</b> <b>FLOODPLAIN BOUNDARIES</b> <b>STORM WATER DRAIN #275</b>	
	<small>Baughman Company, P.A. 315 8th St. W. Palm Bay, FL 32909 P 316-262-7271 F 316-262-0149          ENGINEERING   SURVEYING   PLANNING   LANDSCAPE ARCHITECTURE</small>	
PROJECT NUMBER 468-64067	DESIGN AEO	DRAWN TMS
REVISIONS:	APPROVED	DATE 01/06
	SCALE Noted	
	SHEET <b>35 OF 39</b>	
<small>FalconFalls2nd/Floodplain</small>		<small>05-10-E377</small>