

FHWA REGION NO.	STATE	PROJECT NO.	YEAR	SHEET NO.	TOTAL SHEETS
7	KANSAS	54-87 K-6657-01	2002	565a	1122

**ADDENDUM NO. 1:**

The following changes and additions shall be made to the plans and proposal. When this addendum conflicts with the specifications, plans, or special provisions, **THIS ADDENDUM SHALL GOVERN.**

**Sheet 565**

1. **Revise** the total quantity for the "Surface Coating Finish" for Br. 20.13(W.B.) from 443 square meters to 840 square meters.
2. **Revise** the total quantity for the "Special Surface Treatment" for Br. 20.13(W.B.) from 152 square meters to 76 square meters (38 sq.m. per abutment).
3. **Revise** the total quantity for the "Test Pile(Concrete)(325mm)" for Br. 20.13(W.B.) from 37.1 meters to 32.7 meters (Pier No. 1 = 16.6m, Pier No. 2 = 16.1m).
4. **Revise** the total quantity for the "Surface Coating Finish" for Br. 20.14(E.B.) from 399 square meters to 784 square meters.
5. **Revise** the total quantity for the "Special Surface Treatment" bid item for Br. 20.14(E.B.) from 152 square meters to 76 square meters (38 sq.m. per abutment).
6. **Revise** the total quantity for the "Test Pile(Concrete)(325mm)" for Br. 20.14(E.B.) from 37.1 meters to 32.7 meters (Pier No. 1 = 16.6m, Pier No. 2 = 16.1m).
7. **Revise** the total quantity for the "Pile(Concrete)(325mm)" for Br. 20.14(E.B.) from 1600.0 meters to 1595.5 meters (abutment No. 1 = 251.6m instead of 256.1m).

**ADDENDUM NO. 2:**

The following changes and additions shall be made to the plans and proposal. When this addendum conflicts with the specifications, plans, or special provisions, or Addendum # 1, **THIS ADDENDUM SHALL GOVERN.**

**Sheet 565**


1. Revise the quantity for the "Structural Steel(A709M Grade 250)" bid item for Br. 20.13(W.B.) from 29 361 kg to 28 921 kg.
2. Revise the quantity for the "Structural Steel(A709M Grade 250)" bid item for Br. 20.14(E.B.) from 29 361 kg to 28 921 kg.
3. Revise the PAINTING note portion which reads "shall be painted with a 6 mil(1 coat) zinc coating." to read "shall be painted with 6 mil total (2 coats)."

**ADDENDUM NO. 3:**

The following changes and additions shall be made to the plans and proposal. When this addendum conflicts with the specifications, plans, or special provisions, Addendum # 1, or Addendum # 2, **THIS ADDENDUM SHALL GOVERN.**

6. The following paragraphs are added to clarify the notes included in the plans regarding painting of the structural steel girders. The referenced plan sheet notes are found under the heading "PAINTING" on Sheet Nos. 435 and 565:
  1. Painting of the girders shall generally be in compliance with the KDOT Specifications.
  2. The interior portions of the box girders shall receive either two coats in the shop, which consist of an inorganic zinc prime coat (3 mil minimum DFT) and a waterborne acrylic final coat (3 mil minimum DFT); OR, an inorganic zinc prime coat (3 mil minimum DFT) applied in the shop and a waterborne acrylic final coat (3 mil minimum DFT) applied in the field.
  3. For either case, the final coat applied to the interior portions of the box girders shall be white.
  4. The exterior portions of the box girders shall receive an inorganic zinc prime coat applied in the shop. The exposed exterior portions of the girders shall receive a waterborne acrylic final coat applied in the field after erection. The final coat shall be an approved waterborne acrylic paint in color #20372 (Buckskin) of Federal Standard 595B.

**RECORD DRAWING**

1			
No.	Revisions	By	Date
CITY OF WICHITA BR. NO. 54-87-20.13(496) W.B. STA. 17+332.607 BR. NO. 54-87-20.14(497) E.B. STA. 17+332.607 <b>GENERAL NOTES (CONTINUED)</b> KELLOGG (US 54) OVER TYLER ROAD SEDGWICK COUNTY			
 <b>Professional Engineering Consultants, P.A.</b> 303 S. TOPEKA • WICHITA, KANSAS 67202 316-262-2691 • FAX 316-262-3003			
Designed by		Checked by	
Drawn by		Date	Job No. 97362