

NOTE: ALL RIPRAP SHALL BE
INSTALLED TO STD. SPEC. WITH
TOE WALLS ON ALL UNPROTECTED
EDGES. THE TOE WALL SHOWN
ON THE PLANS SHALL BE IN
ADDITION TO THE STD. SPEC.

THE WATERFRONT RESIDENTIAL ADDITION

PROP. DRY DETENTION CELL
(BY OTHERS)
100 YR=1388.9


STA. 10+00.0, LINE 3
INSTALL 18" HERCP
END SECTION

INSTALL 5.3 SY OF
LIGHT STONE RIP-RAP
W/GROUTED STONE
TOEWALL (2'X4'X4')

STA. 10+88.3, LINE 3=
CONST. 4' DIA. TYPE "A"
SPECIAL SHALLOW MANHOLE
WITH DEETER FRAME &
GRATE NO. 1927 OR
APPROVED EQUAL
MANHOLE TOP=1388.7
PROVIDE SEDIMENT BARRIER

STA. 12+05.3, LINE 3=
STA. 10+00.0, LINE 3A
CONST. 4' DIA. TYPE "A"
SPECIAL SHALLOW MANHOLE
WITH DEETER FRAME &
GRATE NO. 1927 OR
APPROVED EQUAL
MANHOLE TOP=1389.9
PROVIDE SEDIMENT BARRIER


STA. 13+85.4, LINE 3
CONST. 4' DIA. TYPE "A"
SPECIAL SHALLOW MANHOLE
WITH DEETER FRAME &
GRATE NO. 1927 OR
APPROVED EQUAL
MANHOLE TOP=1391.2
PROVIDE SEDIMENT BARRIER



= TREE REMOVAL

**THE WATERFRONT RESIDENTIAL ADDITION
PLAN LINE 3**

NOTE: CONTRACTOR SHALL MAKE EVERY
EFFORT TO SAVE EXISTING TREES. TREE
TRIMMING/REMOVAL, WHEN REQUIRED, SHALL
BE APPROVED BY THE DEVELOPER AND/OR
ENGINEER PRIOR TO COMMENCEMENT.



LINE 3
SHEET TITLE
468-84423
PROJECT NUMBER

DESIGN BY: SRS
DRAWN BY: JWC
CHECKED BY: GJA

ISSUED: February 2008
REVISED:

SHEET NO.
9 of 34