




SCALE 1" = 20' (Horiz.)  
1" = 5' (Vert.)  
IRON =

STA. 0+82.03 LINE 3  
CONSTRUCT 6" DIA. MH TYPE P  
WITH BEEHIVE TOP.  
TOP ELEV. = 1364.0





STA. 0+00 LINE 3  
INSTALL 48" END SECTION.  
FL OUT = 1357.0  
INSTALL 33 S.Y. LIGHT  
STONE RIP-RAP AS INDICATED.

RESERVE A

STA. 3+41.96 LINE 3  
CONSTRUCT 6" DIA. MH TYPE P  
WITH BEEHIVE TOP.  
TOP ELEV. = 1365.0

STA. 4+58.65 LINE 1  
STREET STA. 5+21.27, 18.72' RT. (F.I.F.)  
CONSTRUCT INLET TYPE 1A  
(10"x4")  
TOP ELEV. = 1364.24

STA. 4+99.33 LINE 1  
STREET STA. 5+21.27, 18.72' LT. (F.I.F.)  
CONSTRUCT INLET TYPE 1A  
(10"x4")  
TOP ELEV. = 1324.30



SCALE 1" = 20' (Horiz.)  
1" = 5' (Vert.)  
IRON =

1357.00	0+00	STA. 0+00 LINE 3 INSTALL 48" END SECTION. FL OUT = 1357.0 INSTALL 33 S.Y. LIGHT STONE RIP-RAP AS INDICATED.
1357.15	0+82.03	Proposed 8" Sanitary Sewer
1357.30	1+00	CONSTRUCT 6" DIA. MH TYPE P WITH BEEHIVE TOP. TOP ELEV. = 1364.0
1357.45	2+00	Existing Grade = Proposed Grade
1357.60	2+00	259.83 L.F. 48" RCP @ 0.030% Grade
1357.75	3+00	1357.75 FL
1357.90	3+00	1357.90 FL
1358.03	3+41.96	STA. 3+41.96 LINE 3 CONSTRUCT 6" DIA. MH TYPE P WITH BEEHIVE TOP. TOP ELEV. = 1365.0
1359.20	4+00	1359.20 FL
1359.38	4+58.65	STA. 4+58.65 LINE 1 STREET STA. 5+21.27, 18.72' RT. (F.I.F.) CONSTRUCT INLET TYPE 1A (10"x4") TOP ELEV. = 1364.24
1359.52	4+99.33	STA. 4+99.33 LINE 1 STREET STA. 5+21.27, 18.72' LT. (F.I.F.) CONSTRUCT INLET TYPE 1A (10"x4") TOP ELEV. = 1324.30
1362.75	4+99.33	INSTALL 37 L.F. FLOWABLE FILL TOP = 1362.75
1364.24	4+99.33	TOP ELEV. = 1364.24
1365	4+99.33	1365

PROJECT NUMBER	472-84139
DESIGN	KWL
DRAWN	RA
REVIEW	
DATE	Aug. 2, 2005
PROJECT TITLE	Storm Sewer Line 3
PROJECT NUMBER	472-84139
DESIGN	KWL
DRAWN	RA
REVIEW	
DATE	Aug. 2, 2005

Cherry's Hollow Addition  
Storm Water Sewer Line 3  
WICHITA, KANSAS

PROJECT 2068E  
SHEET 18  
OF 43

Ruggles & Bohm, P.A.  
Engineering, Surveying, Land Planning  
824 North Main  
Wichita, Kansas 67203  
www.rbanas.com  
E-mail: info@rbanas.com

