


**21ST STREET NORTH IMPROVEMENTS
STORM WATER SEWER PLANS
LINE 4, 5 & 6**




Sta. 0+00.00 Line 4 =
 @ Sta. 41+18.2, 10.7' Rt.
 Adjust exist. manhole
 M.H. Top = 199.76
 See Sheet No. 45

Sta. 0+02.13, Line 4 =
 @ Sta. 41+34.02, 56.98' Rt.
 Const. Curb Inlet (Type I)
 W = 4'-4", L = 6'-4"
 Top of Inlet = 199.73
 Install 18" x 13.9' RCP (W)
 Remove Exist. Inlet
 and 15" x 12.7' RCP (W)
 See Sheet No. 24, 35, 36

Sta. 1+01.39, Line 4 =
 @ Sta. 41+34.09, 96.24' Rt.
 Const. Curb Inlet (Type I)
 W = 4'-4", L = 6'-4"
 Top of Inlet = 200.20
 Install 15" x 34.4' RCP (N)
 See Sheet No. 24, 35, 36

Sta. 0+00.00 Line 5 =
 Sta. 0+45.52 Line 4

21st ST. NORTH




PLAN LINE 4



Sta. 0+45.52, Line 4 =
 @ Sta. 41+17.43, 56.20' Rt.
 Const. 5' Dia. Manhole
 Manhole Top = 199.77
 Install 29" x 43" x 42.9' RCPHE (N)
 Connect to Exist. MH (N)
 Connect Exist. 30" RCP (S)
 Remove Exist. Manhole & 30" RCP(S)
 See Sheet No. 31, 33, 35, 36, 45

Sta. 0+58.35, Line 5 =
 @ Sta. 40+71.66, 26.68' Rt.
 Const. Curb Inlet (Type II)
 W = 3'-4 3/8", L = 6'-2 1/2"
 Top of Inlet = 200.56
 Install 18" x 41.9' RCP (SE)
 Remove Exist. Inlet & 15" RCP
 See Sheet No. 28, 35, 36

Sta. 0+16.10, Line 5 =
 @ Sta. 41+01.35, 57.00' Rt.
 Const. Curb Inlet (Type I)
 W = 4'-4", L = 6'-4"
 Top of Inlet = 200.07
 Install 18" x 13.4' RCP (E)
 Remove Exist. Inlet & 15" RCP
 See Sheet No. 24, 35, 36




PLAN LINE 5




PLAN LINE 6


Sta. 0+31.27, Line 6 =
 @ Sta. 41+01.26, 88.27' Rt.
 Const. Curb Inlet (Type I)
 W = 4'-4", L = 6'-4"
 Top of Inlet = 200.46
 Install 15" x 26.4' RCP (N)
 See Sheet No. 24, 35, 36



PROFILE LINE 4



PROFILE LINE 5



PROFILE LINE 6

