MAPLEWOOD ADDITION

NOTE: CONSTRUCT CONCRETE ENCASEMENT WHERE SEWER PIPE & WATER PIPE CROSS, IF DISTANCE BETWEEN PIPE IS 20 FT. OR LESS. CONSTRUCT ENCASEMENT 10 FT. EITHER SIDE OF WATER PIPE.

SAND BACKFILL TRENCH
STA. 0+00 TO STA. 11+21 LINE 1
" 1+38 " " 3+34 " 1A
" 0+00 " " 0+34 " 2
" 9+25 " " 9+59 " 2
" 1+40 " " 1+76 " 2B

B.M. N. Rim Manhole S.E. Sta 0+00 El. 96.10
B.M. 60D Spk. N.Side P.Pole N.S. Pawnee 6'E. of E.L. Chautauqua El. 98.28

B.M. Head of 60D Spk. N. side P.P. N. side Pawnee 6'E. of E. line Chautauqua N. El. 98.28

SCALE 1"=100'

SCALE 1"=80' Horiz.
1"=8' Vert.

LAT. 59 DIST. D.C.S. MAIN 12
CITY OF WICHITA KANSAS
L.K. WHITE CITY ENGINEER
Proj. No. C21-46
BLOCK "G" AND PART OF BLOCK "F"

LAT. 60 D.C.S. #12
CITY OF WICHITA KANSAS
L.K. WHITE CITY ENGINEER
Proj. No. C21-47

Date 8-3-51 9-21-51
Drawn by JLA
Checked by
Note Book O-38Y