








Plan Scale 1" = 40'



Profile Scale 1" = 40' Hor.
1" = 5' Vert.





SANITARY SEWER EXTENSION
CESSNA WALLACE PLANT
 West of Hoover Rd. & North of K-42 Highway
 CITY OF WICHITA, KANSAS
 R. W. LINN — CITY ENGINEER
 Private Project No. DBKW706053



 Plan Scale 1" = 40'
 Profile Scale 1" = 40' Hor.
 1" = 5' Vert.







N
 Plan Scale 1" = 40'
 Profile Scale 1" = 40' Hor.
 1" = 5' Vert.








Plan Scale 1" = 40'
Profile Scale 1" = 40' hor
1" = 5' vert




**EXTENSION FOR CESSNA
SANITARY SEWER**
West of Howe Rd. & North of 14th St.
CITY OF WICHITA, KANSAS
R. W. LINN - CITY ENGINEER
Private Project No. 141-11-1

NOTE TO CONTRACTOR
The sewer line to be installed under the driveway shall be 12" diameter and shall be installed at a depth of 4' below the existing ground surface. The sewer line shall be installed in a trench 18" wide and 4' deep. The trench shall be backfilled with 3/4" clean sand. The sewer line shall be installed in a trench 18" wide and 4' deep. The trench shall be backfilled with 3/4" clean sand.



APPROVED AS NOTED
BY CITY ENGINEER OF WICHITA
R. W. LINN
2-1-78



**CONNECTION FOR
PRECAST MAN-HOLE**
NO SCALE



**Standard Precast
Manhole**
Sta. 0+00.00 Exist



**RAY MARTIN
PAINTING CO.
PROP.**

SCALE 1"=50'