






PROFILE		BY	DATE
	SURVEYED		
NOTE BOOK	PLOTTED		
	GRADES CHECKED		
NO.	B. M. NOTED		
	STRUCTURE NOT AT NS CWKD		

[illegible]

NOTE TO CONTRACTOR

RECEIVED AS NOTED
BY CITY ENGINEER OF WICHITA
Sanitary Sewers 2008-2-25/167
Storm Sewers _____
Driveway Approaches _____
Water Mains _____
E-7-10



- GENERAL NOTES
1. ALL CONSTRUCTION AND MATERIALS TO COMPLY WITH CITY OF MIDHITA SPECIFICATIONS AND STANDARDS.
 2. ALL ELEVATIONS SHOWN ARE CITY OF MIDHITA DATA (GDS#-1187.4 - CITY DATA).
 3. THE CONTRACTOR SHALL LIMIT THE EXTENT OF TRENCH TO REMAIN OPEN OVERNIGHT AND MEASURES TO LESS THAN 10 FEET.
 4. AT LEAST 48 HOURS PRIOR TO BEGINNING EXCAVATION, IT REQUIRED (INCLUDING NEIGHBORS AND HOMEOWNERS) THE CONTRACTOR SHALL CALL 2-2-20 TO REQUEST THE SYSTEM, A UTILITY LOCATION SERVICE, LOCATE ANY EXISTING LINES WITHIN THE FOLLOWING UTILITY LOCATION SERVICE COMPANY, K.G.E., THE MIDHITA WATER DEPARTMENT, AND/OR OPTICAL CABLEVISION, AND THE TELEPHONE COMPANY.
 5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PRESERVING PROPERTY SIGNS, THE CONTRACTOR SHALL BE REQUIRED TO BE ESTABLISHED AND PROPERTY SIGNS WHICH ARE NOT OWNED OR CONTROLLED BY HIS CONSTRUCTION OPERATIONS. SUCH SIGNS SHALL BE ESTABLISHED BY A LICENSED LAND SURVEYOR OR A LICENSED ROADWAY DESIGNER IN ACCORDANCE WITH STATE LAWS. ALL COSTS FOR THIS WORK SHALL BE SUBSIDIARY TO THE OTHER TYPES OF WORK.
 6. ALL EXCESS EXCAVATED MATERIAL FROM THIS PROJECT SHALL BE WASTED AS DISPOSED OR APPROVED BY THE ENGINEER. NO EXCESS MATERIAL SHALL BE PLACED WITHIN STREET RIGHT-OF-WAY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE DISPOSITION OF FOR INFORMATION REMAINING. EXCESS MATERIAL SHALL BE GRADED SMOOTH AND SLOPED WASTE MATERIAL. EXCESS MATERIAL SHALL BE SUBSIDIARY TO OTHER BID TYPES. TO BULK. THIS WORK SHALL BE SUBSIDIARY TO OTHER BID TYPES.
 7. CONTRACTOR SHALL PROVIDE POSITIVE DRAINAGE AWAY FROM ALL WHEELWHEEL COVERS.
 8. PRIOR TO BEGINNING CONSTRUCTION THE CONTRACTOR SHALL EXCAVATE TO DETERMINE EXISTING UTILITY LOCATIONS AND VERTICAL LOCATION OF THE EXISTING 8" PVC SANITARY SEWER. ANY DISCREPANCIES BETWEEN ACTUAL LOCATION AND ANY LOCATION SHOWN HEREON SHALL BE REPORTED TO THE ENGINEER SO THAT ANY NECESSARY PLAN MODIFICATIONS MAY BE MADE.
 9. THE PROPOSED 8" PVC PIPE SHALL HAVE SOLVENT WELD JOINTS A MINIMUM OF 10' EACH DIRECTION FROM THE EXISTING 8" PVC SANITARY SEWER. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE EXISTING 8" PVC SANITARY SEWER EXISTING 8" PVC SANITARY SEWER REQUIREMENT. THE JOINT COULD BE LOCATED IN THE EXISTING 8" PVC SANITARY SEWER SHALL BE ENCLOSED IN AN 18" CONCRETE COLLAR A MINIMUM OF 8' WITHIN THE JOINT.
 10. THE CONTRACTOR SHALL VERIFY THE DIRECTION OF THE PROPOSED 8" SUB WITH THE DEVELOPER PRIOR TO INSTALLATION.

PROFESSIONAL ENGINEERING CONSULTANTS, P.A.



ENGINEERS
WICHITA, KANSAS

7787

Designed by <i>DLM</i>	Job No. <i>34-87091</i>
Drawn by <i>TLS</i>	Date <i>February, 1987</i>

SANITARY SEWER EXTENSION
TO SERVE LOT 1
DANIELS SECOND ADDITION
TO WICHITA, SEDGWICK COUNTY, KANSAS

MICHAEL E. LINDEBAK, P.E.-CITY ENGINEER
CITY OF WICHITA PROJECT NO. 468-76-245-80001-000-000-107

**FILMED FROM THE BEST
AVAILABLE COPY ...**