


RECAPITULATION OF QUANTITIES		
Item	Quantity	Unit
Mobilization	1.0	L.S.
Site Clearing and Restoration	1.0	L.S.
Water Pollution Control (Including Temp. Seeding)	1.0	L.S.
Asphalt Pavement Removal	6,736.0	S.Y.
5" AC Pavement (3" Bit. Base)	3,336.0	S.Y.
6" AC Pavement (4" Bit. Base)	3,400.0	S.Y.
Reinforced Crushed Rock Base (5")	3,336.0	S.Y.
Reinforced Crushed Rock Base (10")	3,400.0	S.Y.
Construction Traffic Control	1.0	L.S.
Project Seeding	1.0	L.S.
Sand Backfill, Jetted & Vibrated	1,379.0	L.F.
Manhole (Type P) Standard	8.0	EA.
SWS Pipe 15" RCP	44.0	L.F.
SWS Pipe 18" RCP	52.0	L.F.
SWS Pipe 24" RCP	136.0	L.F.
SWS Pipe 36" RCP	419.6	L.F.
SWS Pipe 48" RCP	725.9	L.F.
SWS Pipe 54" RCP	206.8	L.F.
SWS Pipe 38" x 24" RCPHE	119.0	L.F.
Drop Inlet (2' x 2')	2.0	EA.
Junction Structure	1.0	EA.
Pavement Marking (Thermoplastic)(White)(6")	3,920	L.F.
Pavement Marking (Thermoplastic)(Yellow)(4")	2,480	L.F.
Pavement Marking (Temporary)(Type I)(White)(4")	6,200	L.F.
Pavement Marking (Temporary)(Type I)(Yellow)(4")	4,960	L.F.
For Drainage Structure Quantities, See Sheet No. 10.		

CITY OF WICHITA		 Cook, Flatt & Strobel ENGINEERS, P. A.
SUMMARY OF QUANTITIES		
DESIGNED	SCALE	
DETAILED	DATE	
QUANTITIES	SHEET	OF