





BENCHMARKS:
 BM #1: "C" Cut on Top of Curb at West Line of Lot 7, Block A, Auburn Hills 5th Addition. Elev. = 207.73 (City Datum)

BM #2: Disc in Back of Curb, North of Front Corner Common to Lots 23 and 24, Block D, Auburn Hills 12th Addition. Elev. = 191.84 (City Datum)

BM #3: "C" Cut in Middle of Curb Inlet Top Adjacent to the South Corner of Lot 15, Block B. Elev. = 196.44 (City Datum)



SECTION A-A





SECTION B-B

Section A-A shall be used on interior easements. Section B-B shall be used on easements that abut adjacent property or R/W of S. Anderson. The elevation at the property line shall match existing grade.

= Easements To Be Graded

= Proposed Spot Grade

Easements have been rough graded with mass grading. Contractor shall fine grade the easements as shown to within ±0.2' of the elevations given on plan. The contractor shall 'straight' grade the easements between the elevations given. Where a callout designates 'Match,' the contractor will grade to the existing ground elevation. All costs for easement grading shall be included in lump sum bid item "Easement Grading."



Baughman		AUBURN HILLS 16TH ADD. - PH II	
ENGINEERING SURVEYING PLANNING LANDSCAPE ARCHITECTURE		EASEMENT GRADING AND EROSION CONTROL PLAN	
PROJECT NUMBER 472-84291		DESIGN AEG	DRAWN TMS
REVISIONS:		APPROVED	DATE 06/06
		SCALE NOTED	SHEET 39 OF 61
AuburnHills16th/Phasell/STRcp		06-02-E502	