



| | | | | |
|--------|-----------------|------|-----------|--------------|
| STATE | PROJECT NO. | YEAR | SHEET NO. | TOTAL SHEETS |
| KANSAS | 54-87 K-8258-06 | 2004 | 38 | 71 |


- NOTES:
- 1) Temporary Slope Drain and Temporary Berm may be used on either project foreslopes or project backslopes.
 - 2) Discharge of Slope Drains shall be into stabilized ditch or area, or into Sediment Basin.
 - 3) Pipe shall be secured in place as approved by Engineer.



TYPICAL PLAN VIEW OF TEMPORARY BERM AND TEMPORARY SLOPE DRAIN
NO SCALE




TYPICAL PROFILE OF TEMPORARY SLOPE DRAIN
NO SCALE




SECTION A-A
NO SCALE

SECTION B-B
NO SCALE

TYPICAL PROFILE OF TEMPORARY BERM
NO SCALE




SECTION A-A




SECTION B-B

TEMPORARY STREAM CROSSING (ARTICULATED CONCRETE BLOCKS)
NO SCALE

* NOTE:
Quantity, length and diameter of steel pipe to be determined by design flow calculations.



SECTION A-A



SECTION B-B

TEMPORARY STREAM CROSSING (AGGREGATE)
NO SCALE

* NOTE:
Quantity, length and diameter of steel pipe to be determined by design flow calculations.

| | | | | |
|--|---------|------------------|-----------------|------------|
| 3 | | | | |
| 2 | | | | |
| 1 | 5/10/99 | Revised Standard | WCL | RDR |
| NO. | DATE | REVISIONS | BY | APP'D |
| KANSAS DEPARTMENT OF TRANSPORTATION | | | | |
| TEMPORARY EROSION AND POLLUTION CONTROL | | | | |
| TEMPORARY SLOPE DRAIN | | | | |
| TEMP. STREAM CROSSING (AGGREGATE) | | | | |
| TEMP. STREAM CROSS. (ARTC. CONC. BLOCKS) | | | | |
| LA852B SI | | | | |
| F.H.W.A. APPROVAL | 5/20/99 | APP'D | Richard D. Ross | |
| DESIGNED | WCL | DETAILED | WCL | QUANTITIES |
| DESIGN CK. | RDR | DETAIL CK. | RDR | QUAN. CK. |
| | | | TRACED | WCL |
| | | | TRACE CK. | RDR |

Drawn By: \$\$\$\$
 DGN File: \$\$\$\$
 Plotted: \$\$\$\$
 View: PLOT 1