



STATE	PROJECT NO.	YEAR	SHEET NO.	SHEETS
KANSAS	87 N-0235-01	2006	28	120




EXPANSION JOINT

NOTE: Extra Thickness to be Subsidiary to Price of Square Yards Pavement




OPTIONAL CONTRACTION JOINT




SAW JOINT DETAIL


D = 7"




WING REINFORCING DETAIL




KEYWAY DETAIL




CONTRACTION JOINT DETAIL (C.J.)




LONGITUDINAL JOINT DETAIL (L.J.)



OPTIONAL LONGITUDINAL JOINT DETAIL (L.J.)




PLAN




SECTION A-A

REINFORCED VALLEY GUTTER DETAIL



SECTION


* Transition as shown at ends



PLAN

6" PROTECTION CURB


- Note:
- 6" Protection Curb shall be constructed at locations shown on plans.
 - Protection curb shall be constructed monolithically with sidewalk.




TYPICAL ALLEY PAVEMENT SECTION

Variable width (5'-0" min.). Entrance walk to be same width as approach walk. Sidewalk width of 4'-0" may be used where existing conditions prohibit use of 5'-0".

** Expansion joint (3/4" redwood board) located as shown.



TYPICAL PLAN



REINFORCEMENT DIAGRAM
SIDEWALK THROUGH ENTRANCE

SIDEWALK DETAILS

J:\Civil\04222\dwg\Details\04222d1.dwg 2/25/2005 2:18:48 PM CST

KANSAS DEPARTMENT OF TRANSPORTATION	
VALLEY GUTTER & SIDEWALK DETAILS	
PROJECT NO. 87 N-0235-01	SEDGWICK CO.
M K E C ENGINEERING CONSULTANTS, INC.	
WICHITA, KANSAS	

DESIGNED BY: JRA	CHECKED BY: JRA
DRAWN BY: WNJ	DATE: JULY 2004 SHEET 28 OF 120