




BY	DATE

Plotted on: 04-JAN-2005 12:27 *time*
 dJamison Plot Queue: #queue*
 Plot Scale: #scale* Pen Table: #pentable*
 Design Filename: K:\B29049\BridgesDec2004\Douglas Alternate\Drawings\d06.dgn



DECK PLAN
 Scale: 3/16" = 1'-0"



SECTION HH
 Scale: 1/2" = 1'-0"

PNTEB
 ARCHITECTS ENGINEERS PLANNERS

This sheet designed by:

STATE	PROJECT NO.	YEAR	SHEET NO.	TOTAL SHEETS
KANSAS	472-84071	2005	DA16	

NOTES:
 Field verify all dimensions.
 All deck concrete shall be Grade 5.0 (AE) in accordance with the specifications with f_c=5000 psi.
 All reinforcing steel shall conform to ASTM A615, Grade 60.
 All epoxy-coated reinforcing shall conform to ASTM A775.
 All deck and ballast curb reinforcing shall be epoxy-coated.
 Exposed concrete edges shall be chamfered 3/4", unless noted otherwise.
 Concrete surface preparation shall be in accordance with SSPC-SP13, "Surface Preparation of Concrete."

LOCATION: PMSF BR. 201A	WICHITA, KS	LINE SEGMENT 7400	
CITY OF WICHITA WICHITA CENTRAL CORRIDOR ALTERNATE 8 DOUGLAS AVENUE DECK PLAN			
SHEET NO.	OF	SCALE AS NOTED	APP'D.
DESIGNED BY: GMS	ENR	DETAILED BY: JMH	QUANTITIES: DMH
DESIGN CK: GMS	CHK	DATE: JMH	TRACED BY: DMH
NO.		DATE	REVISIONS
1			
2			
3			