


SEEDING ZONES (FOR INFORMATION ONLY)				
ZONE	ITEM	AREA (S.Y.)	BID ALT. #3 AREA (S.Y.)	PROJECT
A	Heavy-Stone Rip-Rap	235.40	235.40	Dam
B	Sodding	943.90	943.90	Dam
C	Sodding	20.15	20.15	Lincoln Bridge
D	Sodding	435.08	435.08	Lincoln Bridge
E	Sodding	78.02	78.02	Lincoln Bridge
F	Sodding	284.78	284.78	Lincoln Bridge
G	Heavy-Stone Rip-Rap	877.19	877.19	Lincoln Bridge
H	Heavy-Stone Rip-Rap	203.80	203.80	Portage
I	Sodding	318.37	318.37	Portage
J	Sodding	19.6	19.6	Lincoln Bridge
K	Sodding	71.9	71.9	Lincoln Bridge
L	Sodding	9.47	9.47	Lincoln Bridge
M	Sodding	580.13	182.11	Lincoln Bridge
N	Sodding	986.73	153.39	Portage
O	Sodding	107.39	107.39	Portage
P	Sodding	30.00	0	Portage
Q	Sodding	153.94	0	Portage
R	Sodding	180.86	110.03	Portage
S	Sodding	113.37	113.37	Portage
T	Sodding	53.65	53.65	Portage
U	Sodding	335.42	328.28	Portage
V	Sodding	115.43	82.63	Portage
W	Sodding	12.16	12.16	Portage
X	Heavy Stone Rip-rap	188.50	188.50	Portage



GENERAL NOTES:

- All disturbed areas outside of Paved or Improved areas shall be seeded, sodded or protected with revetment in accordance with this sheet.
- Rip-rap placement Downstream of the Dam generally between Elevation 1269.00 and 1280.00. See Plan for exceptions.
- Rip-rap placement Upstream of the Dam generally between Elevation 1280.00 and 1285.00. See Plan for exceptions.

LEGEND

- Bermuda Sod
- Landscape Area (See Sht. 127)
- Riprap
- Articulated Concrete Block (See Sht. 132)
- Reinforced Concrete Rip-rap (See Sht. 130)
- Construction Limits

SITE RESTORATION PLAN

SCALE: 1"=40'

LINCOLN STREET BRIDGE AND DAM IMPROVEMENTS OVER ARKANSAS RIVER

SITE RESTORATION PLAN

SHEET TITLE
472-84883
PROJECT NUMBER

JRA
DESIGN BY

DPG
DRAWN BY

CHECKED BY

ISSUED
1/24/2011

REVISED

SHEET NO.
125 of 169

PLOT: 1/24/2011 10:57 AM

J:\CIVIL\07433\DWG\PLANS\07433 SITE RESTORATION.DWG