



SCALE: 1" = 10'




PLAN
REINFORCED VALLEY GUTTER

6" x 12" W4xW4 WIRE FABRIC REINFORCING SHALL BE PLACED SUCH THAT THE WIRES WITH THE 6" SPACING WILL RUN PARALLEL WITH THE LONGITUDINAL JOINT.

SCALE: 1" = 10'




PLAN
REINFORCED VALLEY GUTTER



CONCRETE DITCH LINING

Contractor May Request Substitution of Fiber Reinforced Concrete (1.5 lbs./C.Y.), Subject to Engineer's Approval.


SCALE: 1" = 10'



PLAN
REINFORCED VALLEY GUTTER

SCALE: 1" = 10'

DSMR: BDB OPER: BJS SCALE: 1"=10.00
C:\2004\04171\000\VALGUTPL 08-11-2004 02:43:31 pm



| No. | Revision | By | Date |
|---|----------|---------|---------------|
| PRAIRIE POINTE-PHASE 1 | | | |
| VALLEY GUTTER DETAILS | | | |
| JAMES L. ARMOUR, P.E.-ACTING CITY ENGINEER CITY OF WICHITA PROJECT NO. 472-84023 | | | |
| Professional Engineering Consultants, P.A. 303 S. TOPEKA • WICHITA, KANSAS 67202 316-262-2691 • FAX 316-262-3003 | | | |
| Designed by | BDB | Job No. | 35-04171-000 |
| Drawn by | BJS | Date | MAY 2002 |
| | | | Sht. 15 of 50 |