

BENCHMARK:
 BM #111 - Chiseled "+" in the Flowline of the Curb 5' West of the SE Curb Return of the Intersection of Meadowview and Fairhaven.
 Elev. = 1267.61 (NAVD 88)

Sta. 5+05.88, Water Line 4 =
 Sta. 0+45.00, Water Line 4a =
 B.L. Sta. 5+95.37, 15.11' Lt.
 Install 1-8" X 8" CIMJ Tee (S)
 Install 1-8" Anchored Valve Assy. (S)
 Valve Box Elev. = 1268.6

Install 256.19 L.F.
 8" Pipe

CAUTION!
 Existing 2" Water Crossing

Sta. 7+62.07, Water Line 4 =
 Sta. 23+75.78, Water Line 2 =
 B.L. Sta. 8+51.56, 15.64' Lt.
 Connect to Prop. Anchored Valve Assy. (E & W)

CAUTION!
 Existing SS S/L Crossing

Install 251.46 L.F.
 8" Pipe

Sta. 10+18.53, Water Line 4 =
 Sta. 0+45.00, Water Line 4b =
 B.L. Sta. 11+08.02, 16.17' Lt.
 Install 1-8" X 8" CIMJ Tee (S)
 Install 1-8" Anchored Valve Assy. (S)
 Valve Box Elev. = 1269.2

Install 31.47 L.F.
 8" Pipe

SCALE:
 HORIZONTAL: 1" = 20'
 VERTICAL: 1" = 5'

Cut & Cap Ex. 4" Water Line as Shown.

CAUTION!
 Existing 4" Water SS S/L Crossings

Fairhaven B.L. Sta. 6+13.00 =
 Centerline of Brookhaven

BENCHMARK:
 BM #107 - Chiseled "+" in the Flowline of the Curb at the West End of the SW Curb Return of the Intersection of Brookhaven & Fairhaven.
 Elev. = 1268.36 (NAVD 88)

CAUTION!
 Existing SS S/L Water S/L Crossings

OAKLAWN SUBDIVISION
 ADDITION
 Block 14

CAUTION!
 Existing SS S/L Water S/L Crossings

Install 5.00 L.F.
 8" DI CL Pipe

Fairhaven B.L. Sta. 8+69.47 =
 Meadowlark B.L. Sta. 24+50.57

Sta. 7+67.07, Water Line 4 =
 B.L. Sta. 8+56.56, 15.65' Lt.
 Install 1-Fire Hydrant Assy. (N)
 L = 4.00'
 Bury Line Elev. = 1269.0
 Valve Box Elev. = 1268.9

CAUTION!
 Existing Water S/L SS S/L Crossings

OAKLAWN SUBDIVISION
 ADDITION
 Block 13

CAUTION!
 Existing Water S/L SS S/L Crossings

CAUTION!
 Existing SS S/L Crossing

Cut & Cap Ex. 4" Water Line as Shown.

Fairhaven B.L. Sta. 11+25.51 =
 Centerline of Elmhurst

CAUTION!
 Existing SS S/L Crossing

CAUTION!
 Existing 4" Water Crossing

