



EROSION CONTROL NOTES


1. EROSION CONTROL IS TO MEET ALL FEDERAL, STATE, COUNTY & LOCAL CODE STANDARDS.
2. CONTRACTOR SHALL MAINTAIN ALL EXISTING EROSION CONTROL DEVICES ON SITE THROUGHOUT CONSTRUCTION.
3. CONTRACTOR SHALL PROVIDE AND PRESERVE EROSION PROTECTION THROUGHOUT PROJECT CONSTRUCTION. THE PLAN PROVIDED HERE IS FOR FINAL PROTECTION, VARIOUS PHASES OF THIS PLAN SHALL BE IMPLEMENTED OR MODIFIED TO CONTROL EROSION. MODIFICATIONS OF THE PLAN SHALL BE APPROVED BY THE OWNERS REPRESENTATIVE.
4. SEEDING AREAS SHALL BE PREPARED FOR PLANTING WITH COMMON AGRICULTURAL TECHNIQUES. ALL RESERVE AREAS SHALL BE FINE GRADED USING SMALL EQUIPMENT. REMOVE EXISTING GRASS, VEGETATION AND TURF. DO NOT MIX INTO SURFACE SOIL. LOOSEN SOIL TO A DEPTH OF AT LEAST 6 INCHES. GRADE AREAS TO A SMOOTH UNIFORM SURFACE PLANE. ROLL, RAKE, AND REMOVE RIDGES AND FILL DEPRESSIONS. THE SURFACE SHALL BE FREE FROM STICKS, SMALL STONES, AND OTHER EXTRANEIOUS MATERIALS. APPROVE WITH OWNER'S REPRESENTATIVE BEFORE PLANTING.
5. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING AND IMPLEMENTING ALL EROSION CONTROL. COST IS SUBSIDIARY TO CHECK DAMS AND STABILIZED CONSTRUCTION ENTRANCE.
6. ALL SEED SHALL BE DISTRIBUTED WITH AN ACCEPTABLE DRILL INTENDED FOR SUCH OPERATIONS, OR OTHER EQUIPMENT APPROVED BY THE OWNER'S REPRESENTATIVE. SEEDING DEPTH SHALL BE 1/4".
7. SEED AND FERTILIZE AS FOLLOWS:
 PERENNIAL RYE @ 200 LBS./ACRE
 10-20-10 @ 200 LBS./ACRE
8. ALL SEEDED AREAS SHALL BE IMMEDIATELY MULCHED W/ PRAIRIE HAY AT 2 TONS/ACRE. ANCHOR MULCH BY CRIMPING INTO TOPSOIL WITH SUITABLE MECHANICAL EQUIPMENT.
9. TREE PROTECTION FENCE: SEE INDIVIDUAL GRADING SHEETS FOR TREE PROTECTION FENCE LOCATION. TOTAL QUANTITY OF TREE PROTECTION FENCE TO BE INSTALLED = 3,840 L.F.
10. ALL DISTURBED AREAS SHALL BE SEEDED. (PERENNIAL RYE @ 200 LBS./ACRE; 10-20-10 @ 200 LBS./ACRE)



EROSION CONTROL LEGEND

- - ESTIMATED SEEDING LIMIT (2.1 AC.) (STREETS HAVE BEEN OMITTED FROM QUANTITY) (AREA QUANTITY FOR INFORMATION PURPOSES ONLY)
- - PROPOSED STORM SEWER LINE
- 1360— - PROPOSED CONTOURS
- SF— - SILT FENCE PROTECTION
- +— - LOCATION FOR SEDIMENT CONTROL, HAY BALE
- - EXISTING INLET SEDIMENT CONTROL
- ◐— - CURB INLET FILTER (3)
- BC— - BACK OF CURB PROTECTION (2300 L.F.)

MKEC
 ENGINEERING
 CONSULTANTS, INC.
 411 N. WEBB ROAD
 WICHITA, K.S. 67206
 316-684-9600



**PAVING & INCIDENTAL DRAINAGE FOR
 WATERFRONT SIXTH ADDITION
 PART A**

EROSION CONTROL
 SHEET TITLE
472-84626
 PROJECT NUMBER

JAG / JWC / GJA
 DESIGNED / DRAWN / CHECKED

ISSUED
July 2013
 REVISED

SHEET NO.
14 of 24

PLOTTED: Wednesday, July 24, 2013 @ 11:22AM

H:\CIVIL\02014\6TH ADD\CIVIL3D\5-CIVIL\GAD\PAV\02014-ECP.DWG