

# STREET PAVING FOR HOOVER COURT to serve **AIRPORT INDUSTRIAL PARK**

Hoover Court (Lots 4&15, Block 2, Parcels A-E),  
from Hoover Avenue, West to and including the cul-de-sac.

## CITY OF WICHITA, KANSAS

Gary Janzen, P.E. City Engineer

Project Number

472-85067

OCA Number

766289

### GENERAL NOTES:

1. Contractor will be required to provide notice to utility companies a minimum of seventy-two (72) hours prior to any excavation, as follows:  

Kansas One-Call	687-2470
-----------------	----------

The Contractor must notify the following in case of an emergency:

Cox Communications	262-4270
Kansas Gas Service	1-888-482-4950
Westar Energy	383-8650
Black Hills Energy	1-800-303-0357
AT&T	268-2245
City of Wichita Water Dept.	268-4563
City of Wichita Sewer Maint.	268-4024
City of Wichita Storm Sewer Maint.	268-4090
City of Wichita Traffic Maint.	268-4034
2. Utility service lines, poles, valve boxes, meters, and etcetera are to be adjusted as necessary by others prior to construction unless the plans specifically call for their adjustment by the Contractor or unless the plans specifically identify a utility to be adjusted by its owner during construction. Existing utilities and their location, as shown on the plans, represent the best information obtainable for design. The Contractor will be required to work around existing utilities within the right-of-way which do not conflict with proposed construction.
3. Rubble from the removal of miscellaneous structures and excess excavation which is to be wasted shall be disposed of on sites to be provided by the Contractor. These sites shall be approved by the Engineer as to suitability, appearance and site location. Locations, in the opinion of the Engineer, that will leave an unsightly appearance will not be approved. All disposal sites must be approved by the Kansas Department of Health and Environment. Material either stockpiled or disposed of in a flood plain would require a Kansas State Board of Agriculture permit. Any material dumped in waters of the United States or wetlands is subject to U.S. Corps. of Engineers permitting regulations. Any material buried or stockpiled beyond approved construction limits would require additional archaeological investigations unless buried in a previously approved borrow location.
4. Trees and shrubs in public right-of-way which are in direct conflict with proposed new construction shall be removed by the Contractor with the Engineer's approval. Trees and shrubs which are not in direct conflict with proposed new construction shall be saved and protected from damage.
5. The Contractor shall give all property owners and/or tenants of developed property abutting the construction of this project a minimum of ten (10) days notice prior to start of construction. The Contractor shall coordinate access to adjacent properties throughout construction.
6. The Contractor shall be responsible for preserving property irons. The Contractor will be required to re-establish any property irons which are damaged or destroyed by his construction operations. Such irons shall be re-established by a licensed land surveyor in accordance with state laws.
7. All proposed erosion control measures including silt fencing, erosion control mat, straw bales, inlet barriers, and const. entrance shall be maintained throughout construction by the contractor and until project is accepted by the City of Wichita. The on-site engineer shall complete weekly reports on the status of erosion control measures. The contractor shall be required to comply with maintenance and/or replacement of erosion control measures as determined by the on-site engineer until project is accepted by City of Wichita.
8. All areas disturbed during construction shall be seeded and fertilized as per City of Wichita standard specifications and special provisions:  

Seed:	Annual Rye - 50 lbs/acre
	Buffalo - 200 lbs/acre
Fertilizer:	12-24-12: 850 lbs./acre



All costs associated with ground prep, seeding, and fertilizing shall be included in bid item "Seeding".
9. All excess excavation shall remain on-site and shall be stockpiled within Parcel "A", Lot 4 Blk 2, or Lot 15 Blk 2. Contact Kelly Donham for location at time of construction.
10. Limits of earthwork shall match existing ground elevations at the right-of-way line unless otherwise noted on the plans with a new finished grade elevation. When a new finished grade elevation is shown, the earthwork shall extend one foot beyond the right-of-way line and then slope up or down using permissible slopes to match the existing ground surface.

Project Earthwork Totals  
Excavation = 1,007 C.Y.  
Loose Fill = 91 C.Y.  
Compacted Fill = 0.0 C.Y.

Total Project Length  
420 L.F. = 0.08 Miles

Disturbed Area = 1.1 ac.  
Proposed Impervious Area = 0.7 ac.  
WQv = 0.015 ac-ft.  
Detention = 0.0 ac-ft.

Benefit District  
Proposed Streets




### Benchmarks

**BM#1**  
"□" Cut on the west side of the south curb return of the Hoover St. concrete drive to Lot 15, Block 2, Airport Industrial Park.  
Elev. = 1300.65 NAVD88


**BM#2**  
RR spike in the east face of power pole east of the common front lot corner of Lots 4 & 5, Block 2, Airport Industrial Addition.  
Elev. = 1301.38 NAVD88

### Sheet Index

Title Sheet	1
40' Pavement Detail	2
Curb & Gutter Detail	3
Pavement Underdrain Detail	4
Miscellaneous Detail	5
Joint Detail	6
Drive Detail	7
Hoover Ct.	8
SWS Line 1	9
MH Frame & Cover Detail	10
Manhole Detail	11
Single Type 1A Inlet Detail	12
Flume Detail	13
Miscellaneous Details	14
Erosion Control Plan	15
Erosion Control BMP Details	16-19
Coordinate Sheet	20
Street X-Sections	21-22
Copy of Plat	23



### Vicinity Map



Revised 5/13/13 Note #8 sod deleted, seeding added - AEG



Baughman Company, P.A. 315 Ellis St. Wichita, KS 67211 P 316-262-7271 F 316-262-0149  
ENGINEERING | SURVEYING | PLANNING | LANDSCAPE ARCHITECTURE