

GENERAL NOTES

1. Contractor will be required to provide a minimum advance notice of 72 hours to utility companies prior to starting any excavation as follows:

Kansas One-Call	687-2470
Cox Communications	262-0661
Kansas Gas Service	1-888-482-4950
Westar	383-8600
Black Hills Energy	1-888-890-5554
A.T.&T.	1-800-286-8313
City of Wichita Public Works & Utilities	262-6000
	1-316-219-8921
	1-316-268-4968

3. Underground utility service lines and overhead utility pole lines are to be adjusted as necessary by others prior to construction unless the plans specifically call for their adjustment by the Contractor or unless the plans specifically identify a utility to be adjusted by its owner during construction. Existing utilities and their location, as shown on the plans, represent the best information obtainable for design. Location information has been obtained from the various utility companies and is either from company record drawings or company-provided field locations. The Contractor will be required to work around existing utilities within the right-of-way which do not conflict with proposed construction.

4. Rubble from the removal of miscellaneous structures and excess excavation which is to be wasted shall be disposed of on sites to be provided by the Contractor. These sites shall be approved by the Engineer as to suitability, appearance and site location. Locations that, in the opinion of the Engineer, will leave an unsightly appearance will not be approved.

5. All disposal sites must be approved by the Kansas Department of Health and Environment. Material either stockpiled or disposed of in a flood plain would require a Kansas State Board of Agriculture permit. Any material dumped in waters of the United States or wetlands is subject to U.S. Corps permitting regulations. Any material buried or stockpiled beyond approved of Engineers construction limits would require additional archeological investigations unless buried in a previously approved borrow location.

6. The Engineer shall take field ties to all quarter section corners. The Contractor shall set a City survey monument in the required location where such quarter section corners fall within the limits of pavement construction. Survey monuments will be furnished by the City. The Engineer will accurately locate and install the iron at the quarter section corner. This work will not be paid for directly, but shall be considered subsidiary to the other pay items of work in the contract.

7. The Contractor shall give all property owners and/or tenants of developed property directly abutting the construction of this project a minimum of ten (10) days advance notice prior to start of construction.

8. The Contractor shall seed, fertilize and mulch all disturbed areas upon completion of construction in accordance with City of Wichita standard specifications. The water main shall be constructed on the alignment shown by the plans.

9. Trees and shrubs in public right-of-way which are in direct conflict with proposed new construction shall be removed by the Contractor but only with the Engineer's approval. Trees and shrubs which are not in direct conflict with proposed new construction shall be saved and protected from damage. The cost for any necessary tree trimming, clearing and/or grubbing shall be included in the price bid for the installed water main pipe.

10. Opening and closing water valves shall be done slowly to prevent damage to the water distribution system from water hammer. All valves closed by the Contractor must be reopened as new construction permits. Project inspector must ascertain that any valve closed by the Contractor is reopened. Contractor will be permitted to operate water valves only when the project inspector assigned to the project is present.

11. Contractor shall not start work on the project until the project inspector is assigned to the project and is present on the site. Any work done without inspection will be required to be uncovered for inspection. The Contractor shall be responsible for preserving property irons.

12. The Contractor will be required to re-establish any property irons which are damaged or destroyed by construction operations. Such irons shall be re-established by a licensed land surveyor in accordance with state laws.

13. All pavement, curb & gutter, driveway and sidewalk removal and/or replacement will be incidental to other items of work. Minimum limits of such pavement removal and replacement shall be one foot beyond the limits of the excavation made for the water line or the structure, except when such saw cuts are within three (3) feet of an existing joint the limits of removal shall be extended to the existing joint. Removal and replacement of existing pavement shall conform to the applicable sections of the City of Wichita Standard Specifications.

14. This project has been designed to be constructed by directional drilling. There shall be no additional payment for open cutting or other methods of construction.

15. Prior to construction, the contractor shall excavate the existing waterline at the connection points to verify pipe size, horizontal, and vertical location. The contractor shall notify the engineer so that any plan modifications may be made. Any additional labor or materials necessary to complete the connection shall be considered subsidiary to the project.

16. Kansas Gas Service is replacing most of the gas mains shown on this project. Construction is anticipated to be complete prior to construction of this project. Contractor should anticipate encountering additional gas mains running parallel with lines shown on plans. Gas mains shown may be abandoned in place. Contractor shall coordinate all work adjacent to or crossings of gas main with KGS representative.

17. Any sprinkler system, on private property or public right-of-way, damaged by water line construction shall be repaired or replaced by Contractor in like and kind. Cost to be considered Subsidiary to "Site Restoration."

WATER MAIN REPLACEMENT PROJECT




TO SERVE PLAZA NEIGHBORHOOD PROJECT NUMBER 448-90611 O.C.A. NUMBER 635817

INDEX OF SHEETS

1. INDEX SHEET
2. WATER ASSEMBLY DETAILS
3. HYDRANT TABLE
4. WATER SERVICE DETAILS
5. MISCELLANEOUS WATER DETAILS
6. LINE 1 - OLIVER PLAN & PROFILE
7. LINE 1 - OLIVER PLAN & PROFILE
8. LINE 2 - GLENDALE PLAN & PROFILE
9. LINE 2 - GLENDALE PLAN & PROFILE
10. LINE 2 - GLENDALE PLAN & PROFILE
11. LINE 2 - GLENDALE PLAN & PROFILE
12. LINE 3 - HARDING PLAN & PROFILE
13. LINE 4 - BATTIN PLAN & PROFILE
14. LINE 4 - BATTIN PLAN & PROFILE
15. LINE 4 - BATTIN PLAN & PROFILE
16. LINE 5 - OLD MANOR PLAN & PROFILE
17. LINE 5 - OLD MANOR PLAN & PROFILE
18. LINE 5 - OLD MANOR PLAN & PROFILE
19. LINE 6 - PARKWOOD PLAN & PROFILE
20. LINE 6 - PARKWOOD PLAN & PROFILE
21. LINE 6 - PARKWOOD PLAN & PROFILE
22. LINE 7 - RIDGEWOOD PLAN & PROFILE
23. LINE 7 - RIDGEWOOD PLAN & PROFILE
24. LINE 7 - RIDGEWOOD PLAN & PROFILE
25. LINE 8 - EDGEWOOD PLAN & PROFILE
26. LINE 8 - EDGEWOOD PLAN & PROFILE
27. LINE 9 & 9A - DOUGLAS PLAN & PROFILE
28. LINE 9 - DOUGLAS PLAN & PROFILE
29. LINE 10 - 2ND STREET PLAN & PROFILE
30. LINE 11 - PLAZA PLAN & PROFILE
31. LINE 11 - PLAZA PLAN & PROFILE
- 32-35. CONNECTION DETAILS
- 36-40. BMP DETAILS

BENCHMARKS

- BM 1**
Sq. cut top of curb, W return SW corner of 1st Street and Battin.
N 86844.63 E 66355.09
Elev. 1358.10
- BM 2**
Sq. cut top of curb, S return SW corner of English and Glendale.
N 85483.40 E 65723.07
Elev. 1347.19
- BM 3**
Sq. cut top of curb, N return NW corner of 3rd Street and Glendale.
N 88210.09 E 65684.55
Elev. 1356.41
- BM 4**
Sq. cut top of curb, N return NE corner of Douglas and Ridgewood.
N 86250.30 E 67733.22
Elev. 1363.45
- BM 5**
Sq. cut top of curb, W return NW corner of 3rd Street and Parkwood.
N 88215.12 E 67323.76
Elev. 1379.40



CITY OF WICHITA, KANSAS
GARY JANZEN, P.E., CITY ENGINEER



ENGINEERING | SURVEYING | LANDSCAPE ARCHITECTURE | GOVERNMENT
924 NORTH MAIN WICHITA, KANSAS 67203 P (316) 264-8008 F (316) 264-4621
WWW.RBKANSAS.COM 4227W