

EROSION CONTROL NOTES


1. SITE IS DESIGNED TO DRAIN INTERNALLY TO STORM DRAINS EXCEPT WHERE STRAW WATTLES (EROSION CONTROL LOGS) ARE SHOWN. STRAW WATTLES AT THESE PERIMETER LOCATIONS MUST BE IN PLACE AT ALL TIMES DURING CONSTRUCTION.
2. INLET PROTECTION SHALL BE INSTALLED ON EXISTING INLETS PRIOR TO CONSTRUCTION AND ON NEW INLETS IMMEDIATELY AFTER INSTALLATION. INLET PROTECTION SHALL BE INSPECTED AND CLEANED AS OUTLINED IN THE STORMWATER POLLUTION PREVENTION PLAN.
3. ROOF DRAINS INDICATED ON THIS PLAN ARE DESIGNED SUCH THAT WATER DOES NOT DRAIN TOWARDS THEM AND INLET PROTECTION IS NOT REQUIRED ON THOSE DRAINS.
4. CONTRACTOR SHALL DETERMINE THE APPROPRIATE LOCATION FOR A STABILIZED CONSTRUCTION ENTRANCE AND SEDIMENT CLEANING AREA PRIOR TO CONSTRUCTION AND SHALL SUBMIT A SKETCH SHOWING THOSE AREAS TO THE FIELD ENGINEER FOR APPROVAL.

XXXXXXXXXX Straw Wattle (Erosion Control Log)

XXXXXX Inlet Protection (14)

(11)

**MOSLEY & ROCK ISLAND
Erosion Control Plan**



RUGGLES & BOHM
 ENGINEERING | SURVEYING | LANDSCAPE ARCHITECTURE | GOVERNMENT
 924 NORTH MAIN WICHITA, KANSAS 67203 P (316) 264-8008 F (316) 264-4621
 WWW.RRKBKANSAS.COM

PROJECT NUMBER 472-85915	RB JOB NO. 4531T	DWG. SCALE 1" = 20'
------------------------------------	----------------------------	-------------------------------

4531T Engineering Base [Erosion Control Plan]

DATE Dec. 2, 2015
DESIGN KWL/TR
DRAWN DS
REVIEW 9-25-2015
SHEET 34
OF 59