


ALL EXCESS EXCAVATION TO BE USED TO FILL IN SHALLOW AREA OF POND, 4:1 SLOPE TO WATER, FILL TO BE COMPACTED TO 90% STD. DENSITY. TREES TO BE REMOVED AS NECESSARY FOR FILL OPERATIONS. TREE REMOVAL SUBSIDIARY TO SITE CLEARING. THIS ARE TO BE FILLED SECOND.

ALL EXCESS EXCAVATION TO BE USED TO FILL IN SHALLOW AREA OF POND, 4:1 SLOPE TO WATER, FILL TO BE COMPACTED TO 90% STD. DENSITY. TREES TO BE REMOVED AS NECESSARY FOR FILL OPERATIONS. TREE REMOVAL SUBSIDIARY TO SITE CLEARING. THIS ARE TO BE FILLED FIRST.

--- 1325 --- Existing Contour
 ——— 1325 ——— Proposed Contour



EMERALD BAY ESTATES 2nd Grading 2			
	RUGGLES & BOHM		DATE
	<small>ENGINEERING SURVEYING LANDSCAPE ARCHITECTURE GOVERNMENT</small> <small>924 NORTH MAIN WICHITA, KANSAS 67203 P (316) 264-8008 F (316) 264-4621</small> <small>WWW.RBKANSAS.COM</small>		DESIGN
PROJECT NUMBER 468-85153	RB JOB NO. 4770E	DWG. SCALE ...	DRAWN
DRAWING FILE Emerald Bay engineering base [Grading 2]			REVIEW
			SHEET
			5
			OF
			16