

J:\02517\DWGS\CL 1:200 (1:2)

NOTE: Only steel pile
HP250 X 62 shall be
used on this structure.

GENERAL NOTES

One bronze plaque shall be furnished and placed in the handrail post at the N.E. corner of the bridge as shown on the Construction Layout. Plaque shall conform to applicable requirements of sub-section 1625 of the KDOT Standard Specifications. Recess plaque flush with face of concrete. The Contractor shall furnish a "rendering" for proof reading and approval before casting. The furnishing and installation of the plaque shall be paid for as Bridge Plaque (non-participating) Lump Sum.

PROJECT NO. 87 N-0230-01 GENERAL NOTES & QUANTITIES 13TH STREET NORTH OVER COWSKIN CREEK STA. 1+883 CITY OF WICHITA	 Cook, Flatt & Strobel ENGINEERS, P.A. <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <td style="width: 33%;">DESIGNED KMB</td> <td style="width: 33%;">SCALE</td> </tr> <tr> <td>DETAILED DEG</td> <td>DATE</td> </tr> <tr> <td>QUANTITIES DEC</td> <td>SHEET OF</td> </tr> </table>	DESIGNED KMB	SCALE	DETAILED DEG	DATE	QUANTITIES DEC	SHEET OF
DESIGNED KMB	SCALE						
DETAILED DEG	DATE						
QUANTITIES DEC	SHEET OF						