



Subdivision Bench Marks

No.	Street and Station	From CL	Description	Elevation
4	Spyglass Ct, Sta. 3+96	14.50' Lt	Top of W curb of Spyglass Ct S end of W return Spyglass	
3	Spyglass Ct, Sta. 1+72	14.50' Rt	Top of E curb of Spyglass Ct at N Lot Line, Lot 29 Block 5	

CURVE #7
Curve Data Based on Centerline
Rad. = 100' Delta = 31° 11' 24" Tangent = 27.91'
Arc = 54.44' L.C. = 53.77' Def/Ft. = 17.18773 Min.

Station	Arc	FACE CHORD LENGTHS			T. Def.
		8 Lt.	8 Rt.	Def.	
2+61.47	-	-	-	0'00"00"	0'00"00"
2+75.00	13.53'	16.49'	10.54'	3'52"33"	3'52"33"
3+00.00	25.00'	30.42'	19.45'	7'09"41"	11'02"14"
3+15.91	15.91'	19.39'	12.40'	4'33"27"	15'35"42"



SCALE 1" = 20'
IRON = •

NOTE: ROLL TYPE CURB AND GUTTER TO BE CONSTRUCTED ALONG PAVEMENT DEPICTED ON THIS SHEET

**SAWMILL CREEK ADDITION
SPYGLASS COURT
WICHITA, KANSAS**

Ruggles & Bohm, P.A.
Engineering, Surveying, Land Planning

924 North Main (316) 264-8008
Wichita, Kansas 67203 (316) 264-4621 fax
www.rbkansas.com E-mail: info@rbkansas.com

DESIGN	CMB	SHEET 11 OF 40
DRAWN	EJG	
REVIEW		
UTILITY		
DRAWING FILE	PROJECT NUMBER	DATE
Paving {Spyglass 01}	472-83824	Nov. 26, 2002