



PLAN	CHECKED	DATE
	CHECKED	

PROFILE	CHECKED	DATE
	CHECKED	



COORDINATE LIST		
POINT	NORTH	EAST
7200	9,606.9676	5,190.3028
7201	9,830.5473	5,204.9817


NOTE (A): ALL STORM SEWER EXCAVATION UNDER PAVEMENT SHALL BE SAND FILLED AND FLUSHED (JETTED AND VIBRATED) WITH WATER PER THE REQUIREMENTS LISTED IN THE STANDARD SPECIFICATIONS FOR THE CITY OF WICHITA. THE SAND FILL SHALL START AT THE TOP OF IMPROVED BEDDING (PER STANDARD SPECIFICATIONS) AND BE BROUGHT UP UNIFORMLY TO BOTTOM OF PROPOSED CRUSHED ROCK BASE.



7200  
Sta. 18+19.3 SWS Line No. 2=  
@ Maize Rd. Sta. 56+13.10, 59.30' Rt.  
Const. 36" Concrete Headwall  
See Sheet No. 13

75+00  
Sta. 20+00.0 SWS Line No. 2=  
Sta. 75+57.77 North Entrance

7201  
Sta. 20+43.4 SWS Line No. 2=  
@ Maize Rd. Sta. 58+36.03, 57.69' Rt.  
Const. 36" Concrete Headwall  
Install 224.1 L.F. 36" RCP (S)  
See Sheet No. 13



CADILLAC LAKE PHASE 1  
MAIZE ROAD TURNING LANES

**SWS LINE NO. 2 - NORTH ENTRANCE**

GARY JANZEN, P.E. - CITY ENGINEER  
CITY OF WICHITA PROJECT NO. 472-55237

PROFESSIONAL ENGINEERING CONSULTANTS, P.A.  
303 SOUTH TOPEKA WICHITA, KS 67202  
316-262-2691 www.pec1.com

**PEC**

Designed By BMM  
Drawn By BUS

Job No. 35-15138-004  
Date April 2017