




PROJECT NO.	SHEET NO.	TOTAL SHEETS
472-83256	14	54




NOTE: OMIT REINFORCING MESH AT ALL JOINTS



NOTE: ALL CONCRETE VALLEY GUTTER REINFORCEMENT SHALL BE ADEQUATELY SUPPORTED BY BAR CHAIRS IN THE REQUIRED POSITION UNLESS APPROVED OTHERWISE BY THE ENGINEER.




NOTE: OMIT WIRE FABRIC REINFORCING IN THIS SECTION.






REINFORCED PAVEMENT (C.J.)



REINFORCED PAVEMENT (TRANSVERSE SECTION) (ALTERNATE L.J.)



REINFORCED PAVEMENT (TRANSVERSE SECTION)



- ① To be accomplished in 2 cuts for Longitudinal Joints and Contraction Joints. Initial cut to be 1/8" wide.
- ② Eliminate bottom of cut when metal keyway is used as part of Longitudinal or Transverse Construction Joint and at Doweled Construction Joint Locations.
- ③ 1 1/2" Minimum

EVERGREEN-PHASE 4 CITY OF WICHITA, KANSAS			
VALLEY GUTTER DETAILS			
Professional Engineering Consultants, P.A. 303 S. TOPEKA • WICHITA, KANSAS 67202 316-262-2691 • FAX 316-262-3003			
Designed by	BER	checked by	
Drawn by	BJS	Date	AUG. 2002
		Job No.	02397