






PLAN
REINFORCED VALLEY GUTTER
SCALE: NONE




SECTION A-A
SCALE: NONE


*NOT TO BE USED WITH CRUSHED ROCK BASE




WING REINFORCING DETAIL
SCALE: NONE



SECTION B-B
SCALE: NONE




KEYWAY DETAIL
SCALE: NONE




CONTRACTION JOINT DETAIL (C.J.)
SCALE: NONE

NOTE: Valley gutter concrete pavement shall be of 200 mm uniform thickness, with welded wire mesh. Approximate mass of welded wire mesh= 2.1 kg/m². Where valley gutter, alley, and/or entrance pavement is the only pavement on the project, Class A Concrete (AE) may be used.




WHEELCHAIR RAMP PLAN VIEW
SCALE: NONE




TRUNCATED DOME DETAIL
SCALE: NONE

NOTE: All work with installation of the wheelchair ramps, including removal of existing curb and gutter and construction of depressed curb and gutter, shall be included in the bid item "Wheelchair Ramp".




DETAIL "A"
SCALE: NONE




NOTE: EXTRA THICKNESS TO BE SUBSIDIARY TO PRICE OF PAVEMENT.


EXPANSION JOINT
SCALE: NONE



LONGITUDINAL JOINT DETAIL (L.J.)
SCALE: NONE




OPTIONAL LONGITUDINAL CONSTRUCTION JOINT (L.J.)
SCALE: NONE (Alternate L.J.)




OPTIONAL CONTRACTION CONSTRUCTION JOINT (C.J.)
SCALE: NONE (Alternate C.J.)

LEGEND
C.J. IDENTIFIES CONTRACTION JOINT
L.J. IDENTIFIES LONGITUDINAL JOINT



SECTION A-A
SCALE: NONE



DEPRESSED CURB DETAIL
SCALE: NONE

THE CITY OF WICHITA CITY ENGINEER'S OFFICE CITY HALL - SEVENTH FLOOR 455 NORTH MAIN STREET WICHITA, KANSAS 67202 (316) 268-4501 (316) 268-4114 FAX		VALLEY GUTTER DETAILS WHEELCHAIR RAMP DETAILS NEIL CABLE P.E. - CITY ENGINEER PROJECT NUMBER XXX-XXXXX INDEX CODE XXXXXX DATE MAR 96 SHEET 31 OF 85	
---	--	---	--