

INLET & MANHOLE DATA																				FOR INFORMATION ONLY							REMARKS								
ROUTING SEQUENCE		LOCATIONS OF INSTALLATIONS			CONSTRUCT OR INSTALL								DIMENSIONS				ELEVATIONS		INFLOW CONDUITS					OUTFLOW CONDUITS		NO STEP		CAST IRON (LBS.)	STRUC. STEEL (LBS.)	REINF. STEEL (LBS)	CLASS 'A' CONC. (MISC.) (CU. YD.)	CL. III EXC. (CU. YD.)			
FROM	TO	STATION	ROUTE IDENTIFICATION	DISTANCE LEFT/RIGHT	INLET (TY.12) (CURB)	INLET (TY.12) (SPEC)	INLET (TY.22) (CURB)	INLET (TY.1A) (CURB)	DROP INLET (DOUBLE)	REINF. CONC. M.H.	M.H. (STD.) (TY.B)	END SECT. *	GRATE & FRAME (TY.A)	L & F A (TYPE)	L. (FT.)	W. (FT.)	H. (FT.)	HT. (FT.)	TOP	FLOOR	SIZE DIRECTION	FLOWLINE (ELEV.)	SIZE DIRECTION	FLOWLINE (ELEV.)	SIZE DIRECTION								FLOWLINE (ELEV.)	SIZE DIRECTION	FLOWLINE (ELEV.)
1	2	2+01.90	21ST ST. N.	16.5' LT.						1					8'-0"	8'-0"			206.5	200.0	60"x38"-N.	200.90							42"-E.	200.25					
3A	3	4+90.00	21ST ST. N.	134.5' LT.																									24"-S.	202.8					
3	4	4+90.00	21ST ST. N.	47.5' LT.							1				5' DIA.				204.0	200.0	24"-N.	200.50							24"-E.	200.10					
5	4	6+40.57	21ST ST. N.	58.17' LT.					1						6'-8"	5'-4"			203.06	199.56									38"x24"-S.	199.84					
4	2	6+37.74	21ST ST. N.	31.75' LT.				1							11'-4"	5'-4"			202.98	194.98	24"-W.	199.62	38"x24"-N.	199.78					48"-S.	195.13					
6	2	6+37.74	21ST ST. N.	42.5' LT.				1							11'-4"	5'-4"			202.65	197.15									15"-N.	197.25					
2	7	6+40.57	21ST ST. N.	22.51' LT.						1					8'-0"	8'-0"			202.86	194.36	48"-N.	195.11	42"-W.	195.42	15"-S.	197.11			54"-E.	194.55					
7	8	9+30.00	21ST ST. N.	31.97' LT.							1				4' DIA.				204.35		54"-W.	193.99							10'x54"-E.	193.99					
8	10	9+88.50	21ST ST. N.	31.97' LT.							1				4' DIA.				205.50		10'x54"-W	193.87							68"x43"-S.	193.87					
11	10	44+98.85	WEBB RD.	29.39' RT.				1							11'-4"	4'-4"			197.72	193.22									23"x14"-W.	193.49					
10	13	44+98.85	WEBB RD.	32.5' LT.				1							11'-4"	4'-4"			197.73	192.73	68"x43"-N.	192.81	23"x14"-E.	193.24	53"x34"-W.	193.38			6'x4'-S.	192.80					
13	14	44+98.85	WEBB RD.	34' LT.					1						4'-0"	2'-0"			198.0		6'x4'-N	192.60							6'x4'-S.	192.51					
14	12	44+98.85	WEBB RD.	34' LT.					1						4'-0"	2'-0"			198.0		6'x4'-N.	192.51							24"-N.	194.3					
15	12	44+98.85	WEBB RD.	26.6' LT.								1									24"-S.	195.0							15"-S.	194.8					
16	12	44+98.85	WEBB RD.	30.07' RT.								1									15"-N.	195.0							15"-N.	194.8					
17	12	44+98.85	WEBB RD.	30.07' RT.								1									15"-S.	195.0													
TOTALS								4	3	2	3	3																							

CONDUIT DATA																																			
ROUTING SEQUENCE		LOCATIONS OF INSTALLATIONS			CONSTRUCT OR INSTALL			CONDUIT FLOW LINES		SEWER EXCAVATION		STORM SEWERS (LIN. FT.)												END SECTIONS (EACH)						AASHTO CONC. CLASS	METAL PIPE GAGE				REMARKS
												REINF. CONC.												REINF. CONC.		CORR. METAL									
FROM	TO	STATION	ROUTE IDENTIFICATION	DISTANCE RT./LT.	TYPE OF CONDUIT	LENGTH (FEET)	INFLOW (ELEV.)	OUTFLOW (ELEV.)	ROCK (CU.YDS.)	COMMON (CU.YDS.)	15"	24"	42"	48"	54"	1.5 S.F.	5.0 S.F.	10.0 SF	16.5 SF	6'x4'	SPECIAL BOX	15"	18"	24"											
1	2	2+01.90	21ST. ST. N.	16.5' LT.	42"	RCP	439	200.25	195.42					439																					
3A	3	4+90.00	21ST. ST. N.	134.5' LT.	24"	RCP	87	202.8	200.50																										
3	4	4+90.00	21ST. ST. N.	47.5' LT.	24"	RCP	149	200.10	199.62																										
5	4	6+40.57	21ST. ST. N.	58.17' LT.	5.0 S.F.	RCPHE	24	199.84	199.78																										
4	2	6+37.74	21ST. ST. N.	31.75' LT.	48"	RCP	12	195.13	195.11																										
6	2	6+37.74	21ST. ST. N.	42.5' RT.	15"	RCP	68	197.25	197.11		68																								
2	7	6+40.57	21ST. ST. N.	22.51' LT.	54"	RCP	290	194.55	193.99																										
7	8	9+30.00	21ST. ST. N.	31.97' LT.	10'x54"	RCB	67	193.99	193.87																										
8	10	9+88.5	21ST. ST. N.	31.97' LT.	16.5 SF	RCPHE	530	193.87	192.81																										
10A	10	44+98.85	WEBB RD.	45.53' LT.	10.0 SF	RCPHE	12	193.41	193.38																										
11	10	44+98.85	WEBB RD.	29.39' RT.	1.5 S.F.	RCPHE	65	193.49	193.24																										
10	12	44+98.85	WEBB RD.	32.5' LT.	6'x4'	RCB	360	192.81	192.45																										
15	12	41+35.00	WEBB RD.	26.6' LT.	24"	RCP	6	195.0	194.3			6																							
16	12	41+45.00	WEBB RD.	30.07' RT.	15"	RCP	6	195.0	194.8		6																								
17	12	41+35.00	WEBB RD.	30.07' RT.	15"	RCP	6	195.0	194.8		6																								
TOTAL											80	242	439	12	290	65	24	12	530	360	67		2		1										