


Subdivision Bench Marks				
No.	Street and Station	From CL	Description	Elevation
4	Watson, 1+34	17.0' Rt.	East End of SE Curb Return in front of Fire Hydrant at intersection of Morris & Watson.	



Curve 4
Curve Data Based on Centerline
Rad. = 2586.72' Delta = 4° 43' 07" Tangent = 106.58'
Arc = 213.03' L.C. = 212.97' Def/ft. = 0.66450 Min.

Station	Arc	B Lt.	B Rt.	Defl.	T. Defl.
1+29.00	-	-	-	0°00'00"	0°00'00"
1+50.00	21.00'	20.80'	21.20'	0°13'57"	0°13'57"
1+75.00	25.00'	24.76'	25.24'	0°16'37"	0°30'34"
2+00.00	25.00'	24.76'	25.24'	0°16'37"	0°47'11"
2+25.00	25.00'	24.76'	25.24'	0°16'37"	1°03'47"
2+50.00	25.00'	24.76'	25.24'	0°16'37"	1°20'24"
2+75.00	25.00'	24.76'	25.24'	0°16'37"	1°37'01"
3+00.00	25.00'	24.76'	25.24'	0°16'37"	1°53'38"
3+25.00	25.00'	24.76'	25.24'	0°16'37"	2°10'14"
3+42.03	17.03'	16.87'	17.19'	0°11'19"	2°21'33"

NOTE: ROLL TYPE CURB AND GUTTER TO BE CONSTRUCTED ALONG PAVEMENT DEPICTED ON THIS SHEET

Clear Creek Addition, Paving Improvements

Watson

WICHITA, KANSAS

Ruggles & Bohm, P.A.

Engineering, Surveying, Land Planning

924 North Main
Wichita, Kansas 67203
www.rbkansas.com

(316) 264-8008
(316) 264-4621 fax
E-mail: info@rbkansas.com

DESIGN KWL

DRAWN TEB

REVIEW

UTILITY

DRAWING FILE
paving {WATSON}

PROJECT NUMBER
472-83743

DATE
July 30, 2003

2003

SHEET

8

OF

40