



STA. 10+00.0, LINE 11
SHALLOW MANHOLE
TOP=164.1

STA. 11+64.9, LINE 11=
STREET STA. 6+09.29, 17.4' LT.
INSTALL TYPE 1-A CURB INLET
(10'X3')
TOP=167.00

FIRE HYDRANT
BURY LINE=167.02
VALVE BOX EL.=167.2

STA. 11+99.8, LINE 11=
STREET STA. 6+05.88, 17.4' RT.
INSTALL TYPE 1-A CURB INLET
(10'X3')
TOP=167.00

PLAN LINE 11

PROFILE LINE 11

SCALE: HORIZ. 1"=20'
SCALE: VERT. 1"=5'

STA. 10+00.0, LINE 11
SHALLOW MH
TOP=164.1

STA. 11+64.9, LINE 11
CONST. TYPE 1-A CURB INLET
TOP=167.00

STA. 11+99.8, LINE 11
CONST. TYPE 1-A CURB INLET
TOP=167.00

FL OUT=161.48(18" N)
FL IN=161.73(15" S)
FL IN=161.98(12" W)

FL OUT=162.72
FL IN=162.82

FL OUT=163.00

164.9 L.F. OF 15" RCP @ 0.60%

34.9 L.F.
OF 15" RCP
@ 0.50%

INSTALL 30.0 L.F.
FLOWABLE FILL