



Stormwater Certification:

New Development or Redevelopment (Circle One)
 Stormwater Permit # Submitted
 NOI State Permit # S-AR94-1588
 NOI Federal Permit # KSR115105

These construction plans were prepared in accordance with the current Stormwater management Regulations as set forth in the City of Wichita's Stormwater Management Ordinance 16.32 and the policies/guidelines presented in the Wichita/Sedgwick County Stormwater Manual.

Site Area (Acres) = 2.3
 Disturbed Area (Acres) = 2.3
 Water Quality Treatment: Wet Detention Pond
 Downstream Channel Protection: Wet Detention Pond
 Detention: Wet Detention Pond
 The BMP used for this development is Wet Detention Pond

- LEGEND**
- 83.60 — PROPOSED PAVEMENT ELEVATION (+ 1200 = NAVD88 ELEVATION)
 - 83.3 — PROPOSED GROUND ELEVATION (+ 1200 = NAVD88 ELEVATION)
 - 1280 — EXISTING MAJOR CONTOUR
 - 1281 — EXISTING MINOR CONTOUR
 - 1280 — PROPOSED MAJOR CONTOUR
 - 1281 — PROPOSED MINOR CONTOUR
 - BREAK LINE
 - FLOW DIRECTION
 - HP = HIGH POINT
 - TC = TOP OF CURB
 - FL = FLOW LINE
 - BW = BOTTOM OF WALL AT BRIDGE ABUTMENT
 - ME = MATCH EXISTING CONTRACTOR SHALL VERIFY ALL EXISTING ELEVATIONS AND REPORT ALL DISCREPANCIES TO THE ENGINEER PRIOR TO CONSTRUCTION.

CITY TO PROVIDE BORROW SITE FOR CONTRACTOR TO IMPORT EARTHWORK FROM.

CITY TO PROVIDE ANY TREE TRIMMING AS REQUIRED.

1 PHASE 2 NORTH GRADING PLAN
 1" = 20'
 SCALE IN FEET

Sheet 04-16-2020 9:16:43 AM by BJT
 Plot Scale 1:1 04-16-2020 9:16:31 AM by BJT
 U:\Wichita-Civil\2019\197042\010\Drawings\PLANS\197042-010-P2-C-103