

Regrade ditch to ensure positive drainage to the north. The entrance pipe at Froli St. will have an elevation of 1332.4 and will be built with Edge Water 4th Add. See detail, this sheet. To be paid for as L.S. bid item "Grading, Ditch".

Install straw wattle ditch check per detail, sheet 13.

Maintain 140 L.F. silt fence per detail, sheet 21.

No excavation within 5' of utility pole and guy wire anchor.


Maintain 140 L.F. silt fence per detail, sheet 21.

Install straw wattle ditch checks per detail, sheet 13.

Maintain 50'x12' gravel construction entrance per detail, sheet 20.

Install straw wattle ditch checks per detail, sheet 13.

Maintain ditch check per detail, sheet 22.



EROSION CONTROL MEASURE	INSTALL	MAINTAIN	REMOVE
BACK OF CURB PROTECTION (LF)	5,550	0	0
CONSTRUCTION ENTRANCE (EA)	0	1	0
CURB INLET BARRIER (EA)	12	0	0
STRAW WATTLE DITCH CHECK (EA)	7	1	0
DROP INLET PROTECTION (EA)	8	0	0
EROSION CONTROL (LS)	0	0	0
EROSION CONTROL BERM (LF)	0	0	0
SILT FENCE (LF)	0	280	0
EROSION CONTROL MAT (SY)	0	0	0

QUANTITIES ARE FOR INFORMATION ONLY! CONTRACTOR SHALL VERIFY QUANTITIES PER FINAL BID QUANTITY SHEET.

\* ALL EXISTING BMPs INCLUDING CONSTRUCTION ENTRANCE, SEDIMENT BARRIERS, SILT FENCE, EROSION CONTROL BERM, AND EROSION CONTROL MAT SHALL BE MAINTAINED AND REPAIRED IF NECESSARY. REPLACEMENT OR REMOVAL OF EROSION CONTROL MEASURES TO BE PAID FOR BY L.S. BID ITEM "MAINTAIN EXISTING BMPs"

**EROSION CONTROL PLAN LEGEND**

- DROP INLET PROTECTION
- CURB INLET PROTECTION
- STRAW WATTLE DITCH CHECKS
- SILT FENCING
- STRAW WATTLE DITCH CHECKS
- EROSION CONTROL BERM
- BACK OF CURB PROTECTION
- EROSION CONTROL MAT
- TEMPORARY DITCH






Areas to be seeded as indicated on the cover sheet. The approximate seeding area is 3.6 acres. This area is based on 5,548 L.F. curb at 15' wide R/W plus easement grading and is for information only. The approximate fescue permanent seeding area and temporary seeding area is 0.4 acres and is for information only.

All easements have been graded prior to construction with the mass grading plan, however, all backyard easements shall be fine graded with this project after street & s/w construction has been completed. All cost associated with the fine grading shall be included in the lump sum bid item "Grading, Easement".

= Easements To Be Graded

The contractor shall grade the easements as shown to the elevations given on the easement grading plan. All costs for grading shall be incidental to the Grading, Easement Bid Item.

The contractor shall 'straight' grade the easements between the elevations given. Where a callout designates 'Match', the contractor will grade to the existing ground elevation.



SECTION A-A

SECTION B-B