



ALIGNMENT - CURTIS CT CY Ground Removed (unadjusted)				ALIGNMENT - CURTIS CT CY Ground Fill (unadjusted)			
Station	Area	Volume	Total	Station	Area	Volume	Total
0+00	27.56	0.00	0.00	0+00	40.83	0.00	0.00
0+50	39.88	62.44	62.44	0+50	8.34	45.53	45.53
1+00	28.94	63.72	126.17	1+00	14.37	21.03	66.56
1+50	20.17	45.47	171.64	1+50	19.77	31.62	98.17
2+00	13.04	30.74	202.38	2+00	26.59	42.93	141.10
2+50	10.72	21.99	224.37	2+50	38.89	60.63	201.73
3+00	4.81	17.34	241.72	3+00	41.54	70.25	271.98
3+50	2.91	7.51	249.23	3+50	28.26	59.10	331.08
4+00	3.07	5.61	254.84	4+00	19.84	43.77	374.84
4+50	8.18	10.42	265.25	4+50	15.42	32.65	407.50
5+00	8.34	15.30	280.55	5+00	15.89	28.99	436.48
5+50	8.48	15.57	296.12	5+50	15.19	28.77	465.26
6+00	12.37	19.30	315.43	6+00	13.68	26.73	491.98
6+50	17.09	27.27	342.70	6+50	14.66	26.23	518.22
7+00	40.83	53.63	396.33	7+00	6.50	19.59	537.80
7+49.66	0.00	37.55	433.88	7+49.66	0.00	5.98	543.78

CURTIS CT