






**NOTES:**  
 1. Contractor shall make sure all erosion control is in place before project is accepted. This plan represents the minimum standard. Any additional erosion control measures shall be installed by the Contractor as needed.

EROSION CONTROL MEASURE	INSTALL	MAINTAIN
BACK OF CURB PROTECTION (LF)	0	0
CONSTRUCTION ENTRANCE (EA)	0	0
CURB INLET BARRIER (EA)	4	0
CUT-OFF TRENCH (LF)	0	0
DROP INLET PROTECTION (EA)	1	0
SILT FENCE (LF)	0	0
EROSION CONTROL MAT (SY)	0	0
MAINTAIN EROSION CONTROL BMP's (LS)	0	1

\* ALL EXISTING BMPs INCLUDING CONSTRUCTION ENTRANCE, SEDIMENT BARRIERS, SILT FENCE, CUT-OFF TRENCH, AND EROSION CONTROL MAT SHALL BE MAINTAINED AND REPAIRED IF NECESSARY.

**EROSION CONTROL PLAN LEGEND**

-  - DROP INLET PROTECTION
-  - CURB INLET PROTECTION
-  - SILT FENCING
-  - BACK OF CURB PROTECTION



RECAPITULATION OF QUANTITIES		
ITEM	QUANTITY	UNIT
Site Clearing	1	Lump Sum
Site Restoration	1	Lump Sum
Maintain Existing BMP's	1	Lump Sum
Sodding	1	Lump Sum
Traffic Control	1	Lump Sum
Pavement Markings	1	Lump Sum
Air Testing, SS Pipe	529	Linear Feet
Encasement 8" Reinforced	36	Linear Feet
Pipe Removed (SS 6")	36	Linear Feet
Pipe, Plug Existing (6")	1	Each
Pipe, SS 8"	529	Linear Feet
MH Abandoned	2	Each
MH, Shallow SS (4')	3	Each
Water Service Lowered	4	Each
AC/ Concrete Pavement Removed & Replaced	241	Square Yards
Crushed Rock Base 8", Reinforced	241	Square Yards
Fill Compacted (90% Density)	3	Cubic Yards
Fill, Sand (Flushed & Vibrated)	529	Linear Feet
Concrete C & G Removed & Replaced	14	Linear Feet
BMP, Curb Inlet Protection	5	Each
Survey Monument Reset	1	Each





**BAUGHMAN COMPANY**

315 Ellis St.  
 Wichita, KS 67211  
 316-262-7271  
 BaughmanCo.com

MATHEWSON'S ADD

**EROSION CONTROL PLAN**

SANITARY SEWER IMPROVEMENTS

PROJECT NUMBER:  
19-05-E282

DESIGN: NBW DRAWN: JSB  
 DATE: January 6, 2023

SHEET 5 OF 13

File: E:\Projects\Indiana SS Replacement (22-06-G050)\Engineering\Phase 1\PPS\Indiana\_PPS.dwg