

STATE	PROJECT NO.	YEAR	SHEET NO.	TOTAL SHEETS
KANSAS	472-2021-085750	2022	2	5

GENERAL NOTES

EXISTING STRUCTURE: Plans of the existing structure are on file and available for inspection by qualified bidders at the Wichita Public Works Department, 455 N Main, 8th Floor, Wichita, KS 67202.

DIMENSIONS: All dimensions shown on the design plans are horizontal dimensions unless otherwise noted. Make necessary allowances for roadway grade and cross slope.

BROKEN CONCRETE: Waste the broken concrete from the existing bridge on sites provided by the Contractor and approved by the Engineer.

SLOPE PROTECTION (Riprap Stone): Place Slope Protection (Riprap Stone) to the limits and thicknesses shown on the plans or as directed by the Engineer. See Construction Layout Proposed Slope Protection sheet for thicknesses and details at toes of slopes. Use Light 200 lbs. Series as described in Division 1100 placed to the limits shown on the plans.

The Contractor shall place the rock from the bottom to the top of the slope. Place the rock in a manner which produces a well-graded mass of rock without segregation of the material sizes. Placement, measurement, and payment shall conform to KDOT Specifications.

QUANTITIES: Items not listed separately in the Summary of Quantities are subsidiary to other items in the proposal.

Quantities are estimates, actual pay to be based on measured and accepted quantities.

SUMMARY OF QUANTITIES				
ITEM	UNITS	QUANTITY		TOTAL
		SB Br. No. 5304008700MCR10	NB Br. No. 5304008700MCR20	
Concrete Rip-Rap Removal (4")	Sq. Yds.	1,152	1,152	2,304
†† Common Excavation	Cu. Yds.	450	361	811
** Compaction of Earthwork (Type A) (MR-5-5)	Cu. Yds.	—	85	85
Slope Protection (Riprap Stone)	Cu. Yds.	578	577	1,155
Flowable Fill (High Strength)	Cu. Yds.	—	5	5

†† Includes for Br. No. 5304008700MCR10:
450 Cu. Yds. Additional soil removal 14" below existing riprap (to be wasted on a site provided by the Contractor)

Includes for Br. No. 5304008700MCR20:
361 Cu. Yds. Additional soil removal 14" below existing riprap (to be wasted on a site provided by the Contractor)

** Estimated quantity to fill erosion voids to 18" below top of proposed Slope Protection (Riprap Stone)

Plotted By: mike.thompson
 File: Eisenhower Airport Parkway.dgn
 Plot Date: 13-MAR-2023 15:16

3				
2				
1				
NO.	DATE	REVISIONS	BY	APP'D

CITY OF WICHITA
 Br. No. 5304008700MCR10 (SB)
 Br. No. 5304008700MCR20 (NB)

GENERAL NOTES AND QUANTITIES

Eisenhower Airport Parkway
 PROJECT NO. 472-2021-085750 SEDGWICK COUNTY

SHEET NO.	OF	SCALE	APP'D
DESIGNED	DETAILED	QUANTITIES	CADD
DESIGN CK.	DETAIL CK.	QUAN. CK.	CADD CK.