

REMOVE 158 L.F. SIDEWALK

CONSTRUCT STANDARD WHEELCHAIR RAMP SEE DETAIL SHEET 4

ADJUST VALVE BOX TO BE FLUSH WITH SIDEWALK. COST SUBSIDIARY TO SIDEWALK CONSTRUCTION.


REGRADE BERM AS INDICATED (COST SUBSIDIARY TO SIDEWALK CONST)

CONSTRUCT 5' SIDEWALK

CONSTRUCT STANDARD WHEELCHAIR RAMP SEE DETAIL SHEET 4

NOTES:

1. SIDEWALK SHALL BE CONSTRUCTED WITH A 2% CROSS-SLOPE.
2. THE VERTICAL SIDEWALK ALIGNMENT SHALL BE SMOOTH WITHOUT SUDDEN GRADING CHANGES. THIS INCLUDES THE CONNECTION POINTS TO THE EXISTING WALK.



LEGEND
 PAVEMENT & SIDEWALK REMOVAL (REMOVE TO NEAREST JOINT. COST SUBSIDIARY TO SITE CLEARING.)

MKEC
 ENGINEERING CONSULTANTS
 411 N. WEBB ROAD
 WICHITA, KS. 67208
 318-684-9600

CEDAR VIEW SECOND ADDITION PROJECT NAME		
LINCOLN ST. SIDEWALK PLAN SHEET TITLE		
DFL DESIGN BY:	GR DRAWN BY:	GJA CHECKED BY:
FEBRUARY 2001 DATE	00226SW DRAWING NAME	15 / 25 SHEET / OF

H:\CIVIL\96037\00226\DWG\PAV\00226SW.DWG