








Maintain one construction entrance onto existing paved roadway per detail, sheet 27.

Scale: 1" = 60'



SECTION A-A



SECTION B-B

▨ = Easements To Be Graded

Approximate Easement Grading Quantities:
(For Information Only)
Excavation: 2,189 C.Y.
Fill: 1,261 C.Y.

The contractor shall grade the easements as shown to the elevations given on the easement grading plan. All costs for easement grading shall be incidental to the Easement Grading Bid Item.

The contractor shall 'straight' grade the easements between the elevations given. Where a callout designates 'Match', the contractor will grade to the existing ground elevation.

NOTE: Contractor shall remove & replace existing erosion control measures as necessary for construction. Contractor shall be required to maintain all on-site erosion control items until final acceptance by the City of Wichita. All costs shall be incidental to "Site Clearing and Restoration."

Existing Grade (185)

		KRUG NORTH 2ND ADD. - PH. III	
Baughman Company, P.A. 315 Ellis St. Wichita, KS 67211 P 316-262-7171 F 316-262-0149		EROSION CONTROL PLAN/	
ENGINEERING SURVEYING PLANNING LANDSCAPE ARCHITECTURE		ESMT. GRADING PLAN	
PROJECT NUMBER 412-94249	DESIGN ATD	DRAWN TMS	
REVISIONS	APPROVED	DATE 01/06	
	SCALE Noted	SHEET	
		29 OF 39	
KrugNorth2ndVPhaseIII/SoECplan		0509-E368	