


FALCON FALLS 3RD ADDITION

WICHITA, SEDGWICK COUNTY, KANSAS



- #1 REBAR W/ "BAUGHMAN" CAP (SET)
- #4 REBAR W/ "BAUGHMAN" CAP (FOUND)
- 1/2" PIPE (FOUND)
- STONE (FOUND)
- #5 REBAR W/ THIMBLE (FOUND)
- BOLT (FOUND)
- 60# NAIL IN TREE (SET)
- 3/4" IRON W/ "BAUGHMAN" CAP (FOUND)

- (M) = MEASURED
- (P) = PLATTED
- (C) = CALCULATED
- (D) = DESCRIBED
- (C-D) = CALCULATED PER DESCRIBED INFO.

BENCHMARK:
 [] CUT ON E. HUBBARD OF R.C.B.C.
 110' S. OF THE SE COR., SE 1/4, SEC. 22.
 TWP. 26-S, R-1-E
 ELEV. = 1359.54 NGVD29

LOT	BLOCK	ELEVATION
1-7, 13, 14	A	1347.0
1-27	C	1348.0
28-31, 37-50	C	1349.0
7, 8, 19-25	B	1353.0
1-22	E	1347.0

NOTE:
 A master grading plan for drainage has been developed for this subdivision and is on file with the City of Wichita, Kansas. All drainage easements, right-of-ways, or reserves shall remain as established or as modified with the approval of the City Engineer of the City of Wichita, Kansas. No obstructions which impede the flow of this drainage system shall be allowed.

NOTE:
 NO BUILDING PERMITS ARE TO BE ISSUED FOR LOTS 3-9 AND 13, BLOCK A, LOTS 8 AND 17-19, BLOCK B, LOTS 14, 15, 17, 31, 35-39 AND 43-49, BLOCK C, LOTS 8 AND 7, BLOCK D, AND LOTS 2-11, 17 AND 18, BLOCK E, WITHIN FALCON FALLS 3RD ADDITION UNLESS THE LOWEST FLOOR, INCLUDING THE BASEMENT, CAN BE CONSTRUCTED AT LEAST ONE FOOT ABOVE THE BASE FLOOD ELEVATION OR UNLESS THE CITY OF WICHITA, KANSAS HAS RECEIVED A LETTER OF MAP REVISION FROM THE FEDERAL EMERGENCY MANAGEMENT AGENCY.

NOTE:
 NO BUILDING PERMITS ARE TO BE ISSUED FOR LOTS 1-4 AND 10-12, BLOCK A, LOTS 1-13, 18-30 AND 32-34, BLOCK C, AND LOTS 1 AND 19-22, BLOCK E, WITHIN FALCON FALLS 3RD ADDITION UNLESS A LETTER OF MAP REVISION FROM THE FEDERAL EMERGENCY MANAGEMENT AGENCY IS ON FILE WITH THE CITY OF WICHITA, KANSAS.