



BENCHMARKS:
 BM-1#
 SQUARE CUT ON TOP OF CURB 119.3'± N.
 & 6.4'± W. OF SE. COR. LOT 7, BLOCK 2,
 TURTLE RUN 3RD ADDITION.
 ELEV. = 1390.32 NAVD88

BM-2#
 SQUARE CUT ON TOP OF CURB 118.4'± N.
 OF SE. COR. LOT 6, BLOCK 2, TURTLE
 RUN 2ND ADDITION.
 ELEV. = 1391.04 NAVD88



Existing Ground - - - - - 1364 - - - - -




STRAW WATTLE DITCH CHECK DETAIL

- NOTES:**
1. All material to meet manufacturer specifications.
 2. Ditch Check should be used in areas that drain 10 acres or less.
 3. Sediment should be removed from behind check dam once the accumulated height has reached 1/2 height of the check dam.
 4. Check dam can be direct seeded at the time of installation.
 5. See Sheet X for spacing requirements.

EROSION CONTROL MEASURE	INSTALL	MAINTAIN	REMOVE
CONSTRUCTION ENTRANCE (EA)	0	1	0
CURB INLET BARRIER (EA)	0	8	0
DROP INLET PROTECTION (EA)	0	19	0
DITCH CHECKS (EA)	0	6	0
BACK OF CURB PROTECTION (LF)	7,289	0	0
EROSION CONTROL BERM (LF)	0	1,116	0
SILT FENCE (LF)	0	1,462	0
EROSION CONTROL MAT (SY)	0	7,113	0
MAINTAIN EROSION CONTROL BMP's (LS)	0	1	0

* ALL EXISTING BMPs INCLUDING CONSTRUCTION ENTRANCE, SEDIMENT BARRIERS, SILT FENCE, CUT-OFF TRENCH, AND EROSION CONTROL MAT SHALL BE MAINTAINED AND REPAIRED IF NECESSARY.


Contractor shall make sure all erosion control is in place before project is accepted. This plan represents the minimum standard. Any additional erosion control measures shall be installed by the Contractor as needed.



EROSION CONTROL PLAN LEGEND

- DROP INLET PROTECTION
- CURB INLET PROTECTION
- DITCH CHECKS
- SILT FENCING
- EROSION CONTROL BERM
- BACK OF CURB PROTECTION

- EROSION CONTROL NOTES:**
1. Contractor shall make sure all erosion control is in place before project is accepted. This plan represents the minimum standard. Any additional erosion control measures shall be installed by the Contractor as needed.
 2. Removal of Gravel Construction Entrance for pavement construction shall be included in bid item "Site Clearing"
 3. This Plan is Not To Be Used As A Comprehensive Grading Plan. All Spot Elevations Are Proposed & Subject To Change.
 4. All areas disturbed during construction shall be seeded, mulched, and fertilized as per Cover Sheet General Notes.



BAUGHMAN COMPANY
 315 Ellis St.
 Wichita, KS 67211
 316-262-7271
 BaughmanCo.com

TOWNE PARC 10TH ADDITION PHASE 1

EROSION CONTROL

Street Paving Improvements
 PROJECT NUMBER:

DESIGN: NBW DRAWN: JLD
 DATE: 29 August 2023

SHEET OF
22 43

File: E:\Projects\Towne Parc 10th Addition_22-01-P743\Engineering\PHASE 1\STR-22-11-E355\STR.dwg