

New

PROJECT: <i>W.m. Replacement Athenian</i>		DATE: <i>3-18-05</i>
PROJECT NO.: <i>448-89905</i>		CONTRACTOR: <i>Wildcat Const. Co. Inc.</i>
INDEX NO.: <i>634235</i>		INSPECTOR: <i>Gary L. Steink</i>
PREMISE NO.:		
ADDRESS: <i>326 N. Athenian</i>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: *2nd + Athenian Bl Sta. 5 tap is going South to Bl Sta 4 + 26. 26. Then Bl Sta going North to Bl Sta 21 + 84.76*

MAIN	SIZE: <i>8"</i>	TYPE: <i>Psc 55</i>	DEPTH: <i>4 1/2</i>	LINE NO.: <i>2</i>
	LOCATION: <i>2 1/2 FT E OF W</i>		LINE (P.L.)	<i>OF Athenian ST.</i>
TAP	SIZE: <i>1"</i>	DISTANCE TO METER (FT):		
	LOCATION W/ RESPECT TO METER: IN LINE/OFFSET ?		FT	N/S/E/W OF METER
	BASELINE LOCATION: Station:		Offset	LT. OR RT.
METER	LOCATION:		LINE: <u>CURB L</u>	
	<i>7 FT E OF E</i>		P.L.	<i>OF Athenian - ST. AND</i>
	<i>57 FT N OF S</i>		<u>LINE</u>	<i>CURB L</i>
	BASELINE LOCATION: Station: <i>7+52</i>		Offset:	LT. OR RT.

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<i>8" x 1"</i>	BRASS	1 EA
CORP. STOP (COMPRESSION)	1"	BRASS	1 EA
TUBING (COPPER/ <u>POLY</u> ONLY)	1"	COPPER/POLY	<i>32 LF</i>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	1"	BRASS	1 EA
METER BOX (M.B.)	21"	P.V.C.	1 EA
M.B. RINGS	21"	C.I.	1 EA
M.B. LID, OUTER	10"	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>5/8" x 1"</u> / 3/4" x 1"	BRASS	<i>2 EA</i>

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	1"	COPPER	<i>3 LF</i>
UNION, COPPER-IRON	"	BRASS	EA
UNION, COPPER-COPPER	"	BRASS	EA
CONSUMER LINE	<i>COPPER/POLY/GALVANIZED</i>		<i>5/8" / 3/4" / 1" ?</i>

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-18-05</u>
PROJECT NO.: <u>448-89905</u>	CONTRACTOR: <u>Wildcat Const. Co, Inc.</u>	
INDEX NO.: <u>634235</u>	INSPECTOR: <u>Gary L. Strick</u>	
PREMISE NO.:		
ADDRESS: <u>326 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian Bl. Sta. 5' is going South to Bl. Sta. 4+86.26. Then Bl. Sta. 9 going North to Bl. Sta. 21+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 55</u>	DEPTH: <u>4 1/2'</u>	LINE NO.: <u>2</u>
	LOCATION: <u>2 1/2 FT E OF W (P.L.) OF Athenian ST.</u>			
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>27 1/2</u>		
	LOCATION W/ RESPECT TO METER: IN LINE/OFFSET <u>5 1/2' (LT) OR RT.</u>			
METER	BASELINE LOCATION: Station: <u>7+84</u> Offset: <u>22' LT. OR (RT)</u>			
	LOCATION: <u>7 FT E OF E</u> LINE: <u>(CURB L)</u>			
	<u>2.5 FT N OF S</u> P.L. OF <u>Athenian ST. AND CURB L.</u>			

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER/ <u>POLY</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>32 LF</u>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>5/8" x (1" / 3/4") x 1"</u>	BRASS	2 EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3 LF</u>
UNION, COPPER-IRON	<u>"</u>	BRASS	EA
UNION, COPPER-COPPER	<u>1" x 3/4"</u>	BRASS	1 EA
CONSUMER LINE	<u>(COPPER)/POLY/GALVANIZED</u>	<u>5/8" (3/4")/1"</u>	

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-17-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const. Co, Inc.</u>
INDEX NO.: <u>634c35</u>		INSPECTOR: <u>Gary L. Stein</u>
PREMISE NO.:		
ADDRESS: <u>319 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: <u>2nd & Athenian Bl. Sta. 5 tap is going South to Bl. Sta 4+86.26. Then Bl. Sta going North to Bl. Sta 21+84.76</u>			
MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>5'</u>
	LOCATION: <u>20 FT E OF W</u>		LINE NO.: <u>2</u>
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>23 1/2</u>	
	LOCATION W/ RESPECT TO METER: <u>IN LINE/OFFSET</u>		Ft. <u>N/S/E/W</u> OF METER
	BASELINE LOCATION: Station: <u>7+34</u>		Offset: <u>5'</u> <u>(LT)</u> OR RT.
METER	LOCATION: <u>3 1/2 FT W OF W</u>		LINE: <u>CURB L</u>
			P.L.: <u>OF. Athenian</u> ST. AND
	<u>1 FT N OF N</u>		<u>LINE</u> <u>CURB L</u>
	BASELINE LOCATION: Station: <u>7+34</u>		P.L.: <u>OF. House # 319</u> ST.
		Offset: <u>18 1/2'</u> <u>(LT)</u> OR RT.	

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER/ <u>POLY</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>24</u> LF

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>5/8" x 1"</u> / <u>3/4" x 1"</u>	BRASS	<u>2</u> EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3</u> LF
UNION, COPPER-IRON	<u>"</u>	BRASS	EA
UNION, COPPER-COPPER	<u>1" x 3/4"</u>	BRASS	<u>1</u> EA
CONSUMER LINE	<u>COPPER</u> / <u>POLY/GALVANIZED</u>	<u>5/8" / (3/4") / 1"</u>	

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-17-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const Co, Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>Gary L. Steink</u>
PREMISE NO.:		
ADDRESS: <u>323 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian. Bl Sta. 5' sec is going South to Bl. Sta 4+66.86. Then Bl Sta going North to Bl Sta 21+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>5'</u>	LINE NO.: <u>2</u>
	LOCATION: <u>20 FT E OF W</u>		LINE <u>(P.L.)</u>	TUBING <u>OF Athenian ST.</u>

TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>22'</u>
	LOCATION W/ RESPECT TO METER: <u>IN LINE</u> OFFSET <u>5' (LT)</u> OF METER	

METER	BASELINE LOCATION: Station: <u>7+46</u>	Offset: <u>5' (LT)</u> OR RT.
	LOCATION: <u>2 1/2 FT W OF W</u>	LINE: <u>(CURB L)</u>
	<u>20 FT S OF S</u>	P.L. <u>OF Athenian ST. AND</u>
	BASELINE LOCATION: Station: <u>7+46</u>	Offset: <u>17' (LT)</u> OR RT.

MAIN to SETTER,	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1EA
TUBING (COPPER/ <u>POLY</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>26 LF</u>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>(5/8" x 1") / 3/4" x 1"</u>	BRASS	<u>2 EA</u>

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>"</u>	COPPER	<u>LF</u>
UNION, COPPER-IRON	<u>"</u>	BRASS	<u>EA</u>
UNION, COPPER-COPPER	<u>"</u>	BRASS	<u>EA</u>
CONSUMER LINE	<u>COPPER/<u>POLY</u> GALVANIZED</u>	<u>5/8" / 3/4" / (1")</u>	<u>1" x 1"</u>

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-17-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const Co, Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>George L. Strink</u>
PREMISE NO.:		
ADDRESS: <u>329 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian Bl. Sta. 5 tap is going South to Bl. Sta 4+86.26. Then Bl. Sta going North to Bl. Sta 21+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>4 1/2</u>	LINE NO.: <u>2</u>
	LOCATION: <u>2 1/2 FT E OF W</u>		LINE <u>(P.L.)</u>	CURB L OF <u>Athenian</u> ST.
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>25 1/2</u>		
	LOCATION W/ RESPECT TO METER: <u>(IN LINE) OFFSET</u>		Ft	N/S/E/W OF METER
	BASELINE LOCATION: Station: <u>7+96</u>		Offset: <u>5 1/2'</u>	<u>(LT)</u> OR RT.
METER	LOCATION:		LINE: <u>(CURB L)</u>	
	<u>4 FT W OF W</u>		P.L. OF <u>Athenian</u>	ST. AND
	<u>2 FT N OF S</u>		<u>(LINE)</u> CURB L	
	BASELINE LOCATION: Station: <u>7+96</u>		P.L. OF <u>House # 329</u>	ST.
		Offset: <u>20'</u>	<u>(LT)</u> OR RT.	

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER/ <u>(POLY)</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>28</u> LF

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>(5/8" x 1") / 3/4" x 1"</u>	BRASS	<u>2</u> EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3</u> LF
UNION, COPPER-IRON	<u>1" x 3/4"</u>	BRASS	<u>1</u> EA
UNION, COPPER-COPPER	<u>"</u>	BRASS	<u>1</u> EA
CONSUMER LINE	<u>COPPER/POLY/<u>(GALVANIZED)</u></u>	<u>5/8" / (3/4) / 1"</u>	

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-18-05</u>
PROJECT NO.: <u>449-8995</u>		CONTRACTOR: <u>Wildcat Const. Co, Inc.</u>
INDEX NO.: <u>634235</u>		INSPECTOR: <u>Gary L. Strink</u>
PREMISE NO.:		
ADDRESS: <u>330 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: <u>2nd & Athenian Bl. Sta. 5' is going South to Bl. Sta 4+86.8'. Then Bl. Sta. going North to Bl. Sta 21+84.76</u>			
MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>4 1/2</u>
	LOCATION:	LINE NO.: <u>2</u>	
	<u>2 1/2 FT E OF W</u>		LINE (CURB L) <u>(P.L)</u> OF <u>Athenian</u> ST.
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>24'</u>	
	LOCATION W/ RESPECT TO METER: IN LINE OFFSET <u>19' FT N(S) E/W</u> OF METER		
	BASELINE LOCATION: Station: <u>7+94</u> Offset: <u>5 1/2' (LT) OR RT.</u>		
METER	LOCATION:		
	<u>2 1/2 FT E OF E</u>		LINE: <u>(CURB L)</u>
			P.L. OF <u>Athenian</u> ST. AND
	<u>2 FT N OF S</u>		<u>(LINE)</u> CURB L.
BASELINE LOCATION: Station: <u>8+13</u>			Offset: <u>18 1/2' LT. OR (RT)</u>

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER <u>(POLY)</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>30 LF</u>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>5/8" x 1" / 3/4" x 1"</u>	BRASS	EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3 LF</u>
UNION, COPPER-IRON	<u>"</u>	BRASS	EA
UNION, COPPER-COPPER	<u>1" x 3/4"</u>	BRASS	1 EA
CONSUMER LINE	<u>(COPPER) POLY/GALVANIZED</u>	<u>5/8" (3/4) / 1"</u>	

PROJECT: <i>W.M. Replacement Athenian</i>		DATE: <i>3-17-05</i>
PROJECT NO.: <i>449-89905</i>		CONTRACTOR: <i>Wildcat Const. Co, Inc.</i>
INDEX NO.: <i>634035</i>		INSPECTOR: <i>Gary L. Steink</i>
PREMISE NO.:		
ADDRESS: <i>331 N. Athenian</i>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: *2nd + Athenian Bl Sta. 5 sec is going South to Bl. Sta. 4 + Bl. Sta. Then Bl. Sta. going North to Bl. Sta. 21 + 84.76*

MAIN	SIZE: <i>8"</i>	TYPE: <i>Pvc 85</i>	DEPTH: <i>4 1/2'</i>	LINE NO.: <i>2</i>
	LOCATION: <i>22 FT E OF W (P.L.) OF Athenian ST.</i>			
TAP	SIZE: <i>1"</i>	DISTANCE TO METER (FT): <i>25 1/2'</i>		
	LOCATION W/ RESPECT TO METER: <i>(IN LINE) OFFSET</i> Ft N/S/E/W OF METER			
	BASELINE LOCATION: Station: <i>8+83</i>		Offset: <i>3 1/2' (LT) OR RT.</i>	
METER	LOCATION:			
	<i>3 1/2 FT W OF W</i>		LINE: <i>(CURB L)</i>	<i>OF Athenian ST. AND</i>
	<i>5 1/2 FT N OF N</i>		LINE: <i>(LINE)</i>	<i>CURB L OF House # 331 ST.</i>
BASELINE LOCATION: Station: <i>8+83</i>		Offset: <i>19 1/2' (LT) OR RT.</i>		

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<i>8" x 1"</i>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<i>1"</i>	BRASS	1 EA
TUBING (COPPER/ <i>(POLY)</i> ONLY)	<i>1"</i>	COPPER/POLY	<i>28 LF</i>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<i>1"</i>	BRASS	1 EA
METER BOX (M.B.)	<i>21"</i>	P.V.C.	1 EA
M.B. RINGS	<i>21"</i>	C.I.	1 EA
M.B. LID, OUTER	<i>10"</i>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<i>(5/8" x 1") / 3/4" x 1"</i>	BRASS	<i>2 EA</i>

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<i>1"</i>	COPPER	<i>3 LF</i>
UNION, COPPER-IRON	<i>1" x 3/4"</i>	BRASS	<i>1 EA</i>
UNION, COPPER-COPPER	<i>"</i>	BRASS	<i>EA</i>
CONSUMER LINE	<i>COPPER/POLY/<u>(GALVANIZED)</u></i>	<i>5/8" / 3/4" / 1"</i>	

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-16-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const. Co, Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>Gary L. Steink</u>
PREMISE NO.:		
ADDRESS: <u>337 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian Bl. Sta. 5' sec is going South to Bl. Sta. 4+86.26. Then Bl. Sta. going North to Bl. Sta. 21+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>4 1/2</u>	LINE NO.: <u>2</u>
	LOCATION:		LINE <u>CURB L</u> 10 FT E OF <u>u</u> (P.L.) OF <u>Athenian</u> ST.	
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>12 1/2</u>		
	LOCATION W/ RESPECT TO METER: <u>IN LINE</u> / OFFSET Ft N/S/E/W OF METER			
	BASELINE LOCATION: Station: <u>9+35</u>		Offset: <u>5'</u> (LT) OR RT.	
METER	LOCATION:			
	2 1/2 FT W OF <u>w</u>		LINE: <u>CURB L</u>	
			P.L. OF: <u>Athenian</u> ST. AND	
	5 FT N OF <u>n</u>		(LINE) CURB L	
BASELINE LOCATION: Station: <u>9+35</u>		Offset: <u>18 1/2'</u> (LT) OR RT.		

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER/POLY ONLY)	<u>1"</u>	COPPER/POLY	<u>12</u> LF

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>5/8" x 1"</u> / 3/4" x 1"	BRASS	<u>2</u> EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3</u> LF
UNION, COPPER-IRON	<u>"</u>	BRASS	<u>1</u> EA
UNION, COPPER-COPPER	<u>1" x 3/4"</u>	BRASS	<u>1</u> EA
CONSUMER LINE	<u>COPPER</u> / POLY/GALVANIZED	<u>5/8" (3/4) / 1"</u>	

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-16-03</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const Co, Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>Gary L. Steink</u>
PREMISE NO.:		
ADDRESS: <u>359 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: <u>2nd & Athenian. Bl. Sta. 5' is going South to Bl. Sta. 4+86.210. Then Bl. Sta. going North to Bl. Sta. 2+84.76</u>			
MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>5'</u>
	LOCATION:		LINE NO.: <u>2</u>
		<u>16 FT E OF W</u>	LINE <u>CURB L</u>
			P.L. OF <u>Athenian</u> ST.
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>18 1/2</u>	
	LOCATION W/ RESPECT TO METER: <u>(IN LINE) OFFSET</u>		
	BASELINE LOCATION: Station: <u>9+69</u> Offset: <u>1' LT. OR (RT)</u>		
METER	LOCATION:		
	<u>2 1/2 FT W OF E</u>	LINE <u>CURB L</u>	
		P.L. OF <u>Athenian</u> ST. AND	
	<u>7 FT N OF S</u>	<u>(LINE) CURB L</u>	
BASELINE LOCATION: Station: <u>9+69</u>			P.L. OF <u>House # 359</u> ST.
			Offset: <u>19 1/2 (LT) OR RT.</u>

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER <u>(POLY)</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>22 LF</u>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>(5/8" x 1") / 3/4" x 1"</u>	BRASS	<u>2 EA</u>

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3 LF</u>
UNION, COPPER-IRON	<u>"</u>	BRASS	<u>EA</u>
UNION, COPPER-COPPER	<u>1" x 3/4"</u>	BRASS	<u>1 EA</u>
CONSUMER LINE	<u>(COPPER) POLY/GALVANIZED</u>	<u>5/8" (3/4") / 1"</u>	

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-16-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const. Co, Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>Gary L. Steink</u>
PREMISE NO.:		
ADDRESS: <u>361 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian Bl Sta. 5' is going South to Bl. Sta. 4+86.216. Then Bl. Sta. going North to Bl. Sta. 2+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>5'</u>	LINE NO.: <u>2</u>
	LOCATION:		LINE <u>CURB L</u>	
		<u>16 1/2 FT E</u>	OF <u>6)</u>	P.L. OF <u>Athenian</u> ST.
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>19'</u>		
	LOCATION W/ RESPECT TO METER: <u>(IN LINE) OFFSET</u>		ft	N/S/E/W OF METER
	BASELINE LOCATION: Station: <u>9+91</u>		Offset:	<u>1/2' (LT) OR (RT)</u>
METER	LOCATION:		LINE: <u>CURB L</u>	
	<u>27 1/2 FT W</u>	OF <u>F</u>	P.L. OF <u>Athenian</u>	ST. AND
	<u>5 FT S</u>	OF <u>S</u>	<u>(LINE) CURB L</u>	
	BASELINE LOCATION: Station: <u>9+91</u>		Offset:	<u>18 1/2' (LT) OR RT.</u>

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER/ <u>POLY</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>22 LF</u>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>(5/8" x 1) / 3/4" x 1"</u>	BRASS	<u>2 EA</u>

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3 LF</u>
UNION, COPPER-IRON	<u>"</u>	BRASS	<u>EA</u>
UNION, COPPER-COPPER	<u>"</u>	BRASS	<u>EA</u>
CONSUMER LINE	<u>COPPER (<u>POLY</u>) GALVANIZED</u>	<u>5/8" / 3/4" / (<u>1</u>)</u>	

PROJECT: <i>W.M. Replacement Athenian</i>		DATE: <i>3-15-05</i>
PROJECT NO.: <i>448-89905</i>		CONTRACTOR: <i>Wildce + Const. Co, Inc.</i>
INDEX NO.: <i>634035</i>		INSPECTOR: <i>Gary L. Steink</i>
PREMISE NO.:		
ADDRESS: <i>403 N. Athenian</i>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: <i>2nd + Athenian Bl Sta. 5' sec is going South to Bl. Sta. 4+86.80. Then Bl. Sta. going North to Bl. Sta. 21+84.76</i>			
MAIN	SIZE: <i>8"</i>	TYPE: <i>Pvc 85</i>	DEPTH: <i>4 1/2'</i>
	LOCATION:	LINE NO.: <i>2</i>	
	<i>17 FT E OF W</i>		LINE <u>CURB L</u>
			P.L. OF. <i>Athenian</i> ST.
TAP	SIZE: <i>1"</i>	DISTANCE TO METER (FT): <i>20 1/2'</i>	
	LOCATION W/ RESPECT TO METER: <u>IN LINE</u> OFFSET		Ft N/S/E/W OF METER
	BASELINE LOCATION: Station: <i>12+11</i>	Offset: <i>3'</i>	LT. OR <u>RT</u>
METER	LOCATION:	LINE: <u>CURB L</u>	
		<i>3 1/2 FT W OF W</i>	P.L. OF. <i>Athenian</i> ST. AND
		<u>LINE</u> CURB L	
		<i>1 FT S OF S</i>	P.L. OF. <i>House # 403</i> ST.
	BASELINE LOCATION: Station: <i>12+11</i>	Offset: <i>17 1/2'</i>	LT. OR <u>RT</u>

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<i>8" x 1"</i>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<i>1"</i>	BRASS	1 EA
TUBING (COPPER/ <u>POLY</u> ONLY)	<i>1"</i>	COPPER/POLY	<i>24</i> LF

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<i>1"</i>	BRASS	1 EA
METER BOX (M.B.)	<i>21"</i>	P.V.C.	1 EA
M.B. RINGS	<i>21"</i>	C.I.	1 EA
M.B. LID, OUTER	<i>10"</i>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u><i>5/8" x 1"</i></u> / <i>3/4" x 1"</i>	BRASS	<i>2</i> EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<i>1"</i>	COPPER	<i>3</i> LF
UNION, COPPER-IRON	<i>"</i>	BRASS	<i>1</i> EA
UNION, COPPER-COPPER	<i>1" x 3/4"</i>	BRASS	<i>1</i> EA
CONSUMER LINE	COPPER/POLY/GALVANIZED	<i>5/8" (<u>3/4"</u>) / 1"</i>	

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-14-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const. Co, Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>Gary L. Steink</u>
PREMISE NO.:		
ADDRESS: <u>405 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian Bl. Sta. 5 sec is going South to Bl. Sta. 4+86.86. Then Bl. Sta. going North to Bl. Sta. 2+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>4 1/2'</u>	LINE NO.: <u>2</u>
	LOCATION:		LINE <u>CURB L</u> P.L. OF. <u>Athenian</u> ST.	
		<u>15 1/2' FT E OF W</u>		
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>19 1/2'</u>		
	LOCATION W/ RESPECT TO METER: <u>IN LINE</u> OFFSET		Ft N/S/E/W OF METER	
BASELINE LOCATION: Station: <u>12+81</u>		Offset: <u>4 1/2'</u> LT. OR <u>(RT)</u>		
METER	LOCATION:		LINE: <u>CURB L</u>	
			P.L. OF. <u>Athenian</u> ST. AND	
		<u>4 FT W OF W</u>		
		LINE <u>CURB L</u>		
		<u>3 FT N OF S</u>		
BASELINE LOCATION: Station: <u>12+81</u>		Offset: <u>15'</u> <u>(LT)</u> OR RT.		

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER/ <u>POLY</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>23</u> LF

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>(5/8" x 1") / 3/4" x 1"</u>	BRASS	<u>2</u> EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3</u> LF
UNION, COPPER-IRON	<u>1" x 3/4"</u>	BRASS	<u>1</u> EA
UNION, COPPER-COPPER	<u>"</u>	BRASS	<u>1</u> EA
CONSUMER LINE	COPPER/POLY <u>(GALVANIZED)</u>	<u>5/8" / (3/4") / 1"</u>	

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-14-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const. Co., Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>Gary L. Steink</u>
PREMISE NO.:		
ADDRESS: <u>407 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian Bl. Sta. 5 sec is going South to Bl. Sta. 4+66.80. Then Bl. Sta. going North to Bl. Sta. 21+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>4 1/2'</u>	LINE NO.: <u>2</u>
	LOCATION:		LINE <u>CURB L</u>	
		<u>15 FT E OF W</u>	P.L. <u>OF Athenian</u>	ST.
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>19'</u>		
	LOCATION W/ RESPECT TO METER: <u>(IN LINE) OFFSET</u>		ft	N/S/E/W OF METER
	BASELINE LOCATION: Station: <u>13+27</u>		Offset:	<u>4'</u> LT. OR <u>(RT)</u>
METER	LOCATION:		LINE <u>CURB L</u>	
		<u>4 FT W OF W</u>	P.L. <u>OF Athenian</u>	ST. AND
		<u>12 1/2 FT S OF N</u>	<u>(LINE) CURB L</u>	
	BASELINE LOCATION: Station: <u>13+27</u>		P.L. <u>OF House #407</u>	ST.
		Offset:	<u>15'</u> (LT) OR RT.	

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER <u>(POLY)</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>23</u> LF

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>(5/8" x 1") / 3/4" x 1"</u>	BRASS	<u>1</u> EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3</u> LF
UNION, COPPER-IRON	<u>1" x 3/4"</u>	BRASS	<u>1</u> EA
UNION, COPPER-COPPER	<u>"</u>	BRASS	<u>1</u> EA
CONSUMER LINE	<u>COPPER/POLY <u>(GALVANIZED)</u> 5/8" <u>(3/4")</u> / 1"</u>		

PROJECT: <i>W.M. Replacement Athenian</i>		DATE: <i>3-14-05</i>
PROJECT NO.: <i>448-89905</i>		CONTRACTOR: <i>Wildcat Const. Co, Inc.</i>
INDEX NO.: <i>634035</i>		INSPECTOR: <i>Gary L. Steink</i>
PREMISE NO.:		
ADDRESS: <i>409 N. Athenian</i>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: *2nd & Athenian Bl. Sta. 5' sec is going South to Bl. Sta 4+66.2ic. Then Bl. Sta going North to Bl. Sta 21+84.76*

MAIN	SIZE: <i>8"</i>	TYPE: <i>Pcc 35</i>	DEPTH: <i>4 1/2'</i>	LINE NO.: <i>2</i>
	LOCATION:		LINE <u>CURB L</u> 15 FT E OF W P.L. OF Athenian ST.	
TAP	SIZE: <i>1"</i>	DISTANCE TO METER (FT): <i>21'</i>		
	LOCATION W/ RESPECT TO METER: <u>IN LINE</u> OFFSET		Ft N/S/E/W OF METER	
BASELINE LOCATION: Station: <i>13+62</i>		Offset: <i>4'</i> LT. OR <u>RT</u>		
METER	LOCATION:		LINE: <u>CURB L</u>	
	<i>6 FT W OF W</i>		P.L. OF Athenian ST. AND	
		<i>2 FT S OF S</i>		LINE: <u>LINE</u> CURB L
BASELINE LOCATION: Station: <i>13+62</i>		Offset: <i>20.17'</i> <u>LT</u> OR RT.		

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<i>8" x 1"</i>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<i>1"</i>	BRASS	1 EA
TUBING (COPPER/ <u>POLY</u> ONLY)	<i>1"</i>	COPPER/POLY	<i>24 LF</i>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<i>1"</i>	BRASS	1 EA
METER BOX (M.B.)	<i>21"</i>	P.V.C.	1 EA
M.B. RINGS	<i>21"</i>	C.I.	1 EA
M.B. LID, OUTER	<i>10"</i>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u><i>5/8" x 1"</i></u> / <i>3/4" x 1"</i>	BRASS	<i>2 EA</i>

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<i>1"</i>	COPPER	<i>3 LF</i>
UNION, COPPER-IRON	<i>1" x 3/4"</i>	BRASS	<i>1 EA</i>
UNION, COPPER-COPPER	<i>"</i>	BRASS	<i>EA</i>
CONSUMER LINE	COPPER/POLY <u>GALVANIZED</u>		<i>5/8" (<u>3/4</u>) / 1"</i>

PROJECT: <i>W.M. Replacement Athenian</i>		DATE: <i>3-14-05</i>
PROJECT NO.: <i>448-89905</i>		CONTRACTOR: <i>Wildcat Const. Co, Inc.</i>
INDEX NO.: <i>634035</i>		INSPECTOR: <i>Gary L. Steink</i>
PREMISE NO.:		
ADDRESS: <i>425 N. Athenian</i>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: *2nd & Athenian. Bl Sta. 5 sec is going South to Bl. Sta 4+86.26. Then Bl Sta going North to Bl Sta 2+84.76*

MAIN	SIZE: <i>8"</i>	TYPE: <i>Pvc 85</i>	DEPTH: <i>5'</i>	LINE NO.: <i>2</i>
	LOCATION: <i>15 1/2 FT E OF W P.L. OF Athenian ST. LINE CURB L</i>			
TAP	SIZE: <i>1"</i>	DISTANCE TO METER (FT): <i>2.0/2</i>		
	LOCATION W/ RESPECT TO METER: IN LINE <i>OFFSET</i> <i>3 FT N (S) E/W OF METER</i>			
	BASELINE LOCATION: Station: <i>14+15</i>		Offset: <i>4 1/2' LT. OR (RT)</i>	
METER	LOCATION: <i>5 FT W OF W P.L. OF Athenian ST. AND LINE CURB L</i>			
	<i>1 FT S OF S P.L. OF House #425 ST. LINE CURB L</i>			
	BASELINE LOCATION: Station: <i>14+15</i>		Offset: <i>16' LT. OR (RT)</i>	

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<i>8" x 1"</i>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<i>1"</i>	BRASS	1 EA
TUBING (COPPER/ <i>POLY</i>) ONLY	<i>1"</i>	COPPER/POLY	<i>24 LF</i>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<i>1"</i>	BRASS	1 EA
METER BOX (M.B.)	<i>21"</i>	P.V.C.	1 EA
M.B. RINGS	<i>21"</i>	C.I.	1 EA
M.B. LID, OUTER	<i>10"</i>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<i>(5/8" x 1) / 3/4" x 1"</i>	BRASS	<i>2 EA</i>

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<i>"</i>	COPPER	<i>LF</i>
UNION, COPPER-IRON	<i>"</i>	BRASS	<i>EA</i>
UNION, COPPER-COPPER	<i>"</i>	BRASS	<i>EA</i>
CONSUMER LINE	<i>COPPER/POLY (GALVANIZED) 5/8" (3/4) / 1"</i>		

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>2-11-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const Co, Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>Gary L. Steink</u>
PREMISE NO.:		
ADDRESS: <u>515 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian Bl Sta. 5' sec is going South to Bl. Sta. 4+36.26. Then Bl Sta going North to Bl Sta 21+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>3 1/2'</u>	LINE NO.: <u>2</u>
	LOCATION:		LINE <u>CURB L</u> 19 FT E OF W P.L. OF Athenian ST.	
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>22 1/2'</u>		
	LOCATION W/ RESPECT TO METER <u>IN LINE</u> OFFSET Ft N/S/E/W OF METER			
	BASELINE LOCATION: Station: <u>17+50</u>		Offset: <u>19' (LT) OR RT.</u>	
METER	LOCATION:			
	3 1/2 FT W OF W		LINE <u>CURB L</u>	P.L. OF Athenian ST. AND
	5 1/2 FT N OF N		LINE <u>CURB L</u>	P.L. OF House # 515 ST.
BASELINE LOCATION: Station: <u>17+50</u>		Offset: <u>13 1/2' (LT) OR RT.</u>		

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER <u>POLY</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>26 LF</u>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>5/8" x 1" / 3/4" x 1"</u>	BRASS	<u>2 EA</u>

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3 LF</u>
UNION, COPPER-IRON	<u>1" x 3/4"</u>	BRASS	<u>1 EA</u>
UNION, COPPER-COPPER	<u>"</u>	BRASS	<u>EA</u>
CONSUMER LINE	COPPER/POLY <u>GALVANIZED</u>		<u>5/8" (3/4) 1"</u>

PROJECT: <i>W.M. Replacement Athenian</i>		DATE: <i>2-11-05</i>
PROJECT NO.: <i>448-89905</i>		CONTRACTOR: <i>Wildcat Const. Co, Inc.</i>
INDEX NO.: <i>634035</i>		INSPECTOR: <i>Gary L. Strink</i>
PREMISE NO.:		
ADDRESS: <i>517 N. Athenian</i>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: *2nd & Athenian Bl. Sta. 5 sec is going South to Bl. Sta 4466.26. Then Bl. Sta going North to Bl. Sta 21184.76*

MAIN	SIZE: <i>8"</i>	TYPE: <i>Pvc 85</i>	DEPTH: <i>3 1/2'</i>	LINE NO.: <i>2</i>	
	LOCATION:		LINE <i>CURB L</i> P.L. OF. <i>Athenian</i> ST.		
TAP	SIZE: <i>1"</i>	DISTANCE TO METER (FT): <i>24'</i>			
	LOCATION W/ RESPECT TO METER: IN LINE <i>OFFSET</i>		<i>3</i> FT <i>N</i> S / E / W OF METER		
	BASELINE LOCATION: Station: <i>17465</i>		Offset: <i>9.8'</i> <i>LT</i> OR <i>RT</i>		
METER	LOCATION:		LINE: <i>CURB L</i>		
	<i>5 1/2</i> FT <i>W</i> OF <i>W</i>		P.L. OF. <i>Athenian</i> ST. AND		
	<i>13</i> FT <i>S</i> OF <i>S</i>		<i>LINE</i> CURB L P.L. OF. <i>House # 517</i> ST.		
BASELINE LOCATION: Station: <i>17462</i>		Offset: <i>9.6'</i> <i>LT</i> OR <i>RT</i>			

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<i>8" x 1"</i>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<i>1"</i>	BRASS	1 EA
TUBING (COPPER <i>POLY</i> ONLY)	<i>1"</i>	COPPER/POLY	<i>28</i> LF

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<i>1"</i>	BRASS	1 EA
METER BOX (M.B.)	<i>21"</i>	P.V.C.	1 EA
M.B. RINGS	<i>21"</i>	C.I.	1 EA
M.B. LID, OUTER	<i>10"</i>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<i>5/8" x 1" / 3/4" x 1"</i>	BRASS	<i>2</i> EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<i>1"</i>	COPPER	<i>3</i> LF
UNION, COPPER-IRON	<i>"</i>	BRASS	EA
UNION, COPPER-COPPER	<i>"</i>	BRASS	EA
CONSUMER LINE	COPPER/POLY/GALVANIZED <i>5/8" / 3/4" / 1"</i>		

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>2-11-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const. Co, Inc.</u>
INDEX NO.: <u>634635</u>		INSPECTOR: <u>Gary L. Strick</u>
PREMISE NO.:		
ADDRESS: <u>519 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian Bl. Sta. 5 sec is going South to Bl. Sta 4+86.36. Then Bl. Sta going North to Bl. Sta 21+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>5'</u>	LINE NO.: <u>2</u>
	LOCATION:		LINE <u>CURB L</u> 22 FT E OF W P.L. OF Athenian ST.	

TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>28 1/2'</u>
	LOCATION W/ RESPECT TO METER: <u>IN LINE</u> OFFSET Ft N/S/E/W OF METER	
BASELINE LOCATION: Station: <u>18+23</u>		Offset: <u>11 1/2' LT. OR (RT)</u>

METER	LOCATION:	LINE: <u>CURB L</u> 6 1/2 FT W OF W P.L. OF Athenian ST. AND
		<u>LINE</u> CURB L. 2 FT S OF S P.L. OF House # 519 ST.
BASELINE LOCATION: Station: <u>18+23</u>		Offset: <u>37' (LT) OR RT.</u>

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	1"	BRASS	1 EA
TUBING (COPPER/ <u>POLY</u> ONLY)	1"	COPPER/POLY	32 LF

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	1"	BRASS	1 EA
METER BOX (M.B.)	21"	P.V.C.	1 EA
M.B. RINGS	21"	C.I.	1 EA
M.B. LID, OUTER	10"	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>5/8" x 1"</u> / 3/4" x 1"	BRASS	2 EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	1"	COPPER	3 LF
UNION, COPPER-IRON	"	BRASS	EA
UNION, COPPER-COPPER	"	BRASS	EA
CONSUMER LINE	COPPER/ <u>POLY</u> GALVANIZED	<u>5/8" / 3/4" / (RT)</u>	<u>1" x 1" 1</u>

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>2-11-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const. Co, Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>Gary L. Stein</u>
PREMISE NO.:		
ADDRESS: <u>527 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian Bl. Sta. 5 sec is going South to Bl. Sta. 4+60.8ic. Then Bl. Sta. going North to Bl. Sta. 21+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>5'</u>	LINE NO.: <u>2</u>
	LOCATION:		LINE <u>CURB L</u>	
		<u>19 FT E OF W</u>	P.L. OF. <u>Athenian</u>	ST.
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>26 1/2'</u>		
	LOCATION W/ RESPECT TO METER: IN LINE <u>OFFSE</u>		<u>2 Ft</u>	<u>N/S/E/W</u> OF METER
	BASELINE LOCATION: Station: <u>18+61</u>	Offset:	<u>8 1/2'</u>	LT. OR <u>RT</u>
METER	LOCATION:		LINE <u>CURB L</u>	
		<u>7 1/2 FT W OF W</u>	P.L. OF. <u>Athenian</u>	ST. AND
		<u>1 FT S OF S</u>	<u>LINE</u> <u>CURB L</u>	
	BASELINE LOCATION: Station: <u>18+59</u>	Offset:	<u>18'</u>	<u>LT</u> OR RT.

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER/ <u>POLY</u>) ONLY	<u>1"</u>	COPPER/POLY	<u>30</u> LF

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>(5/8" x 1") / 3/4" x 1"</u>	BRASS	<u>2</u> EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3</u> LF
UNION, COPPER-IRON	<u>"</u>	BRASS	<u>1</u> EA
UNION, COPPER-COPPER	<u>1" x 3/4"</u>	BRASS	<u>1</u> EA
CONSUMER LINE	<u>COPPER/POLY/GALVANIZED</u>	<u>5/8" / (3/4" / 1"</u>	

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-16-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const. Co, Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>Gary L. Strick</u>
PREMISE NO.: <u>46767</u>		
ADDRESS: <u>401 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian Bl. Sta. 5' sec is going South to Bl. Sta. 4+86.26. Then Bl. Sta. going North to Bl. Sta. 2+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>5'</u>	LINE NO.: <u>2</u>
	LOCATION: <u>15 1/2 FT E OF W</u>		LINE: <u>CURB L</u>	P.L. OF. <u>Athenian ST.</u>
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>19 1/2</u>		
	LOCATION W/ RESPECT TO METER: IN <u>(LINE)</u> OFFSET <u>3 1/2'</u> N/S/E/W OF METER			
	BASELINE LOCATION: Station: <u>11+62</u>		Offset: <u>3 1/2' LT. OF (RT)</u>	
METER	LOCATION: <u>4 FT W OF W</u>		LINE: <u>CURB L</u>	P.L. OF. <u>Athenian ST. AND</u>
	<u>55 FT S OF N</u>		<u>(LINE)</u> CURB L.	P.L. OF. <u>House # 403 ST.</u>
	BASELINE LOCATION: Station: <u>11+62</u>		Offset: <u>116' (LT) OR (RT)</u>	

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER/ <u>POLY</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>22</u> LF

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>5/8" x 1" / 3/4" x 1"</u>	BRASS	<u>0</u> EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3</u> LF
UNION, COPPER-IRON	<u>"</u>	BRASS	<u>1</u> EA
UNION, COPPER-COPPER	<u>1" x 3/4"</u>	BRASS	<u>1</u> EA
CONSUMER LINE	<u>(COPPER) POLY/GALVANIZED</u>	<u>5/8" (3/4) / 1"</u>	

CORRECTION

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-18-05</u>
PROJECT NO.: <u>449-89905</u>		CONTRACTOR: <u>Whidcot Const. Co., Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>Gary L. Strick</u>
PREMISE NO.:		
ADDRESS: <u>320 320 N. Athenian</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd + Athenian Bl. Sta. 5 feet is going South to Bl. Sta. 4 + 21.86. Then Bl. Sta. going North to Bl. Sta. 21 + 84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>4 1/2</u>	LINE NO.: <u>2</u>
	LOCATION: <u>2 1/2 FT E OF W (PL) OF Athenian ST.</u>			
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>2 1/2</u>		
	LOCATION W/ RESPECT TO METER: IN LINE/OFFSET <u>5 1/2' (LT) OR RT.</u>			
METER	BASELINE LOCATION: Station: <u>7 + 9.4</u> Offset: <u>22' LT. OR (RT)</u>			
	LOCATION: <u>7 FT E OF F LINE (CURB L) OF Athenian ST. AND</u>			
	<u>25 FT N OF S (LINE) CURB L OF Bl. Sta # 320 ST.</u>			

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1EA
TUBING (COPPER/POLY ONLY)	<u>1"</u>	COPPER/POLY	<u>32 LF</u>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1EA
M.B. RINGS	<u>21"</u>	C.I.	1EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1EA
INCREASER BUSHING (SETTER TO METER)	<u>5/8" x 1" (3/4" x 1"</u>	BRASS	<u>2 EA</u>

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3 LF</u>
UNION, COPPER-IRON	<u>"</u>	BRASS	<u>1 EA</u>
UNION, COPPER-COPPER	<u>1" x 3/4"</u>	BRASS	<u>1 EA</u>
CONSUMER LINE	<u>(COPPER/POLY/GALVANIZED) 5/8" (3/4") 1"</u>		

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-18-05</u>
PROJECT NO.: <u>448-89905</u>		CONTRACTOR: <u>Wildcat Const. Co, Inc.</u>
INDEX NO.: <u>634035</u>		INSPECTOR: <u>Gary L. Steink</u>
PREMISE NO.:		
ADDRESS: <u>2202 W 2nd</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: <u>2nd & Athenian Bl. Sta. 5' is going South to Bl. Sta 4+86.86. Then Bl. Sta going North to Bl. Sta 21+84.76</u>			
MAIN	SIZE: <u>8"</u>	TYPE: <u>Pvc 85</u>	DEPTH: <u>4 1/2'</u>
	LOCATION:	LINE NO.: <u>2</u>	
	<u>20 FT E OF W</u>		LINE <u>CURB L</u>
		<u>(P.L.)</u>	OF. <u>Athenian</u> ST.
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>23"</u>	
	LOCATION W/ RESPECT TO METER: <u>(IN LINE)</u> / OFFSET		
	BASELINE LOCATION: Station: <u>6+09</u>		Offset: <u>5'</u> <u>(LT)</u> OR RT.
METER	LOCATION:		
	<u>3 FT W OF W</u>		LINE: <u>CURB L</u>
		<u>(LINE)</u>	OF. <u>Athenian</u> ST. AND
	<u>38 FT S OF N</u>		LINE: <u>CURB L</u>
	BASELINE LOCATION: Station: <u>6+09</u>		Offset: <u>18'</u> <u>(LT)</u> OR RT.

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER <u>POLY</u> ONLY)	<u>1"</u>	COPPER/POLY	<u>26</u> LF

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID, OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>(5/8" x 1") / 3/4" x 1"</u>	BRASS	<u>2</u> EA

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3</u> LF
UNION, COPPER-IRON	<u>"</u>	BRASS	EA
UNION, COPPER-COPPER	<u>1" x 3/4"</u>	BRASS	EA
CONSUMER LINE	<u>COPPER/POLY/GALVANIZED</u>	<u>5/8" (3/4") / 1"</u>	

PROJECT: <i>W.M. Replacement Athenian</i>		DATE: <i>3-18-05</i>
PROJECT NO.: <i>448-89905</i>		CONTRACTOR: <i>Wildcat Const. Co, Inc.</i>
INDEX NO.: <i>634035</i>		INSPECTOR: <i>Gary L. Steink</i>
PREMISE NO.:		
ADDRESS: <i>2202 W 2nd Apt 2</i>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: <i>2nd & Athenian. Bl Sta. 5' is going South to Bl. Sta. 4+66.86. Then Bl. Sta. going North to Bl. Sta. 21+84.76</i>			
MAIN	SIZE: <i>8"</i>	TYPE: <i>Pvc 85</i>	DEPTH: <i>4 1/2'</i>
	LOCATION:	LINE NO.: <i>2</i>	
	<i>20 FT E OF W</i>		LINE CURB L (P.L.) OF <i>Athenian</i> ST.
TAP	SIZE: <i>1"</i>	DISTANCE TO METER (FT): <i>24'</i>	
	LOCATION W/ RESPECT TO METER: IN LINE OFFSET		
	BASELINE LOCATION: Station: <i>6+73</i> Offset: <i>5' (LT) OR RT.</i>		
METER	LOCATION:		
	<i>3 FT W OF W</i>		LINE: CURB L P.L. OF <i>Athenian</i> ST. AND
	<i>97 FT S OF N</i>		(LINE) CURB L P.L. OF <i>House # 2202</i> ST.
	BASELINE LOCATION: Station: <i>6+73</i> Offset: <i>19' (LT) OR RT.</i>		

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<i>8" x 1"</i>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<i>1"</i>	BRASS	1 EA
TUBING (COPPER (POLY) ONLY)	<i>1"</i>	COPPER/POLY	<i>28 LF</i>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<i>1"</i>	BRASS	1 EA
METER BOX (M.B.)	<i>21"</i>	P.V.C.	1 EA
M.B. RINGS	<i>21"</i>	C.I.	1 EA
M.B. LID, OUTER	<i>10"</i>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<i>5/8" x 1" / 3/4" x 1"</i>	BRASS	<i>0 EA</i>

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<i>1"</i>	COPPER	<i>3 LF</i>
UNION, COPPER-IRON	<i>"</i>	BRASS	EA
UNION, COPPER-COPPER	<i>"</i>	BRASS	EA
CONSUMER LINE	<i>COPPER/POLY/GALVANIZED 5/8" / 3/4" / 1"</i>		

PROJECT: <u>W.M. Replacement Athenian</u>		DATE: <u>3-18-05</u>
PROJECT NO.: <u>449-89905</u>		CONTRACTOR: <u>Wildcat Const. Co. Inc.</u>
INDEX NO.: <u>634235</u>		INSPECTOR: <u>Gary L. Strink</u>
PREMISE NO.:		
ADDRESS: <u>2136 W 21st St</u>	METER MAKE:	NUMBER:

BASELINE DESCRIPTION: 2nd & Athenian Bl. Sta. 5 tap is going South to Bl. Sta 4+86.26. Then Bl. Sta going North to Bl. Sta 21+84.76

MAIN	SIZE: <u>8"</u>	TYPE: <u>Pc 85</u>	DEPTH: <u>4 1/2'</u>	LINE NO.: <u>2</u>
	LOCATION: <u>20 FT E OF W</u>		LINE <u>(P.L.)</u>	<u>OF Athenian ST.</u>
TAP	SIZE: <u>1"</u>	DISTANCE TO METER (FT): <u>26 1/2'</u>		
	LOCATION W/ RESPECT TO METER: <u>(IN LINE) OFFSET</u>		FT	N/S/E/W OF METER
	BASELINE LOCATION: Station: <u>6+14</u>		Offset:	<u>5' (LT) OR (RT)</u>
METER	LOCATION: <u>6 1/2 FT E OF E</u>		LINE: <u>(CURB L)</u>	
			P.L.:	<u>OF Athenian ST. AND</u>
			<u>(LINE) CURB L</u>	
	BASELINE LOCATION: Station: <u>6+14</u>		Offset:	<u>21 1/2' LT. OR (RT)</u>

MAIN to SETTER	SIZE	TYPE	QUANTITY
DUO STOP SERVICE SADDLE	<u>8" x 1"</u>	BRASS	1 EA
CORP. STOP (COMPRESSION)	<u>1"</u>	BRASS	1 EA
TUBING (COPPER/POLY ONLY)	<u>1"</u>	COPPER/POLY	<u>30 LF</u>

METER SETTER MATERIAL	SIZE	TYPE	QUANTITY
METER SETTER	<u>1"</u>	BRASS	1 EA
METER BOX (M.B.)	<u>21"</u>	P.V.C.	1 EA
M.B. RINGS	<u>21"</u>	C.I.	1 EA
M.B. LID. OUTER	<u>10"</u>	C.I.	1 EA
INCREASER BUSHING (SETTER TO METER)	<u>5/8" x 1" / 3/4" x 1"</u>	BRASS	<u>2 EA</u>

SETTER to CONSUMER SERVICE TIE-IN	SIZE	TYPE	QUANTITY
TUBING (COPPER PIGTAIL, 3' MIN.)	<u>1"</u>	COPPER	<u>3 LF</u>
UNION, COPPER-IRON	<u>"</u>	BRASS	<u>EA</u>
UNION, COPPER-COPPER	<u>1" x 3/4"</u>	BRASS	<u>1 EA</u>
CONSUMER LINE	<u>COPPER/POLY/GALVANIZED</u>	<u>5/8" / (3/4) / 1"</u>	