




Combined Curb & Gutter (6")




Combined Curb & Gutter (1 1/2")




Combined Curb & Gutter (6")




Combined Curb & Gutter (3 5/8")




Combined Curb & Gutter (1 1/2")




Combined Curb & Gutter (8")



Combined Curb & Gutter (1 1/2")



Combined Curb & Gutter (6 5/8")




Combined Curb & Gutter (1 1/2")


GENERAL NOTES

- Expansion (isolation) joints shall be constructed a maximum of 300' apart and at all Pls, PCs, cul-de-sac quadrants, and ends of returns.
- Contraction joints shall be constructed a minimum of 12' apart.
- Joint sealer shall be required at all joints on arterial and industrial streets and at intersections on residential streets.


T* = Thickness of curb to adjust with pavement thickness




BACK OF CURB DETAIL



ALT. LONGITUDINAL CONSTRUCTION JOINT




EXPANSION JOINT (E.J.)



4" Edge Curb Detail

4" Edge Curb shall be paid for by the bid item "Concrete Edge Curb (4") and shall include all work, materials, labor and equipment necessary to complete this work. The edge curb may be placed monolithically with sidewalk. Joints from sidewalk shall be continued through edge curb and no other planes of weakness will be required. All exposed edges shall be finished with an edging tool. Edge curb shall have a 2.5' transition from sidewalk to full curb height at each end.



PAVING BRICK CROSSWALK DETAIL

*Brick Pavers to be installed in crosswalk and/or median locations shall be custom cut to match final concrete dimensions. Contractor shall construct crosswalk blockouts to match nominal paver width dimensions. Fill in with "brick slivers" (defined as pieces smaller than 1/2 of the shortest paver dimension) shall not be allowed, except at the end of crosswalk locations.

CITY OF WICHITA
PUBLIC WORKS & UTILITIES
ENGINEERING DIVISION

CURB & GUTTER & PAVING BRICK CROSSWALK DETAILS		
CITY ENGINEER PAUL GUNZELMAN, P.E.		
PROJECT NUMBER 472-2021	OCA NUMBER	DATE 2/21/2024
CITY ENGINEER'S OFFICE CITY HALL - SEVENTH FLOOR 455 NORTH MAIN STREET WICHITA, KANSAS 67202-1620 (316) 268-4501		SHEET 70 of 163

REVISED: OCTOBER 2015