


NOTES:

1. INSTALL 2" RGC WITH 2-6 PR #19 IMSA 20-2, 600V SHIELDED COMMUNICATION CABLE BETWEEN MAIN/MARKET AND MARKET/BROADWAY SIGNAL CONTROLLERS. INSTALL JUNCTION BOX PER STANDARD DETAIL AT 175 FOOT MAXIMUM INTERVALS. LOCATIONS SHALL BE APPROVED BY THE ENGINEER. PAYMENT FOR COMMUNICATION SYSTEM SHALL BE SUBSIDIARY TO TRAFFIC SIGNAL INSTALLATION.

LEGEND

- SIGNAL POLE W/MAST ARM (JOINT USE)
- TRAFFIC SIGNAL
- PEDESTRIAN INDICATION
- SERVICE BOX
- CONTROLLER
- 2" CONDUIT
- 3" CONDUIT
- SIGNAL POLE (JOINT USE)
- EXISTING MANHOLES
- EXISTING POLES

REVISED 4/99



STREETSCAPES
PROJECT NAME

TRAFFIC SIGNAL PLAN
DOUGLAS AVENUE & MARKET STREET
SHEET TITLE

MID-KANSAS ENGINEERING
CONSULTANTS, INC.
411 N. WEBB ROAD
WICHITA, KS. 67206
316-684-9600

DCH DESIGN BY: DLM DRAWN BY: DCH CHECKED BY:

DATE: 92010 JOB NO. SHEET/OF 20 / 61