


$\Delta = 57^\circ 30' 43"$ $L = 498.88'$ $R = 497.00'$ $T = 272.73'$

CURVE TABLE BASED ON CL RADIUS					
STATION	CHORD LENGTH		8' RT. DEFLECTION		TOTAL
	CL	ARC	CL	ARC	
9+02.71 P.C.					
9+25.00	22.29'	23.43'	22.29'	21.14'	1'17.5"
9+27.71	2.71'	2.85'	2.71'	2.57'	0'9.22"
9+50.00	22.29'	23.43'	22.29'	21.14'	1'17.5"
9+75.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
10+00.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
10+25.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
10+50.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
10+75.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
11+00.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
11+25.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
11+50.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
11+75.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
12+00.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
12+25.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
12+50.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
12+66.47	16.47'	17.31'	16.47'	15.62'	0'56.58"
12+75.00	8.53'	8.97'	8.53'	8.09'	0'29.30"
13+00.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
13+25.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
13+50.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
13+75.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
14+00.00	25.00'	26.28'	25.00'	23.71'	1'26.28"
14+01.59 P.T.	1.59'	1.67'	1.59'	1.50'	0'5.29"

DEFLECTION/FOOT = 0.057641629 DEGREES 3.458497757 MINUTES

No.	Street and Station	From CL	Description	Elevation
6	Triple Crown, 11+69.17	17.50' W.	Top of Curb (W), Perpendicular to FH	1325.97

POE & ASSOCIATES OF KANSAS, INC.
CONSULTING ENGINEERS
5940 E. Central, Suite 200, Wichita, KS 67208-4282
Phone 316 685-1114 FAX 316 685-4444

Designed By: J. Ubert / J. Dickman
Drawn By: J. Dickman
Poe Job No.: 1694A
Date: March 2002

EQUESTRIAN ESTATES - PHASE 1
STREET IMPROVEMENTS
TRIPLE CROWN
CITY OF WICHITA, KANSAS
MICHAEL E. LINDEBAK, P.E. - CITY ENGINEER
C.O.M. Project # 472-83424 O.C.A. # 765705

No.	Date	By	Approved	Revision

Sheet
10 of 112