



**WEST STREET IMPROVEMENTS
 FROM MACARTHUR ROAD TO
 47TH ST. SOUTH**
 CITY OF WICHITA



LEGEND

- PROPOSED SILT FENCE
- PROPOSED BACK OF CURB PROTECTION
- PROPOSED CURB INLET PROTECTION
- PROPOSED AREA INLET PROTECTION
- PROPOSED DITCH CHECK
- PROPOSED DITCH CHECK (BIO. LOG)
- EROSION CONTROL MAT



- GENERAL NOTES**
- CONTRACTOR SHALL INSTALL AND MAINTAIN EROSION PROTECTION THROUGHOUT THE ENTIRE PROJECT.
 - THE EROSION CONTROL DEVICES SHOWN ON THIS SHEET ARE CONSIDERED MINIMUM STANDARDS. WHENEVER SEDIMENT ENTERS THE STREETS, STORM SEWERS, DITCHES, OR PONDS, CONTRACTOR WILL INSTALL ADDITIONAL DEVICES, AS NEEDED, TO CORRECT THE PROBLEM.
 - THE EROSION CONTROL DEVICES SHOWN HEREON MUST BE IN PLACE AT ALL TIMES DURING CONSTRUCTION UNTIL SUCH TIME AS THE SITE IS REESTABLISHED WITH PAVING OR GRASS. TEMPORARY OR PERMANENT SEEDING AND MULCH WILL BE INSTALLED WHEN EARTHWORK ACTIVITIES CEASE IN AN AREA FOR 14 DAYS OR MORE.
 - ANY MUD INADVERTENTLY TRACKED ONTO ANY STREET SHALL BE CLEANED UP BY THE CONTRACTOR, AT THE END OF EACH DAY'S WORK, OR AS DIRECTED BY THE FIELD ENGINEER.
 - CONTRACTOR TO FURNISH A TRUCK WASH-OUT PIT TO BE PLACED AT A CONVENIENT LOCATION THAT DOES NOT CONFLICT WITH CONSTRUCTION. CONTRACTOR SHALL CLEAN OUT AND BACKFILL PIT PRIOR TO FINAL INSPECTION. LOCATION SHALL BE APPROVED BY THE FIELD ENGINEER.
 - EROSION CONTROL MAT SHALL BE CURLEX I OR APPROVED EQUAL.

WEST STREET IMPROVEMENTS

CURB INLET PROTECTION	28	EACH
DROP INLET PROTECTION	1	EACH
BACK OF CURB PROTECTION	-	L.F.
DITCH CHECKS	36	EACH
BIODEGRADABLE LOGS	23	EACH
SILT FENCE PROTECTION	1,038	L.F.
EROSION CONTROL MAT	14,022	S.Y.
SEEDING, TEMPORARY	6.9	ACRE

Issue:	
JOB NO.	210254-001
DATE	OCTOBER 2024
PM	TPA
DESIGNED BY	LGP
DRAWN BY	CP
CHECKED BY	KMS

EROSION CONTROL PLAN (2)

SAVED 10/10/2024 1:11:17 PM BY LUKE.PETER
 PLOTTED 10/10/2024 1:51:46 PM BY LUKE.PETER
 U:\WICHITA-CIVIL\2024\210254\001\PEC\DRAWINGS\51-210254-001-CG101-EROSION CONTROL PLAN.DWG