


LEGEND


- Section corner found
○ Point found
● 5/8" bar w/POE cap set
(M) Measured distance
(CM) Calculated from Measured distance
(D) Deed distance



*NOTE: BUILDING SETBACKS ADJUSTED PER ADMINISTRATIVE ADJUSTMENT. SEE NOTE 28 AND LETTER DATED JANUARY 10, 2008.

***ADMINISTRATIVE ADJUSTMENT REDUCED SETBACK TO 6 FEET, SUBJECT TO LIMITATIONS OF GENERAL PROVISION 62E.

PARKING REQUIREMENTS	
USE	RATIO
RETAIL	1/500 SF
OFFICE	1/500 SF
RESTAURANT	1/8 OCCUPANTS
PERSONAL SERVICE	1/500 SF



PARCEL DESCRIPTIONS

PARCEL 1A (SEE ALSO NOTES 20, 21 & 26)
USES - SAME AS PARCELS 1A & 1B
GROSS LAND AREA - 19,701 S.F.
MAX. BUILDING HEIGHT - 45'
MAX. DENSITY D.U. - 21.8/ACRE

PARCEL 1B (SEE ALSO NOTES 20, 21 & 26)
USES - SAME AS PARCELS 1A & 1B
GROSS LAND AREA - 32,613 S.F.
MAX. BUILDING HEIGHT - 45'
MAX. DENSITY D.U. - 21.8/ACRE

PARCEL 2 (SEE ALSO NOTES 20 & 21)
USES - SAME AS PARCELS 1A & 1B
GROSS LAND AREA - 135,017 S.F.
MAX. BUILDING HEIGHT - 70'
MAX. DENSITY D.U. - 50/ACRE

PARCEL 3
USE - PARKING LOT
GROSS LAND AREA - 24,234 S.F.

PARCEL 4 (SEE ALSO NOTES 20 & 21)
USES - SAME AS PARCELS 1A & 1B
GROSS LAND AREA - 63,322 S.F.
MAX. BUILDING HEIGHT - 70'
MAX. DENSITY D.U. - 55 DU/ACRE

GENERAL NOTES

- THIS MIXED-USE DEVELOPMENT CONTAINS 6.1± NET ACRES.
- LEGAL DESCRIPTION: LOTS 1-4, 7-12, THE EAST HALF OF LOT 13 & 20, L & R SUBDIVISION OF BLOCK 1 IN COLLEGE HILL ADDITION TO WICHITA, KANSAS; ALONG WITH THE WEST 100 FEET OF THE NORTH 140 FEET, COLLEGE PARK, COLLEGE HILL ADDITION TO WICHITA; AND ALONG WITH LOTS 2, 4, 6, 8, 10 AND 12, ROEMBACH'S ADDITION TO WICHITA, KANSAS; AND ALONG WITH THE WEST 50 FEET OF THE SOUTH HALF OF THE EAST HALF OF LOT 1, BLOCK 2, COLLEGE HILL ADDITION TO WICHITA; AND ALONG WITH THE NORTH HALF OF THE WEST HALF OF LOT 1, BLOCK 2, COLLEGE HILL ADDITION TO WICHITA. TO BE PLATTED AS LOTS 1 THRU 4, PARKSTONE ADDITION, ALONG WITH THE FOLLOWING DESCRIBED TRACT; COMMENCING AT THE NORTHWEST CORNER OF COLLEGE PARK, COLLEGE HILL ADDITION TO WICHITA, KANSAS; THENCE EAST ALONG THE NORTH LINE OF SAID COLLEGE PARK FOR A DISTANCE OF 100 FEET FOR A POINT OF BEGINNING; THENCE CONTINUING EAST ALONG THE NORTH LINE OF SAID COLLEGE PARK FOR A DISTANCE OF 98 FEET; THENCE SOUTH PERPENDICULAR TO THE NORTH LINE OF SAID COLLEGE PARK FOR A DISTANCE OF 106.75 FEET; THENCE WEST PARALLEL TO THE NORTH LINE OF SAID COLLEGE PARK FOR A DISTANCE OF 98 FEET; THENCE NORTH PERPENDICULAR TO THE NORTH LINE OF SAID COLLEGE PARK FOR A DISTANCE OF 106.75 FEET TO THE POINT OF BEGINNING.
- THE PROPOSED DEVELOPMENT CONTAINS 4 PARCELS WITH COMMERCIAL AND RESIDENTIAL USES. SEE PARCEL DESCRIPTIONS FOR SPECIFIC USES ON EACH PARCEL.
- ALL UTILITIES SHALL BE INSTALLED UNDERGROUND.
- FINAL DETERMINATION OF ANY PUBLIC IMPROVEMENTS SHALL BE DETERMINED AT THE TIME OF PLATTING.
- A PARKING RATIO OF 1:25 STALLS PER DU WILL BE REQUIRED WHEN RESIDENTIAL UNITS ARE PROVIDED. FOR OTHER USES, PLEASE REVIEW THE TABLE BELOW. ON-STREET PARKING IS ALLOWED AS PART OF THE OVERALL PARKING CALCULATION. ON ALL OTHER QUESTIONS OF ADMINISTRATIVE INTERPRETATION, THE STANDARDS FOR NR ZONING DISTRICT SHALL APPLY.
- THE TRANSFER OF THE TITLE ON ALL OR ANY PORTION OF THE LAND INCLUDED IN THE DEVELOPMENT DOES NOT CONSTITUTE A TERMINATION OF THE PLAN OR ANY PORTION THEREOF, BUT SAID PLAN SHALL RUN WITH THE LAND FOR DEVELOPMENT AND BE BINDING UPON THE PRESENT LAND OWNERS, THEIR SUCCESSORS AND ASSIGNS AND THEIR LESSEES UNLESS AMENDED.
- ALL LIGHTING SHALL BE SHIELDED TO REFLECT LIGHT AWAY FROM ADJACENT RESIDENTIAL AREAS. CONSISTENT DESIGN FOR LIGHT FIXTURES SHALL BE USED THROUGHOUT THE DEVELOPMENT. SITE LIGHTING SHALL COMPLY WITH UZC SEC. IV-B.4.
- FIRE LANES SHALL BE IN ACCORDANCE WITH THE CITY FIRE CODE. NO PARKING SHALL BE ALLOWED IN SAID FIRE LANES, ALTHOUGH THEY MAY BE USED FOR PASSENGER LOADING AND UNLOADING. DURING THE SITE PLAN REVIEW, THE FIRE CHIEF, OR HIS DESIGNATED REPRESENTATIVE SHALL APPROVE THE SITE PLAN REGARDING THE DESIGN OF THE FIRE LANES.
- TRASH RECEPTACLES SHALL BE APPROPRIATELY SCREENED TO HIDE THEM FROM GROUND VIEW ON ALL PARCELS AND SCREENING SHALL BE OF SAME MATERIAL AND COLOR AS BUILDINGS.
- ROOF EQUIPMENT SCREENING SHALL BE PROVIDED PER UNIFIED ZONING CODE. ROOF TOP UNITS FOR COMMERCIAL USES SHALL BE PAINTED SAME COLOR AS ROOF.
- SIGNS - NO OFFSITE SIGNS, BILLBOARDS OR PORTABLE SIGNS ARE PERMITTED WITHIN THE PUD, AND NO SIGNS WITH ROTATING OR FLASHING LIGHTS SHALL BE PERMITTED. SIGNAGE SHALL BE IN ACCORDANCE WITH THE SIGN CODE FOR NR ZONING.
- BUILDING SIGNAGE SHALL BE PER THE SIGN CODE FOR THE NR ZONING DISTRICT.
- IF MULTIPLE OWNERSHIP IS ANTICIPATED, AN AGREEMENT PROVIDING FOR THE MAINTENANCE OF RESERVES, OPEN SPACE, INTERNAL DRIVES, PARKING AREAS, DRAINAGE IMPROVEMENTS, ETC., SHALL BE REQUIRED. EVIDENCE OF THE AGREEMENT SHALL BE REQUIRED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT.
- LANDSCAPE BUFFERS AND SCREENING SHALL BE IN ACCORDANCE WITH THE LANDSCAPE ORDINANCE OF THE CITY OF WICHITA. A LANDSCAPE PLAN PREPARED BY A LICENSED KANSAS LANDSCAPE ARCHITECT INDICATING THE LOCATION, TYPE, AND SPECIFICATION OF PLANT MATERIALS SHALL BE SUBMITTED TO THE PLANNING DEPARTMENT FOR ITS REVIEW AND APPROVAL PRIOR TO THE ISSUANCE OF ANY BUILDING PERMIT(S). A CONSISTENT PALETTE SHALL BE USED THROUGHOUT THE DEVELOPMENT. A FINANCIAL GUARANTEE FOR THE PLANT MATERIALS APPROVED FOR THE LANDSCAPE PLAN SHALL BE REQUIRED PRIOR TO THE ISSUANCE OF ANY OCCUPANCY PERMIT IF THE REQUIRED LANDSCAPING HAS NOT BEEN INSTALLED.
- A PEDESTRIAN CIRCULATION SYSTEM, TO BE APPROVED BY THE PLANNING DIRECTOR AT THE TIME OF SITE PLAN REVIEW, SHALL BE PREPARED WHICH PROVIDES PEDESTRIAN CONNECTIONS FROM THE BUILDINGS WITHIN THE PUD TO THE SIDEWALKS ON PUBLIC RIGHT OF WAYS, AND PROVIDES CONNECTIONS BETWEEN THE BUILDINGS.
- ANY MAJOR CHANGES IN THIS PLANNED UNIT DEVELOPMENT SHALL BE SUBMITTED TO THE PLANNING COMMISSION AND TO THE GOVERNING BODY FOR THEIR CONSIDERATION.
- ALL BUILDINGS SHALL BE RESIDENTIAL IN CHARACTER EXCEPT WHEN FRONTING DOUGLAS. RESIDENTIAL ELEMENTS WILL GENERALLY CONSIST OF MULTI-LEVEL, MULTI-FAMILY BUILDINGS, LANDSCAPING, PARKING STRUCTURES AND OTHER TENANT AND GUEST AMENITIES. COMMERCIAL ELEMENTS MAY BE INTEGRATED OR MIXED WITH RESIDENTIAL USES WITHIN THE SAME STRUCTURE. ALL COMMERCIAL USES SHALL BE ARCHITECTURALLY COMPATIBLE WITH THE RESIDENTIAL CHARACTER OF THE DEVELOPMENT. THE COMPOSITION OF THE USES MAY BE MODIFIED IN CONFIGURATION OR PHASING.

- ALL BUILDINGS SHALL HAVE SIMILAR ARCHITECTURAL DESIGN AND SHARE EXTERIOR BUILDING MATERIALS AND COLORS TO CREATE A UNIFIED DEVELOPMENT.
- EXTERIOR BUILDING MATERIAL COLOR SCHEMES SHALL BE THE BUILDING ELEMENTS TOGETHER AND RELATE SEPARATE. PEDESTRIAN WALKWAYS WITHIN THE SAME DEVELOPMENT TO EACH OTHER. EXTERIOR BUILDING COLORS ARE TO BE THE COLORS OF NATURAL BUILDING AND PLANT MATERIALS. VIVID OR INTENSE COLORS ARE TO BE USED AS ACCENT ONLY, NOT AS THE PREDOMINANT EXTERIOR COLOR FOR WALLS OR ROOFS. SIGNAGE IS EXEMPT FROM THE COLOR RESTRICTIONS.
- IF VISIBLE FROM GROUND LEVEL, ROOFING MATERIALS SHALL BE: ARCHITECTURAL COMPOSITION SHINGLES, COLORED STANDING SEAM METAL ROOF, WOOD, CONCRETE, CLAY, OR A MATERIAL WHICH SIMULATED THOSE MATERIALS. METAL AS AN EXTERIOR WALL FACADE IS PROHIBITED.

- NO BUILDING WALL THAT FACES A STREET SHALL HAVE A BLANK UNINTERRUPTED LENGTH EXCEEDING 30 FEET WITHOUT INCLUDING ARCHITECTURAL FEATURES SUCH AS COLUMNS, RISBS, PILASTER OR PIERS, CHANGES IN PLANE, CHANGES IN TEXTURE OR MASONRY PATTERN OR AN EQUIVALENT ELEMENT (ART OR MURAL) THAT SUBDIVIDES THE WALL INTO HUMAN SCALE PROPORTIONS. ANY WALL EXCEEDING 30 FEET IN LENGTH SHALL INCLUDE AT LEAST ONE CHANGE IN WALL PLANE, SUCH AS PROJECTIONS OR RECESSES, INCLUDE WINDOWS, ENTRANCE, ARCHES, ARBORS, AWNINGS, TRELLISES, LANDSCAPING OR ALTERNATE ARCHITECTURAL DETAIL ALONG NO LESS THAN 80 PERCENT OF THE FACADE.
- ALL BUILDINGS IN EXCESS OF TWO (2) STORIES SHALL PRESENT ARCHITECTURALLY A RECOGNIZABLE BASE, MIDDLE AND TOP, OR A CLEARLY DEFINED ALTERNATIVE BUILDING COMPOSITION.
 - A RECOGNIZABLE BASE MAY CONSIST OF THICKER WALLS, LEDGES OR SILLS, TEXTURED MATERIALS SUCH AS STUCCO, STONE OR MASONRY; PATTERNED MATERIALS SUCH AS SMOOTH-FINISHED STONE OR TILE; LIGHTER OR DARKER COLORED MATERIALS, MULLIONS OR PANELS.
 - A RECOGNIZABLE TOP MAY CONSIST OF CORNICE TREATMENTS WITH TEXTURED MATERIALS SUCH AS STUCCO, STONE OR OTHER MASONRY OR DIFFERENTLY COLORED MATERIALS; SLOPING ROOF WITH OVERHANGS AND BRACKETS OR STEPPED PARAPETS.
 - DUMPSTER SITES SHALL BE SCREENED PER THE ZONING CODES.
- BUILDING SETBACKS SHALL BE AS SHOWN ON THE PUD OR FOR THE NR DISTRICT IF NOT OTHERWISE SHOWN ON THE PUD. HOWEVER, WHEN PROVIDED, THE SETBACK FOR THE ENTIRE BLOCK SHALL BE UNIFORM AND EQUIDISTANT. COMPATIBILITY STANDARDS SHALL NOT BE APPLICABLE.
- NO COMMERCIAL USES SHALL BE PERMITTED TO FRONT ONTO FIRST STREET.
- RESTAURANTS LOCATED WITHIN THE PUD SHALL NOT EXCEED 6000 SQUARE FEET IN SIZE.
- ELIMINATED BY PUD AMENDMENT PUD2017-04 DATED: JULY 2017.
- ELIMINATED BY PUD AMENDMENT PUD2017-04 DATED: JULY 2017.
- WIRELESS COMMUNICATION FACILITIES SHALL BE SUBJECT TO THE STANDARDS FOR THE NR ZONING DISTRICT.
- UNLESS OTHERWISE INDICATED BY THE PUD DOCUMENT, THE USES, PROPERTY DEVELOPMENT STANDARDS, AND SPECIAL DEVELOPMENT STANDARDS SHALL BE PER THE UNIFIED ZONING CODE FOR THE NR NEIGHBORHOOD RETAIL ZONING DISTRICT, AND THE SITE DEVELOPMENT STANDARDS SHALL BE PER THE UNIFIED ZONING CODE REQUIREMENTS AS APPLICABLE TO THE NR NEIGHBORHOOD RETAIL DISTRICT.
- PARCELS 1A & 1B SHALL HAVE A MAXIMUM COMMERCIAL GROSS FLOOR AREA OF 4,000 S.F.. THE ENTIRE PROPOSED DEVELOPMENT SHALL NOT EXCEED 30,000 S.F. OF COMMERCIAL GROSS FLOOR AREA.
- A SIX FOOT TALL SCREENING WALL SHALL BE PROVIDED ON THE EAST EDGE OF PARCELS 1A & 1B.
- ANCILLARY ARCHITECTURAL FEATURES SUCH AS UNENCLOSED PORCHES, STOOPS, TURRETS, EAVES, PILLARS, BAYS, AND SIMILAR APPURTENANCES SHALL BE ALLOWED WITHIN THE BUILDING SETBACKS BUT NO CLOSER THAN 3 FEET TO THE PROPERTY LINE ON FRONT SETBACKS AND NO CLOSER THAN 8 FEET TO THE PROPERTY LINE ON SIDE YARD SETBACKS.
- PARKING STRUCTURES ON ALL PARCELS SHALL BE ALLOWED IN THE 10-FOOT BUILDING SETBACK BUT NO CLOSER THAN 3 FEET.

APPROVED PUD


MAPC 8/8/17
D.M. Clements
MAPC 7/6/17





PARKSTONE

PLANNED UNIT DEVELOPMENT (PUD-26)

DATE OF PREPARATION 6/27/08 REVISED 06/23/08 REVISED PER PUD2011-04 REVISED PER PUD2016-02 DATED 04/14/16





GROUND COVER					
BI	14	BOSTON IVY	<i>Parthenocissus tricuspidata</i>	1 gallon	Container
EI	87	ENGLISH IVY	<i>Hedra helix</i>	4" pots ● 24" O.C.	Container
GV	22	VELVETY GERANIUMS	<i>Geranium renardii</i> 'Velevety'	4" pots ● 12" O.C.	Container
HPV	189	HOMESTEAD PURPLE VERBENA	<i>Verbena canadensis</i> 'Homestead Purple'	4" pots ● 12" O.C.	Container
LF	26	LAVERNE 'FRENCH'	<i>Lavandula dentata</i> 'French'	4" pots ● 12" O.C.	Container
ML	350	MAJESTIC LIRIOPE	<i>Liriope muscari</i> 'Majestic'	1 gallon	Container
PMS	40	'MAY NIGHT' MEADOW SAGE	<i>Salvia nemorosa</i> 'May Night'	4" pots ● 24" O.C.	Container
	295 SF	ANNUALS			
	450 SY	FESCUE SOD			

LANDSCAPED STREET YARD REQUIRED	AVG LOT DEPTH = 224 FEET. REQUIRED SF FACTOR = 10 (297' + 152') * 10 = 4,490 SF REQUIRED LANDSCAPED STREET YARD
LANDSCAPE YARD SHOWN	1,100 SF OF STREET YARD SHOWN. THE REMAINING SHALL OCCUR IN THE STREET ROW
SHADE TREES REQUIRED	4,490 SF OF LANDSCAPED STREET YARD REQUIRED / 500 (REQUIRED TREE FACTOR) = 9 SHADE TREES REQUIRED
SHADE TREES SHOWN	6 SHADE TREES SHOWN (2 SHADE TREES, 2 ORNAMENTAL TREES = 1 SHADE TREES, AND 30 SHRUBS = 3 SHADE TREES) THE REMAINING SHALL OCCUR IN THE STREET ROW
PARKING LOT TREES REQUIRED	12 STALLS / 20 (REQUIRED FACTOR FOR PARKING LOT TREES) 1 PARKING LOT TREE REQUIRED
PARKING LOT TREES SHOWN	1 PARKING LOT TREE SHOWN (2 ORNAMENTAL TREES = 1 SHADE TREE)
REQUIRED BUFFER	348 LF OF PROPERTY LINE / 50 (REQUIRED TREE FACTOR) = 7 REQUIRED TREES
BUFFER PROVIDED	7 TREES PROVIDED (2 SHADE TREES, 8 ORNAMENTAL TREES = 4 SHADE TREES AND 10 SHRUBS = 1 SHADE TREE)

LOTS 2, 4, 6, 8, 10 AND 12, ROEMBACH'S ADDITION
TO WICHITA, KANSAS; AND ALONG WITH THE WEST 50
FEET OF THE SOUTH HALF OF THE EAST HALF OF
LOT 1, BLOCK 2, COLLEGE HILL ADDITION TO WICHITA;
AND ALONG THE NORTH HALF OF THE WEST HALF OF
LOT 1, BLOCK 2, COLLEGE HILL ADDITION TO WICHITA.

1. ALL BED AND LAWN AREAS SHALL BE WATERED BY AN AUTOMATIC IRRIGATION SYSTEM. SUPPLY IRRIGATION FROM THE SAME METERED LINE AS THE SWIMMING POOL. LOCATE THE CONTROLLER ON THE EAST SIDE OF THE POOL HOUSE IN A LOCKABLE, WEATHER-PROOF BOX.
2. USE POWDER COATED STEEL EDGING TO SEPARATE BED AREAS FROM LAWN AREAS.

LANDSCAPE PLAN

MAPD Copy 1 of 2



GessonLivingston
Architecture
 420 South Emporia
 Wichita, KS 67202
 Tel: (316) 265-9367
 Fax: (316) 265-5646
 E-mail: architecture@glj.net

© 2008 Gossen Livingston Associates, Inc.
The drawing and all information herein is the exclusive property of Gossen Livingston Associates, Inc. and is not to be copied or used in any way without the express written consent of Gossen Livingston Associates, Inc. All drawings, specification, ideas, designs and arrangements appearing herein constitute the original and unpublished Work of:

Gossen Livingston Associates, Inc.

**PARKSTONE
AT COLLEGE HILL**


PHASE ONE
WICHITA, KANSAS

[illegible]

LANDSCAPE PLAN

Job No.	1142.100
Date	06/13/08
Drawn	KUH
Checked	LEG

LP101
OF
Dwg. **6** of **34**



APPROVED

PUD #26 Ped Circ per GP#16

Date: 9-11-17 SK

OVERALL SITE PLAN

**SPANGENBERG PHILLIPS TICE
ARCHITECTURE**
121 N Mead Ste 201 Wichita KS 67202
T 316.267.4002 F 316.267.1509
www.sptarchitecture.com



UPTOWN LANDING

DOUGLAS & RUTAN, WICHITA KS

CONDITL COMMENT
11 SEPT 17
PERMIT
28 JULY 17
OVERALL SITE PLAN

AS1.1



1 WEST ELEVATION - COLOR
3/32" = 1'-0"



2 SOUTH ELEVATION - COLOR
3/32" = 1'-0"



3 EAST ELEVATION - COLOR
3/32" = 1'-0"



4 GARAGE EAST ELEVATION - COLOR
3/32" = 1'-0"



5 GARAGE WEST ELEVATION - COLOR
3/32" = 1'-0"

APPROVED

PUD #26 Arch Rev per Note 1B

Date: 9-7-17 *[Signature]*

Page 1 of 3

PERMIT 28 JULY 17
COLORED ELEVATIONS


1



2 WEST ELEVATION - NORTH - COLOR
3/32" = 1'-0"



3 NORTH ELEVATION - WEST - COLOR
3/32" = 1'-0"



1 GARAGE NORTH ELEVATION - COLOR
3/32" = 1'-0"




4 GARAGE SOUTH ELEVATION - COLOR
3/32" = 1'-0"


APPROVED

PUD #26 Arch Rev per Note 18

Date: 9-7-17 *JK*
Page 2 of 2



4 WEST ELEVATION - NORTH
1/8" = 1'-0"




1 NORTH ELEVATION
1/8" = 1'-0"

APPROVED

PUD #26 Arch Rev per Note 1B

Date: 7-7-17

Page 2 of 2



3 NORTH ELEVATION - WEST
1/8" = 1'-0"

Section corner found

☐ Point found

☒ 5/8" bar w/POE cap set

(M) Measured distance

(CM) Calculated from Measured distance

(D) Deed distance



PARKING REQUIREMENTS	
USE	RATIO
RETAIL	1/500 SF
OFFICE	1/500 SF
RESTAURANT	1/8 OCCUPANTS
PERSONAL SERVICE	1/500 SF



PARCEL DESCRIPTIONS


PARCEL 1A (SEE ALSO NOTES 20, 21 & 28)
USES - ALL RESIDENTIAL AND COMMERCIAL
USES PERMITTED BY RIGHT IN THE NR ZONING
DISTRICT EXCEPT THAT THE FOLLOWING USES
WILL NOT BE ALLOWED:
BROADCAST RESIDENCY, LIMITED, AND BROADCAST
RECORDING STUDIO, AND PAY DAY LOANS OR
SIMILAR BUSINESSES.
THE FOLLOWING USES SHALL BE ALLOWED:
NEIGHBORHOOD SWIMMING POOL AND UTILITY,
MINOR.
GROSS LAND AREA - 19,701 s.f.
MAX. BUILDING HEIGHT - 45'
MAX. DENSITY D.U. - 21.8/ACRE

PARCEL 1B (SEE ALSO NOTES 20, 21 & 28)
USES - ALL RESIDENTIAL AND COMMERCIAL
USES PERMITTED BY RIGHT IN THE NR ZONING
DISTRICT EXCEPT THAT THE FOLLOWING USES
WILL NOT BE ALLOWED:
GROUP RESIDENCE, LIMITED, AND BROADCAST
RECORDING STUDIO, AND PAY DAY LOANS OR
SUBSISTENT BUSINESS.
THE FOLLOWING USES SHALL BE ALLOWED:
NEIGHBORHOOD SWIMMING POOL AND UTILITY,
MINOR.
GROSS LAND AREA - 32,613 s.f.
MAX. BUILDING HEIGHT - 45'
MAX. DENSITY D.U. - 21/ACRE

PARCEL 2 (SEE ALSO NOTES 20 & 21)
USES - SAME AS PARCELS 1A & 1B
GROSS LAND AREA - 135,017 S.F.
MAX. BUILDING HEIGHT - 70'
MAX. DENSITY D.U. - 50/ACRE

PARCEL 3
USE - PARKING LOT
GROSS LAND AREA - 24,234 S.F.

PARCEL 4 (SEE ALSO NOTES 20 & 21)
USES - SAME AS PARCELS 1A & 1B
GROSS LAND AREA - 63,322 S.F.
MAX. BUILDING HEIGHT - 70'
MAX. DENSITY D.U. - 55 DU/ACRE



1. THIS MIXED-USE DEVELOPMENT CONTAINS 6.1± NET ACRES.
2. LEGAL DESCRIPTION: LOTS 1-4, 7-12, THE EAST HALF OF LOT 13 & 20, L, R & R SUBDIVISION OF BLOCK 1 IN CITY OF HALL ADDITION TO WICHITA, KANSAS; ALONG WITH THE WEST 100 FEET OF AN CORNER ADDITION TO WICHITA, KANSAS; COLLEGE PARK, COLLEGE HILL ADDITION TO WICHITA; AND THE NORTH 140 FEET OF COLLEGE PARK, COLLEGE HILL ADDITION TO WICHITA; AND ALONG WITH LOTS 2, 4, 6, 8, 10 AND 12, ROEMERBACH'S ADDITION TO WICHITA, KANSAS; AND ALONG WITH THE WEST 50 FEET OF THE SOUTH HALF OF THE EAST HALF OF LOT 1, BLOCK 2, COLLEGE HILL ADDITION TO WICHITA; AND ALONG WITH THE NORTH HALF OF THE EAST HALF OF LOT 1, BLOCK 2, COLLEGE HILL ADDITION TO WICHITA TO BE PLATTED AS LOTS 1 THRU 4, PARKSTONE ADDITION; ALONG WITH THE FOLLOWING DESCRIBED TRACT; COMMENCING AT THE NORTHWEST CORNER OF COLLEGE PARK, COLLEGE HILL ADDITION TO WICHITA; THENCE EAST ALONG THE NORTH LINE OF SAID COLLEGE PARK FOR A DISTANCE OF 100 FEET FOR A POINT OF BEGINNING; THENCE CONTINUING EAST ALONG THE NORTH LINE OF SAID COLLEGE PARK FOR A DISTANCE OF 98 FEET; THENCE SOUTH PERPENDICULAR TO THE NORTH LINE OF SAID COLLEGE PARK FOR A DISTANCE OF 100 FEET TO THE WEST POINT PARALLEL TO THE NORTH LINE OF SAID COLLEGE PARK FOR A DISTANCE OF 98 FEET; THENCE NORTH PERPENDICULAR TO THE NORTH LINE OF SAID COLLEGE PARK FOR A DISTANCE OF 106.75 FEET TO THE POINT OF BEGINNING.
3. THE PROPOSED DEVELOPMENT CONTAINS 4 PARCELS WITH COMMERCIAL AND RESIDENTIAL USES. SEE PARCEL DESCRIPTIONS FOR SPECIFIC USES ON EACH PARCEL.
4. ALL UTILITIES SHALL BE INSTALLED UNDERGROUND.
5. FINAL DETERMINATION OF ANY PUBLIC IMPROVEMENTS SHALL BE DETERMINED AT THE TIME OF PLATING.
6. A PARKING RATIO OF 1:25 STALLS PER DU WILL BE REQUIRED WHEN RESIDENTIAL UNITS ARE PROVIDED. FOR OTHER USES, PLEASE REVIEW THE TABLE BELOW. ON-STREET PARKING IS ALLOWED AS PART OF THE OVERALL PARKING CALCULATION. ON ALL OTHER QUESTIONS OF ADMINISTRATIVE INTERPRETATION, THE STANDARDS FOR NR ZONING DISTRICT SHALL APPLY.
7. THE TRANSFER OF THE TITLE ON ALL OR ANY PORTION OF THE LAND INCLUDED IN THIS DEVELOPMENT DOES NOT CONSTITUTE A TERMINATION OF THE PLAN OR ANY PORTION THEREOF, BUT SAID PLAN SHALL RUN WITH THE LAND FOR DEVELOPMENT AND BE BINDING UPON THE PRESENT LAND OWNERS, THEIR SUCCESSORS AND ASSIGNS AND THEIR LESSEES UNLESS AMENDED.
8. ALL LIGHTING SHALL BE SHIELDED TO REFLECT LIGHT AWAY FROM ADJACENT RESIDENTIAL AREAS. CONSISTENT DESIGN FOR LIGHT FIXTURES SHALL BE USED THROUGHOUT THE DEVELOPMENT. SITE LIGHTING SHALL COMPLY WITH UZC SEC. IV-B.4.
9. FIRE LANES SHALL BE IN ACCORDANCE WITH THE CITY FIRE CODE. NO PARKING SHALL BE ALLOWED IN SAID FIRE LANES, ALTHOUGH THEY MAY BE USED FOR PASSENGER LOADING AND UNLOADING, DURING THE SITE PLAN REVIEW, THE FIRE CHIEF, OR HIS DESIGNATED REPRESENTATIVE SHALL APPROVE THE SITE PLAN REGARDING THE DESIGN OF THE FIRE LANES.
10. TRASH RECEPTACLES SHALL BE APPROPRIATELY SCREENED TO HIDE THEM FROM GROUND VIEW ON ALL PARCELS AND SCREENING SHALL BE OF SAME MATERIAL AND COLOR AS BUILDINGS.
11. ROOF EQUIPMENT SCREENING SHALL BE PROVIDED PER UNIFIED ZONING CODE. ROOF TOP UNITS FOR COMMERCIAL USES SHALL BE PAINTED SAME COLOR AS ROOF.
12. SIGNS - NO OFFSITE SIGNS, BILLBOARDS OR PORTABLE SIGNS ARE PERMITTED WITHIN THE PUD, AND NO SIGNS WITH ROTATING OR FLASHING LIGHTS SHALL BE PERMITTED. SIGNAGE SHALL BE IN ACCORDANCE WITH THE SIGN CODE FOR NR ZONING.
13. BUILDING SIGNAGE SHALL BE PER THE SIGN CODE FOR THE NR ZONING DISTRICT.
14. IF MULTIPLE OWNERSHIP IS ANTICIPATED, AN AGREEMENT PROVIDING FOR THE MAINTENANCE OF RESERVES, OPEN SPACE, INTERNAL DRIVE, PARKING AREAS, DRAINAGE IMPROVEMENTS, ETC., SHALL BE REQUIRED. EVIDENCE OF THE AGREEMENT SHALL BE REQUIRED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT.
15. LANDSCAPE BUFFERS AND SCREENING SHALL BE IN ACCORDANCE WITH THE LANDSCAPE ORDINANCE OF THE CITY OF WICHITA. A LANDSCAPE PLAN PREPARED BY A LICENSED KANSAS LANDSCAPE ARCHITECT INDICATING THE LOCATION, TYPE, AND SPECIFICATION OF PLANT MATERIALS SHALL BE SUBMITTED TO THE PLANNING DEPARTMENT FOR ITS REVIEW AND APPROVAL PRIOR TO THE ISSUANCE OF ANY BUILDING PERMIT(S). A CONSISTENT PALETTE SHALL BE USED THROUGHOUT THE DEVELOPMENT. A FINANCIAL GUARANTEE FOR THE PLANT MATERIALS APPROVED FOR THE LANDSCAPE PLAN SHALL BE REQUIRED PRIOR TO THE ISSUANCE OF ANY OCCUPANCY PERMIT IF THE REQUIRED LANDSCAPING HAS NOT BEEN INSTALLED.
16. A PEDESTRIAN CIRCULATION SYSTEM, TO BE APPROVED BY THE PLANNING DIRECTOR AT THE TIME OF SITE PLAN REVIEW, SHALL BE PREPARED WHICH PROVIDES PEDESTRIAN CONNECTIONS FROM THE BUILDINGS WITHIN THE PUD TO THE SIDEWALKS ON PUBLIC RIGHT OF WAYS, AND PROVIDES CONNECTIONS BETWEEN THE BUILDINGS.
17. ANY MAJOR CHANGES IN THIS PLANNED UNIT DEVELOPMENT SHALL BE SUBMITTED TO THE PLANNING COMMISSION AND TO THE GOVERNING BODY FOR THEIR CONSIDERATION.
18. ALL BUILDINGS SHALL BE RESIDENTIAL IN CHARACTER EXCEPT WHEN FRONTING DOUGLAS. RESIDENTIAL ELEMENTS WILL GENERALLY CONSIST OF MULTI-LEVEL, MULTI-FAMILY BUILDINGS, LANDSCAPING, PARKING STRUCTURES AND OTHER TENANT AND GUEST AMENITIES. COMMERCIAL ELEMENTS MAY BE INTEGRATED OR MIXED WITH RESIDENTIAL ELEMENTS WITHIN THE SAME STRUCTURE. ALL COMMERCIAL USES SHALL BE ARCHITECTURALLY COMPATIBLE WITH THE RESIDENTIAL CHARACTER OF THE DEVELOPMENT. THE COMPOSITION OF THE USES MAY BE MODIFIED IN CONFIGURATION OR PHASING.

1. NO BUILDING WALL THAT FACES A STREET SHALL HAVE A BLANK UNINTERRUPTED LENGTH EXCEEDING 30 FEET WITHOUT INCLUDING ARCHITECTURAL FEATURES SUCH AS COLUMNS, RISERS, ARCHES, CHANGES IN PLANE, CHANGES IN TEXTURE OR MASONRY PATTERN OR AN EQUIVALENT ELEMENT (ART OR MURAL) THAT SUBDIVIDES THE WALL INTO HUMAN SCALE PROPORTIONS. ANY WALL EXCEEDING 30 FEET IN LENGTH SHALL INCLUDE AT LEAST ONE CHANGE IN WALL PLANE, SUCH AS PROJECTIONS OR RECESSES, INCLUDE WINDOWS, ENTRANCE, ARCADES, ARBORS, AWNINGS, TRELISES, LANDSCAPING OR ALTERNATE ARCHITECTURAL DETAIL ALONG NO LESS THAN 60 PERCENT OF THE FACADE.

E. ALL BUILDINGS IN EXCESS OF TWO (2) STORIES SHALL PRESENT ARCHITECTURALLY A RECOGNIZABLE BASE, MIDDLE AND TOP, OF A CLEARLY DEFINED ALTERNATIVE BUILDING COMPOSITION.

- 1) A RECOGNIZABLE BASE MAY CONSIST OF THICKER WALLS, LEDGES OR SILLS; TEXTURED MATERIALS SUCH AS STUCCO, STONE OR MASONRY, PATTERNED MATERIALS SUCH AS SMOOTH-FINISHED STONE OR TILE; LIGHTER OR DARKER COLORED MATERIALS, MILLIONS OR PANELS.
- 2) A RECOGNIZABLE TOP MAY CONSIST OF CORNICE TREATMENTS WITH TEXTURED MATERIALS SUCH AS STUCCO, STONE OR OTHER MASONRY OR DIFFERENTLY COLORED MATERIALS; SLOPING ROOF WITH OVERHANGS AND BRACKETS OR STEPPED PARAPETS.
- 3) DUMPSTER SITES SHALL BE SCREENED PER THE ZONING CODES.

19. BUILDING SETBACKS SHALL BE AS SHOWN ON THE PUD OR FOR THE NR DISTRICT IF NOT OTHERWISE SHOWN ON THE PUD. HOWEVER, WHEN PROVIDED, THE SETBACK FOR THE ENTIRE BLOCK SHALL BE UNIFORM AND EQUITABLE. COMPATIBILITY STANDARDS SHALL NOT BE APPLICABLE.

20. NO COMMERCIAL USES SHALL BE PERMITTED TO FRONT ANY FIRST STREET.

21. RESTAURANTS LOCATED WITHIN THE PUD SHALL NOT EXCEED 6000 SQUARE FEET IN SIZE.

22. ELIMINATED BY PUD AMENDMENT PUD2017-04 DATED: JULY 2017.

23. ELIMINATED BY PUD AMENDMENT PUD2017-04 DATED: JULY 2017.

24. WIRELESS COMMUNICATION FACILITIES SHALL BE SUBJECT TO THE STANDARDS FOR THE NR ZONING DISTRICT.

25. UNLESS OTHERWISE INDICATED BY THE PUD DOCUMENT, THE USES, PROPERTY DEVELOPMENT STANDARDS, AND SPECIAL DEVELOPMENT STANDARDS SHALL BE PER THE UNIFIED ZONING CODE FOR THE NR NEIGHBORHOOD RETAIL ZONING DISTRICT, AND THE SITE DEVELOPMENT STANDARDS SHALL BE PER THE UNIFIED ZONING CODE REQUIREMENTS AS APPLICABLE TO THE NR NEIGHBORHOOD RETAIL DISTRICT.

26. PARCELS 1A & 18 SHALL HAVE A MAXIMUM COMMERCIAL GROSS FLOOR AREA OF 4,000 S.F.. THE ENTIRE PROPOSED DEVELOPMENT SHALL NOT EXCEED 10,000 S.F. OF COMMERCIAL GROSS FLOOR AREA.

27. A SIX FOOT TALL SCREENING WALL SHALL BE PROVIDED ON THE EAST EDGE OF PARCELS 1A & 18.

28. ANGLIARY ARCHITECTURAL FEATURES SUCH AS UNENCLOSED PORCHES, STOOFS, TURRETS, EAVES, PILLARS, BAYS, AND SIMILAR APERTURES, SHALL BE ALLOWED WITHIN THE BUILDING SETBACKS BUT NO CLOSER THAN 3 FEET TO THE PROPERTY LINE ON FRONT SETBACKS AND NO CLOSER THAN 6 FEET TO THE PROPERTY LINE ON SIDE YARD SETBACKS.

29. PARKING STRUCTURES ON ALL PARCELS SHALL BE ALLOWED IN THE 10-FOOT BUILDING SETBACK BUT NO CLOSER THAN 3 FEET.

Amendment #1
PUD 2017-0000

As per AA PUD2021-1
11-16-2021

Amendment #1
PUD 2017-00004

As per AA PVD 2021-00019
11-16-2021 plmorga

APPROVED PUD

MAPC 7-6-2017 blm
WCC 8-8-2017 Rm
MAPC Copy 1 of 4



REVISED PER PUD2017-04 DATED 08/08/17
REVISED PER PUD2021-19 DATED 11/16/21

PARKSTONE

PLANNED UNIT DEVELOPMENT (PUD-26)

DATE OF PREPARATION 6/27/08 REVISED 09/23/08 REVISED PER PUD2011-04 REVISED PER PUD2016-02 DATED 04/14/16

KEY	QTY	COMMON NAME	BOTANICAL NAME	SIZE & METHOD OF HANDLING
DECIDUOUS TREES				
PST	4	CHINESE PISTACHE	PISTACHA CHINENSIS	4" CUL. / B&B
COM	4	CRUDO MAPLE FLAMINGO	ACER BACCHARUM JFS-CRUDO/ PP 20361	4" CUL. / B&B
SHU	15	SHIMADU OAK	QUERCUS SHIMADII	4" CUL. / B&B
ORNAEMENTAL TREES				
MAPL	3	SHANTUNG MAPLE	ACER TRICUCUTUM	2" CUL. / B&B
RRC	4	ROYAL RANDORPS CHAMPAPLE	MAULS JFS-CHAM ROYAL RANDORPS	2" CUL. / B&B
EMB	10	EASTERN REDCUD	CERIS CHAMODENSIS	2" CUL. / B&B
SRV	6	AUTUMN BRILLANCE SERVICEBERRY		8" HT. MIN. CLAMP. / B&B
EVERGREEN TREES				
TAY	57	TAYLOR JUMPER	JUNIPERUS VIRGINIANA TAYLOR	10" MIN. HT.

PLANT SCHEDULE CTD.				
KEY	QTY	COMMON NAME	BOTANICAL NAME	SIZE & METHOD OF HANDLING
DECIDUOUS SHRUBS				
TES	55	TIGER EYES SUMAC	RHUS TYPHALA TIGER EYES	#5 CONT.
CPB	27	CHERRY DAZZLE SHAW DOGWOOD	LAMBERTSIA GAYARD CHERRY DAZZLE	#5 CONT.
DBB	27	DIWANE BURNING BUSH	ELAEAGNUS ALATUS COMPACTUS	#5 CONT.
LH	29	LIMELIGHT HYDRANGEA	HYDRANGEA PANICULATA LIMELIGHT	#5 CONT.
DOG	55	HARBOUR GRAY DOGWOOD	CORNUS RACEMOSA HARBOUR	#5 CONT.
EVERGREEN SHRUBS				
GSY	145	GOLDEN SWORD YUCCA	YUCCA FILAMENTOSA GOLDEN SWORD	#5 CONT.
BRK	70	RED YUCCA	HESPERALOE PARVIFLORA BRYCE LIGHTS	#5 CONT.
TAM	34	TAM LAMPER	LAMBERTSIA SABINA YAK TAMABSCROLL	#5 CONT.
SEA	20	SEA GREEN LAMPER	LAMBERTSIA x FITZGERALD SEA GREEN	#5 CONT.

KEY	QTY	COMMON NAME	BOTANICAL NAME	SIZE & METHOD OF HANDLING
ORNAIMENTAL GRASSES				
NMS	46	NORTHWIND SWITCHGRASS	PANICUM VIRGATUM NORTHWIND	#4 CONT.
LYM	38	BLUE DUNE LYME GRASS	ELYNIS ARENARIUS BLUE DUNE	#4 CONT.
SSG	85	SHEENADOAH SWITCHGRASS	PANICUM VIRGATUM SHEENADOAH	#4 CONT.
FRG	21	FEATHER REED GRASS	CALAMAGROSTIS x ACUTILOXA MALE ROOSTER	#4 CONT.
LBS	57	LITTLE BLUESTEM	SCIRPUS CALAMUS LITTLE BLUESTEM	#4 CONT.
PERENNIALS				
CAT	31	CANTANUM	HEPETA RUPESTRIS WALKERS LOW	#1 CONT.
BES	12	BLACK-EYED SUSAN	RUDBECKIA HIRTIA	#1 CONT.
LR	156	BIG BLUE LIRIOPE	LIRIOPE MACROCARPA BIG BLUE	#1 CONT.
TREE GRASS				
SOD	2,715 SY	FESCUE GARDEN WISE FESCUE BLUE MOUNTAIN		


VICINITY MAP
NO SCALE



1. Landscaping contractor shall provide all labor, materials and service necessary to install and maintain all plantings as specified herein and as shown on these plans.
2. No material substitutions shall be made without Owner/Architect's approval. Alternates or substitutions of similar size and character may be considered if specified plant materials cannot be obtained. Owner/Architect reserves the right to adjust plant list as deemed necessary.
3. Total quantities of materials shown on drawings shall take precedence over quantities shown on the plant schedule. Landscaping contractor shall be responsible for verifying all quantities on the planting plans.
4. When clay soil is encountered in the establishment of the lawn or the installation of the plant material, it shall be improved in accordance with standard best practices.
5. Re-establishment in all the areas disturbed by grading or utility trenching in the R.O.W. After planting is completed, riprap fillings to all plants as well as extra amount of mulch shall be applied to all plants to a minimum depth of 2 inches.
6. Pruning to a minimum necessary to remove dead or injured limbs and branches. Pruning shall be done in such a manner as not to change natural habit or shape of plant. Make cuts flush, leaving no stubs. Cut of one limb(s) or more to be planted with tree plant. Central leaders shall not be removed.
7. Use transplant spacing in all ground cover and annual beds unless stated otherwise on plans.
8. Plant ground cover within one foot(1') of trunk of trees or shrubs planted within area. Planting arrangement shall be triangular, with proper on-center spacing between plants.
9. Heavy duty black plastic edging shall be used to separate all turf areas from planting beds. Place edging flush with grade(see planting details).
10. Use shredded mulch in all planting beds. Landscaping contractor shall supply 3/4" mulch/edging with a sample of mulch for approval prior to starting construction.
11. Place mulch in beds and tree saucers per planting details.
12. Planting beds receiving mulch are to be free of weeds and grass. Treat beds with a pre-emergent herbicide prior to planting and mulch placement. Apply in accordance with standard best practices. Do not apply herbicide in annual/perennial beds.
13. Seasonal annuals. Do not apply herbicide in annual/perennial beds.
14. The longest lasting, bodiest cut back beds are to be planted with local materials that will offer the best maintenance and lowest cost.
15. Landscaping contractor to remove all weeds, tree wrap, and remove all dead wood on trees and shrubs one year after provisional plantings.
16. Report any discrepancies in the planting plan to the architect prior to starting construction.
17. Prior to any excavation for landscaping purposes, the location of underground utilities shall be determined by calling the local utility companies. Landscaping contractor shall be responsible for any damage done to existing utilities.
18. The landscaping contractor is to be responsible for all permits required and is to see that all work is performed in accordance with state and local codes.
19. All Topsoil hauled onto the site shall be fertile, stable, natural brown loam of uniform quality characteristic representing local soils which produce heavy crop of crops, grass or other vegetation. It shall be free of subsoil, clay lumps, brush, weeds, roots, stones, trash, or other matter toxic to plant growth.
20. All grass areas called out on the plans are to be seeded/seeded with local industry standard type variety. Submit seed type to Architect prior to installation. Starter fertilizer also to be applied in accordance with local industry standards.

OVERALL LANDSCAPE PLAN

1/10/22
OVERALL LAND
PVD-26



FOR REFERENCE ONLY

